



State Price Quote Specification
TYPE A— GAS & PROPANE
Use this document to bid both non-lift and lift, gas and propane buses.

PART I

Vendor: _____
BRYSON _____
Mfr.: MICRO BIRD _____

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
		<i>Gas</i>	<i>Propane</i>
Seating Capacity	Maximum passenger capacity based upon an average center-to-center seat spacing of at least 27.5" with a lap-shoulder belt for each seating position.	Capacity w/o lift <u>22</u>	Capacity w/o lift <u>28</u>
		Capacity w/lift <u>13</u>	Capacity w/lift <u>19</u>
Alternator	145 amp minimum. Lift-equipped or air-conditioned. Manufacturer recommended capacity.	Mfr. <u>DELCO / FORD</u>	
		Amps output w/o lift or A.C. <u>220 / 155</u>	
		Amps output w/lift or A.C. <u>220 / 155</u>	
Auxiliary Automatic Transmission Cooler	10,000 lb. Hayden or equal.	<i>Gas</i>	<i>Propane</i>
		Mfr. <u>GM</u>	Mfr. <u>FORD</u>
		Lbs. rating <u>10,000</u>	Lbs. rating <u>10,000</u>
Axle—Front	Manufacturer's recommendation.	<i>Gas</i>	<i>Propane</i>
		Mfr. <u>GM</u>	Mfr. <u>FORD</u>
		Lbs. rating <u>4,300</u>	Lbs. rating <u>5,000</u>
		Indepen. suspens. <input checked="" type="checkbox"/>	Indepen. suspens. <input checked="" type="checkbox"/>
Axle—Rear	Manufacturer's recommendation.	<i>Gas</i>	<i>Propane</i>
		Mfr. <u>GM</u>	Mfr. <u>FORD</u>
		Capacity <u>8,600</u>	Capacity <u>9,600</u>
Axle Ratio	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications Manual.	<i>Gas</i>	<i>Propane</i>
		Ratio <u>3.73</u>	Ratio <u>4.56</u>
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: <input checked="" type="checkbox"/> Diameter <u>4"</u>	Other: <input type="checkbox"/> Square inches _____

PART I (cont.)

		<p>State Price Quote Specification</p> <p>TYPE A—GAS & PROPANE</p> <p>Use this document to bid both non-lift and lift, gas and propane buses.</p>	<p>Vendor: <u>BRYSON</u></p> <hr/> <p>Mfr.: <u>MICRO BIRD</u></p>
--	--	--	---

ITEM	STATE-SUPPORTED SPECIFICATIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID	
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	Price of items bid will establish the state cost.	
Battery(ies)	535 CCA 12 volt minimum for gas and propane w/o lift. 1070 CCA 12 volt minimum for any bus w/lift.	Gas/Propane w/o lift	Any bus w/lift
		CCA <u>GAS 1540/LPG 1500</u>	CCA <u>GAS 1540/LPG 1500</u>
Brakes	Hydraulic: Drum or Disc. Refer to Washington State School Bus Specifications Manual.	Gas	Propane
		Front Disc <input checked="" type="checkbox"/>	Front Disc <input checked="" type="checkbox"/>
		Drum <input type="checkbox"/>	Drum <input type="checkbox"/>
		Rear Disc <input checked="" type="checkbox"/>	Rear Disc <input checked="" type="checkbox"/>
		Drum <input type="checkbox"/>	Drum <input type="checkbox"/>
		Drum Size <u>MFG STD</u>	Drum Size <u>MFG STD</u>
Doors, Service	Power operated.	<input type="checkbox"/> Air <input type="checkbox"/> Folding <input checked="" type="checkbox"/> Electric <input checked="" type="checkbox"/> Split, Outward Opening <input type="checkbox"/> Other _____	
Engine	Gas and Propane—3.5 liters minimum.	Gas	Propane
		Engine mfr. <u>GM</u>	Engine mfr. <u>FORD</u>
		H.P. <u>6.6L</u>	Liters <u>7.3L</u>
Fuel Tank	Gas—25 gallon minimum. Propane—largest available.	Gas	Propane
		Capacity <u>33 GALLONS</u>	Capacity <u>40 GALLONS</u>
Heaters	Front—manufacturer's standard. Rear—40,000 B.T.U. minimum.	Rear B.T.U. w/o lift <u>42,000</u> Rear B.T.U. w/lift <u>42,000</u>	
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights—7", Tail Lights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified <input checked="" type="checkbox"/> If not, explain _____ _____	

		State Price Quote Specification TYPE A—GAS & PROPANE Use this document to bid both non-lift and lift, gas and propane buses.	PART I (cont.) Vendor: <u>BRYSON</u> Mfr.: <u>MICRO BIRD</u>
--	--	--	---

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BODY		
Wheelchair Lift—Installed	Must meet state specification. Platform shall be a minimum of 32" x 52".	Mfr. <u>BRAUN</u> Model No. <u>CENTURY</u>
Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q-STRAINT</u> Model No. <u>QRT DELUXE SLIDE & CLICK</u>
ADDITIONAL REQUIREMENTS—CHASSIS AND BODY		
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery.	Check if as specified <input checked="" type="checkbox"/>
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at delivery.	Check if as specified <input checked="" type="checkbox"/>
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified <input checked="" type="checkbox"/>
Service and Cleaning	Cleaning and service by vendor prior to delivery will include: <ul style="list-style-type: none"> • Chassis lubrication. • Check fluid levels: verify all are at recommended full levels. • Cooling system protected at -20°F. • Interior and exterior will be clean (including glass). • All systems (electric, air, hydraulic, mechanical and manual) be inspected to ensure proper operation at time of delivery. • All components and accessories will be installed and operational at time of delivery. 	Check if as specified <input checked="" type="checkbox"/>
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified <input checked="" type="checkbox"/>



VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION
TYPE A—GAS

VENDOR'S COMPANY NAME BRYSON SALES & SERVICE OF WASHINGTON, INC. ADDRESS 2407 GIBSON RD. EVERETT, WAS 98204	REPRESENTATIVE'S NAME BRANDON BRYSON	TELEPHONE NUMBER 425-953-2820
	Estimated delivery date to school district from time purchase order is received: <u>150 – 210</u> DAYS ARO Firm where engine and chassis can be serviced or repaired and parts obtained: <u>BRYSON</u> Firm where body can be serviced or repaired and parts obtained: <u>BRYSON</u>	

BODY			
MAKE MICRO BIRD	Warranty: Years <u>1</u> Miles <u>12,000</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>153.75"</u> w/lift <u>153.75"</u>	Equipped seating capacity: w/o lift <u>22</u> w/lift <u>16</u>
MODEL MB II	YEAR <u>2024</u>	Seat color: <u>BROWN</u> Floor color: <u>GRAY</u>	Overall vehicle length (inches): w/o lift <u>262"</u> w/lift <u>262"</u>

CHASSIS		ENGINE	
MAKE GM	Warranty: Years <u>3</u> Miles <u>36,000</u>	MANUFACTURER GM	Torque: <u>464</u> @ <u>4000</u> RPM H.P.: <u>401</u> @ <u>5200</u> RPM
MODEL 12,300	YEAR <u>2024</u>	Wheel base: <u>139"</u>	MODEL 6.6L V8 YEAR <u>2024</u>
TRANSMISSION		Warranty: Years <u>3</u> Miles <u>36,000</u>	Liters: <u>6.6L</u> Fuel type: <u>GAS</u>
MANUFACTURER GM	Speeds forward: <u>6</u>	Battery type/grp: <u>MAINT</u> <u>FREE</u>	Number batteries: <u>2</u>
MODEL 6L90	Warranty: Years <u>3</u> Miles <u>36,000</u>	Number of cylinders: <u>8</u> Inline _____ V-type <u>X</u>	Total CCA: <u>1540</u>

QUOTED PRICE	
Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).	
Gas Bid—w/o lift \$ <u>96,030.00</u>	Gas Bid—w/lift \$ <u>101,956.00</u>
VENDOR REPRESENTATIVE'S SIGNATURE	DATE
_____	_____



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2022-2023

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

**VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION
TYPE A—PROPANE**

VENDOR'S COMPANY NAME BRYSON SALES & SERVICE OF WASHINGTON, INC.	REPRESENTATIVE'S NAME BRANDON BRYSON	TELEPHONE NUMBER 425-953-2820
ADDRESS 2407 GIBSON RD. EVERETT, WA 98204	Estimated delivery date to school district from time purchase order is received: <u>150 – 210</u> <u>DAYS ARO</u>	
	Firm where engine and chassis can be serviced or repaired and parts obtained: <u>BRYSON</u> Firm where body can be serviced or repaired and parts obtained: <u>BRYSON</u>	

BODY

MAKE MICRO BIRD	Warranty: Years <u>1</u> Miles <u>12,000</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>153.75"</u> w/lift <u>153.75"</u>	Equipped seating capacity: w/o lift <u>28</u> w/lift <u>19</u>
MODEL G5	YEAR <u>2024</u>	Seat color: <u>BROWN</u> Floor color: <u>GRAY</u>	Overall vehicle length (inches): w/o lift <u>253"</u> w/lift <u>253"</u>

CHASSIS

ENGINE

MAKE FORD	Warranty: Years <u>3</u> Miles <u>36,000</u>	MANUFACTURER FORD	Torque: <u>468</u> @ <u>3900</u> RPM H.P.: <u>350</u> @ <u>3900</u> RPM
MODEL E450 / 14500	YEAR <u>2024</u>	Wheel base: <u>158"</u>	MODEL <u>7.3L</u> YEAR <u>2024</u>
TRANSMISSION		Warranty: Years <u>3</u> Miles <u>36,000</u>	Liters: <u>7.3L</u> Fuel type: PROPANE
MANUFACTURER FORD	Speeds forward: <u>6</u>		Battery type/grp: <u>MAINT</u> <u>FREE</u>
MODEL 6R80	Warranty: Years <u>3</u> Miles <u>36,000</u>	Number of cylinders: <u>8</u> Inline _____ V-type <u>x</u>	Number batteries: <u>2</u> _____ Total CCA: <u>1500</u> _____

QUOTED PRICE

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Propane Bid—w/o lift \$ 131,176.00

Propane Bid—w/lift \$ 137,278.00

VENDOR REPRESENTATIVE'S SIGNATURE _____

DATE _____

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS
TYPE A

Vendor: BRYSONMfr.: MICRO BIRD

Use this document to bid both non-lift and lift, gas and propane buses.

CHASSIS

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Small A	Type A bus—10,000 lbs or under GVWR chassis.	Gas	Propane
		Deduct \$ <u>4138.00</u>	Deduct <u>N/A</u>
		Mfr. <u>FORD T-SERIES</u>	Mfr. <u>N/A</u>
		Capacity w/o lift <u>14</u>	Capacity w/o lift <u>N/A</u>
		Dual Wheel <input type="checkbox"/>	Dual Wheel <input type="checkbox"/>
		Single Wheel <input checked="" type="checkbox"/>	Single Wheel <input type="checkbox"/>
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. <u>VALEO</u> Cost \$ <u>3,180.00</u>	
<input type="checkbox"/> CNG	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications manual. Must comply with all of the requirements of FMVSS No. 305.	Mfr. <u>MICRO BIRD</u> <input type="checkbox"/> CNG Cost \$ <u>N/A</u>	
<input checked="" type="checkbox"/> Electric		<input type="checkbox"/> Electric Cost \$ <u>REFERENCE 1394-2 TYPE A EV</u>	
Back-up Alarm	Must meet state specification.	Mfr. <u>ECCO</u> Cost \$ <u>168.00</u>	
Color	Exterior white roof.	Cost \$ <u>INCLUDED</u>	
Steering Wheel	Tilt and telescoping column.	Cost \$ <u>INCLUDED</u>	
Strobe Light	Exterior roof mounted white strobe light.	Mfr. <u>ECCO</u> Model No. <u>7460 LED CLEAR LENS</u> Cost \$ <u>189.00</u>	
Student Protection System—Installed	Electronic system to insure driver post-trip inspection of passenger compartment.	Mfr. <u>CHILD CHECK MATE</u> Model No. <u>CCM</u> Cost \$ <u>744.00</u>	
Toolbox	Interior, manufacturer standard.	Cost \$ <u>INCLUDED</u>	Deduct \$ <u>49.00</u>

		State Price Quote Specification	PART II (cont.)
		DISTRICT-SUPPORTED OPTIONS	Vendor: <u>BRYSON</u>
		TYPE A	Mfr.: <u>MICRO BIRD</u>
		Use this document to bid both non-lift and lift, gas and propane buses.	

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Video Camera Systems—Installed	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. <u>SEON</u>	
		Model No. <u>TH-4</u>	
		Cost \$ <u>3,464.00</u>	How many cameras <u>4</u>
Video Camera Systems—Stop Sign Camera—Installed	Must meet state specification.	<i>Stand Alone System</i>	<i>Added to Interior System</i>
		Mfr. <u>SEON</u>	Mfr. <u>SEON</u>
		Model No. <u>TH-4</u>	Model No. <u>TH-4</u>
		Cost \$ <u>1,966.00</u>	Cost \$ <u>453.00</u>
		How many cameras <u>1</u>	How many cameras <u>1</u>
Warning Light Monitor	16 light monitoring system.	<i>Incandescent</i>	<i>LED Lights</i>
		Cost \$ <u>744.00</u>	Cost \$ <u>744.00</u>
Additional Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q-STRAINT</u>	
		Model No. <u>SLIDE & CLICK</u>	
		Cost per station \$ <u>1,102.00</u>	
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ <u>1,578.00</u>	
		Rear Cost \$ <u>669.00</u>	
		Both Cost \$ <u>2,247.00</u>	
Windows	Tinted.	Cost \$ <u>INCLUDED</u>	