



State Price Quote Specification  
**TYPE D84—BID AS 78 PASSENGERS**  
**DIESEL & CNG**

Use this document to bid both non-lift and lift buses for 61–84 capacity.

Vendor: \_\_\_\_\_  
SCHETKY NW SALES INC

		<b>VENDOR SPECIFICALLY IDENTIFY ITEM BID</b> Price of items bid will establish the state cost.	
<b>ITEM</b>	<b>STATE-SUPPORTED SPECIFICATIONS</b> Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.		
Seating Capacity	78 passengers based upon maximum seat spacing allowed in accordance with FMVSS 222.	Capacity w/o lift <u>78</u> Capacity w/lift <u>67</u>	
Alternator	240 amp minimum. Lift-equipped or air-conditioned. Manufacturer recommended capacity.	<b>Diesel</b> Mfr. <u>LEECE-NEVILLE</u> Max. amps output w/o lift or A.C. <u>240</u> Max. amps output w/lift or A.C. <u>240</u>	<b>CNG</b> Mfr. <u>LEECE-NEVILLE</u> Max. amps output w/o lift or A.C. <u>240</u> Max. amps output w/lift or A.C. <u>240</u>
Auxiliary Fans	2 fans, 6" maximum, mounted to right and left windshield and service door.	Mfr. <u>BERGSTROM</u>	
Axle—Front	13,200 lb. minimum.	<b>Diesel</b> Mfr. <u>DETROIT</u> Capacity <u>13,200-LB</u>	<b>CNG</b> Mfr. <u>DETROIT</u> Capacity <u>13,200-LB</u>
Axle—Rear	19,000 lb. minimum.	Mfr. <u>DETROIT</u> Capacity <u>21,000-LB</u>	Mfr. <u>DETROIT</u> Capacity <u>23,000-LB</u>
Axle Oil Seals	Front and rear oil bath.	Mfr. <u>CR</u>	
Axle Ratio	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications Manual.	Ratio <u>5.12</u>	
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: <input type="checkbox"/> Diameter _____ Other: <input checked="" type="checkbox"/> Square inches <u>22</u>	
Battery(ies)	1200 CCA 12 volt minimum to be mounted in body battery compartment w/o lift. 1400 CCA 12 volt minimum to be mounted in body battery compartment w/lift.	Size/group w/o lift <u>31</u> CCA <u>1520</u> Size/group w/lift <u>31</u> CCA <u>1520</u>	
Battery Compartment	Battery storage tray must be large enough to accommodate batteries as specified in chassis section.	<input type="checkbox"/> Swing out	<input checked="" type="checkbox"/> Roll out

PART I (cont.)

**State Price Quote Specification**  
**TYPE D84—BID AS 78 PASSENGERS**  
**DIESEL & CNG**

Use this document to bid both non-lift and lift buses for 61–84 capacity.

Vendor: \_\_\_\_\_  
SCHETKY NW SALES INC

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
Brakes	Air: Drum or Disc. If Drum, minimum 16.5" x 5" front, minimum 16.5" x 7" rear. Refer to Washington State School Bus Specifications Manual.	<b>Diesel</b>	
		Disc Front <input type="checkbox"/> Rear <input type="checkbox"/>	Disc Front <input type="checkbox"/> Rear <input type="checkbox"/>
		Drum Front <input checked="" type="checkbox"/> Rear <input checked="" type="checkbox"/>	Drum Front <input checked="" type="checkbox"/> Rear <input checked="" type="checkbox"/>
		Size Front <u>16.5X5</u> Rear <u>16.5X7</u>	Size Front <u>16.5X6</u> Rear <u>16.5X8.5</u>
Door, Service	Power operated.	<input checked="" type="checkbox"/> Air	<input type="checkbox"/> Folding
		<input type="checkbox"/> Electric	<input checked="" type="checkbox"/> Split, Outward opening
Engine	Diesel—210 H.P. minimum.	<b>Diesel</b>	
		Engine mfr. <u>CUMMINS</u>	Engine mfr. <u>CUMMINS</u>
		Model or liters <u>B6.7L</u>	Model or liters <u>L9N</u>
		Net torque <u>520</u> @ <u>1600</u> R.P.M	Net torque <u>730</u> @ <u>1300</u> R.P.M
		Net H.P. <u>220</u> @ <u>2400</u> R.P.M	Net H.P. <u>250</u> @ <u>2200</u> R.P.M
Location: Rear <input type="checkbox"/> Forward <input checked="" type="checkbox"/>		Location: Rear <input checked="" type="checkbox"/> Forward <input type="checkbox"/>	
Engine Heater	Engine manufacturers recommended in-block heater.	<b>Diesel</b>	
		Watts <u>750</u> Volts <u>12</u>	Watts <u>750</u> Volts <u>12</u>
		Mfr. <u>KIM</u>	Mfr. <u>KIM</u>
Engine Temperature	To be controlled electronically, by fan clutch/drive, or shutters.	Mfr. <u>EATON</u>	<input type="checkbox"/> Electronic
		<input checked="" type="checkbox"/> Fan clutch	<input type="checkbox"/> Shutters
Fuel Tank	Diesel—100-gallon minimum. CNG—Dedicated CNG Fuel system, maximum capacity available.	<b>Diesel</b>	
		Capacity <u>100</u>	Capacity <u>60 GAL EQUIVALENT</u>
		Specify lifetime (years): <u>20</u>	

State Price Quote Specification		Vendor: _____	
<b>TYPE D84—BID AS 78 PASSENGERS</b>		<u>SCHETKY NW SALES INC</u>	
<b>DIESEL &amp; CNG</b>			
Use this document to bid both non-lift and lift buses for 61–84 capacity.			
ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
Heaters	Minimum of 3 heaters; 1 front, 1 center, 1 rear. Shutoff valves at engine for all heaters. Two-speed motors. Must include recirculating pump.	Front B.T.U. <u>90,000</u>	
		Center B.T.U. <u>50,000</u>	
		Rear B.T.U. <u>50,000</u>	
		Total B.T.U. <u>190,000</u>	
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights—7", Taillights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified <input checked="" type="checkbox"/> If not, explain _____	
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. <u>DELPHI</u>	
		Model No. <u>DEA700</u>	
Seat Spacing	78 passengers based upon maximum seat spacing allowed in accordance with FMVSS 222.	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>430.6</u> w/lift <u>430.6</u>	
		Mfg.'s C/C seat measurement of vehicle (inches): w/o lift <u>28.75</u> w/lift <u>28.75</u>	
Steering Wheel	Tilt and telescoping column.	Check if as specified <input checked="" type="checkbox"/>	
Step Tread	Studded or pebbled top tread covering.	Mfr. <u>KOROSEAL</u>	
Tires	6 first quality, radial ply. No low profile tires.	Mfr. <u>HANKOOK</u>	
		Size <u>11R22.5</u>	
		Load range <u>G</u>	
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) <u>3.37</u>	
Transmission	Automatic—Allison, PTS 2500 or equal.	<b>Diesel</b>	<b>CNG</b>
		Mfr. <u>ALLISON</u>	Mfr. <u>ALLISON</u>
		Model No. <u>2500PTS</u>	Model No. <u>3000PTS</u>
		Net input torque <u>550</u>	Net input torque <u>950</u>
		Net input H.P. <u>300</u>	Net input H.P. <u>300</u>

State Price Quote Specification <b>TYPE D84—BID AS 78 PASSENGERS          DIESEL &amp; CNG</b>		Vendor: _____ <u>SCHETKY NW SALES INC</u>
Use this document to bid both non-lift and lift buses for 61–84 capacity.		

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
<b>Two-way Communications</b>	45-watt, VHF, mil. spec.	Mfr. <u>KENWOOD</u> Model No. <u>TK-7302HVK</u>
<b>Wheels</b>	6 to be compatible with tire size.	Size <u>22.5</u> Rim width <u>8.25</u>
<b>SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BODY</b>		
<b>Wheelchair Lift—Installed</b>	Must meet state specification. Platform shall be a minimum of 32" x 52".	Mfr. <u>BRAUN</u> Model No. <u>NCL919FIB-2</u>
<b>Wheelchair/ Occupant Tie-down System—Installed</b>	Must meet state specification.	Mfr. <u>SURE-LOK</u> Model No. <u>FF627S-4C-3</u>

	<b>State Price Quote Specification</b> <b>TYPE D84—BID AS 78 PASSENGERS</b> <b>DIESEL &amp; CNG</b> Use this document to bid both non-lift and lift buses for 61–84 capacity.	Vendor: _____ <u>SCHETKY NW SALES INC</u>
--	--	--

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
<b>ADDITIONAL REQUIREMENTS—CHASSIS AND BODY</b>		
<b>Line Setting Ticket</b>	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery of the bus.	Check if as specified <input checked="" type="checkbox"/>
<b>Owner's/Operator's Handbook</b>	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at time of delivery.	Check if as specified <input checked="" type="checkbox"/>
<b>Repair Manuals</b>	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified <input checked="" type="checkbox"/>
<b>Service and Cleaning</b>	Cleaning and service by vendor prior to delivery will include: <ul style="list-style-type: none"> <li>• Chassis lubrication.</li> <li>• Check fluid levels: verify all are at recommended full levels.</li> <li>• Cooling system protected at -20°F.</li> <li>• Interior and exterior will be clean (including glass).</li> <li>• All systems (electric, air, hydraulic, mechanical, and manual) be inspected to ensure proper operation at time of delivery.</li> <li>• All components and accessories will be installed and operational at time of delivery.</li> </ul>	Check if as specified <input checked="" type="checkbox"/>
<b>Warranty</b>	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified <input checked="" type="checkbox"/>



Washington Office of Superintendent of  
**PUBLIC INSTRUCTION**  
2022-2023

STUDENT TRANSPORTATION  
Old Capitol Building  
PO BOX 47200  
Olympia, WA 98504-7200  
(360) 725-6120 TTY (360) 664-3631

**VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION**  
**TYPE D84—BID AS 78 PASSENGERS (DIESEL)**

VENDOR'S COMPANY NAME <b>SCHETKY NW SALES INC</b>		REPRESENTATIVE'S NAME <b>DAVID SCHETKY</b>	TELEPHONE NUMBER <b>800-255-8341</b>
ADDRESS <b>8430 NE KILLINGSWORTH ST PORTLAND, OR 97220</b>		Estimated delivery date to school district from time purchase order is received: <u>180-220 DAYS ARO</u>	
		Firm where engine and chassis can be serviced or repaired, and parts obtained: _____ <u>SCHETKY NW SALES INC</u>	
		Firm where body can be serviced or repaired, and parts obtained: _____ <u>SCHETKY NW SALES INC</u>	

**BODY**

MAKE <b>THOMAS BUILT BUSES</b>	Warranty: Years <u>1</u> Miles <u>UNLIM</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>430.6</u> w/lift <u>430.6</u>	Equipped seating capacity: w/o lift <u>78</u> w/lift <u>67</u>
MODEL <b>1408S NO LIFT, 1408S LIFT</b>	YEAR <b>2023-2024</b>	Seat color: <u>GRAY</u> Floor color: <u>BLACK</u>	Overall vehicle length (inches): w/o lift <u>471.6</u> w/lift <u>471.6</u>

**CHASSIS**

**ENGINE**

MAKE <b>THOMAS BUILT BUSES</b>	Warranty: Years <u>1</u> Miles <u>UNLIM</u>	MANUFACTURER <b>CUMMINS</b>	Torque: <u>560</u> @ <u>1600</u> RPM H.P.: <u>220</u> @ <u>2400</u> RPM
MODEL <b>1408S NO LIFT, 1408S LIFT</b>	YEAR <b>2023-2024</b>	Wheelbase: <u>231</u>	MODEL <b>B6.7L</b>
<b>TRANSMISSION</b>		Warranty: Years <u>5</u> Miles <u>100,000</u>	YEAR <b>NEW</b>
MANUFACTURER <b>ALLISON</b>	Speeds forward: <u>5</u>	C.I.D. or Liters: <u>6.7L</u> Fuel type: <u>DIESEL</u>	
MODEL <b>2500PTS</b>	Warranty: Years <u>5</u> Miles <u>UNLIM</u>	Number of cylinders: <u>6</u> Inline <u>X</u> V-type _____	Battery type/grp: <u>31</u> <u>31</u> Number batteries: <u>2</u> <u>2</u> Total CCA: <u>1520</u> <u>1520</u>

**QUOTED PRICE**

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Diesel Bid—w/o lift \$ 149,663.00

Diesel Bid—w/lift \$ 155,419.00

VENDOR REPRESENTATIVE'S SIGNATURE

DATE

8/9/2022



Washington Office of Superintendent of  
**PUBLIC INSTRUCTION**  
2022-2023

STUDENT TRANSPORTATION  
Old Capitol Building  
PO BOX 47200  
Olympia, WA 98504-7200  
(360) 725-6120 TTY (360) 664-3631

**VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION**  
**TYPE D84—BID AS 78 PASSENGERS (CNG)**

VENDOR'S COMPANY NAME  
SCHETKY NW SALES INC

ADDRESS  
8430 NE KILLINGSWORTH ST  
PORTLAND, OR 97220

REPRESENTATIVE'S NAME  
DAVID SCHETKY

TELEPHONE NUMBER  
800-255-8341

Estimated delivery date to school district from time purchase order is received:

180-220 DAYS ARO \_\_\_\_\_

Firm where engine and chassis can be serviced or repaired, and parts obtained: \_\_\_\_\_

SCHETKY NW SALES INC

Firm where body can be serviced or repaired, and parts obtained: \_\_\_\_\_

SCHETKY NW SALES INC

**BODY**

MAKE <b>THOMAS BUILT BUSES</b>	Warranty: Years <u>1</u> Miles <u>UNLIM</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>412.5</u> w/lift <u>412.5</u>	Equipped seating capacity: w/o lift <u>78</u> w/lift <u>N/A</u>
MODEL <b>141YS</b>	YEAR 2023-2024	Seat color: <u>GRAY</u> Floor color: <u>BLACK</u>	Overall vehicle length (inches): w/o lift <u>475.1</u> w/lift <u>N/A</u>

**CHASSIS**

**ENGINE**

MAKE <b>THOMAS BUILT BUSES</b>	Warranty: Years <u>1</u> Miles <u>UNLIM</u>	MANUFACTURER CUMMINS	Torque: <u>730</u> @ <u>1300</u> RPM H.P.: <u>250</u> @ <u>2200</u> RPM
MODEL <b>141YS</b>	YEAR 2023-2024	Wheebase: <u>277</u>	MODEL L9N
<b>TRANSMISSION</b>		Warranty: Years <u>5</u> Miles <u>100,000</u>	YEAR NEW
MANUFACTURER <b>ALLISON</b>	Speeds forward: <u>5</u>	Number of cylinders: <u>6</u> Inline <u>X</u> V-type _____	C.I.D. or Liters: <u>8.9L</u> Fuel type: <u>CNG</u>
MODEL <b>3000PTS</b>	Warranty: Years <u>5</u> Miles <u>UNLIM</u>	Battery type/grp: <u>31</u> <u>31</u>	Number batteries: <u>2</u> <u>2</u>
		Total CCA: <u>1520</u> <u>1520</u>	

**QUOTED PRICE**

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

CNG Bid—w/o lift \$ 206,753.00

CNG Bid—w/lift \$ NO BID

VENDOR REPRESENTATIVE'S SIGNATURE

DATE

8/9/2022

State Price Quote Specification  
**DISTRICT-SUPPORTED OPTIONS**

C60    C77    D60    D84

Use this document to bid both non-lift and lift buses.

Vendor: \_\_\_\_\_

SCHETKY NW SALES INC

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Activity Securement Seating	2-passenger position seats with lap-shoulder belts in all passenger positions.	Passenger Capacity <u>55</u> Cost \$ <u>650.00</u>	
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. <u>CARRIER 104K BTU</u> Cost \$ <u>11,780.00</u>	
Alternate Fuel	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications manual. Must comply with all the requirements of FMVSS No. 305.	Mfr. <u>N/A</u>	
<input type="checkbox"/> CNG		<input type="checkbox"/> CNG Cost \$ _____	
<input type="checkbox"/> Electric		<input type="checkbox"/> Electric Cost \$ _____	
Alternator	Available options.	Cost \$ <u>1,430.00</u>	Capacity <u>270</u>
		Cost \$ <u>1,650.00</u>	Capacity <u>320</u>
		Cost \$ _____	Capacity _____
Anti-spray Device	Rubber fender extenders.	Type C: Cost \$ <u>195</u>	
		Type D: Cost \$ <u>375</u>	
Back-up Alarm	Must meet state specification.	Mfr. <u>THOMAS</u> Cost \$ <u>175.00</u>	
Brakes	4-wheel hydraulic disk brake.	Cost \$ <u>N/A</u>	Deduct \$ <u>N/A</u>
Brakes	Air, Drum or Disc. Refer to Washington State School Bus Specifications manual.	Disc Cost \$ <u>4,350.00</u>	Disc Deduct \$ <u>N/A</u>
		Drum Cost \$ <u>INCLUD_</u>	Drum Deduct \$ <u>N/A</u>
Color	Exterior white roof.	Cost \$ <u>790.00</u>	
Door Locks	Vandal lock system on all exterior doors.	Cost \$ <u>325.00</u>	
Driver's Seat	Suspension type, 6-way adjustable, with lumbar adjustment. Cloth panel covers.	<b>Non-Air</b>	<b>Air</b>
		Mfr. <u>NATIONAL</u>	Mfr. <u>NATIONAL</u>
		Cost \$ <u>INCLUDED</u>	Cost \$ <u>525.00</u>
Fire Suppression System	Jomar VT-6-E-NAF, or equal engine compartment fire suppression system of appropriate size to be installed according to manufacturer recommendation.	Mfr. <u>FOGMAKER</u> Cost \$ <u>5,600.00</u>	



State Price Quote Specification  
**DISTRICT-SUPPORTED OPTIONS**  
 C60    C77    D60    D84  
 Use this document to bid both non-lift and lift buses.

Vendor: \_\_\_\_\_  
SCHETKY NW SALES INC

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Floor Color	Nonstandard color.	Cost \$ <u>950.00</u>	
Fuel Tank	Larger fuel capacity (CNG only).	Size: <u>N/A</u>	Cost \$ _____
Fuel Tank	Larger fuel capacity (Diesel only).	Size: <u>N/A</u>	Cost \$ _____
Fuel Tank	Larger fuel capacity (Propane only).	Size: <u>N/A</u>	Cost \$ _____
Headlights	Halogen.	Cost \$ <u>INCLUDED</u>	
Headlights	L.E.D.	Cost \$ <u>950.00</u>	
Heater (Auxiliary water)	Auxiliary fuel-fired heating systems. Refer to Washington State School Bus Specifications Manual, page 27.	Brand: <u>WEBASTO</u>	Model: <u>PRO-90</u>
		Cost \$ <u>4,800.00</u>	
Noise Reduction	Exceeding minimum specifications.	Driver compartment	Cost \$ <u>250.00</u>
		Engine compartment	Cost \$ <u>310.00</u>
		Full acoustical headliner	Cost \$ <u>990.00</u>
Retarder	Manufacturer's standard.	Driveline <input type="checkbox"/>	Cost \$ _____
		Exhaust <input checked="" type="checkbox"/>	Cost \$ <u>250.00</u>
		Transmission <input type="checkbox"/>	Cost \$ _____
Seat Belt Ready Seat	3-passenger position seat with securement belts.	Cost \$ <u>1,100.00</u>	
Seating System	Identical, non-lift bus with lap-shoulder seat belt system installed in all positions.	2 by 2 Cost \$ <u>13,828.00</u>	
		Capacity <u>50</u>	
		3 by 2 Cost \$ <u>16,588.00</u>	
		Capacity <u>60</u>	
		3 by 3 Cost \$ <u>20,700.00</u>	
		Capacity <u>75</u>	

State Price Quote Specification  
**DISTRICT-SUPPORTED OPTIONS**  
 C60    C77    D60    D84  
 Use this document to bid both non-lift and lift buses.

Vendor: \_\_\_\_\_  
SCHETKY NW SALES INC

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Storage Compartments	Largest available for unit bid.	Left side <u>34.8</u> cubic feet.	
		Cost \$ <u>2,350.00</u>	
		Right-side <u>34.8</u> cubic feet.	
		Cost \$ <u>2,350.00</u>	
Strobe Light	Exterior roof mounted white strobe light.	Push-thru <u>N/A</u> cubic feet.	
		Cost \$ _____	
		Mfr. <u>THOMAS</u>	
Student Protection System—Installed	Electronic system to insure driver post-trip inspection of passenger compartment.	Model No. <u>DOUBLE FLASH</u>	
		Cost \$ <u>275.00</u>	
		Mfr. <u>THOMAS</u>	
Suspension	Air ride (Air brake system only).	Model No. <u>PASS ADVISORY</u>	
		Cost \$ <u>370.00</u>	
		<b>Front</b>	<b>Rear</b>
Toolbox	Interior, manufacturer standard.	Cost \$ <u>N/A</u>	Cost \$ <u>4,025.00</u>
		Cost \$ <u>85.00</u>	Deduct \$ <u>N/A</u>
Traction Device	Automatic chains.	Mfr. <u>ON-SPOT</u>	
		Cost \$ <u>3,950.00</u>	
Traction Device	Sanders.	Capacity <u>158-LB</u>	
		Cost \$ <u>4,800.00</u>	
Transmission	Automatic—Allison, PTS 3000 or equal.	Mfr. <u>ALLISON</u>	
		Model No. <u>3000PTS</u>	
		Cost \$ <u>7,390.00</u>	
Vehicle Securement System	Must meet state specification.	Mfr. <u>SAFETY BRAKE</u>	Cost \$ <u>1,400.00</u>

State Price Quote Specification  
**DISTRICT-SUPPORTED OPTIONS**

C60    C77    D60    D84

Use this document to bid both non-lift and lift buses.

Vendor: \_\_\_\_\_  
SCHETKY NW SALES INC

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Video Camera Systems—Installed	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. <u>AMERICAN BUS VIDEO</u>	
		Model No. <u>RSDMX-4</u>	
		Cost \$ <u>2,600.00</u>	How many cameras <u>4</u>
Video Camera Systems—Stop Sign Camera—Installed	Must meet state specification.	<b>Stand Alone System</b>	<b>Added to Interior System</b>
		Mfr. <u>AMER BUS VIDEO</u>	Mfr. <u>AMER BUS VIDEO</u>
		Model No. <u>RSDHD-1</u>	Model No. <u>SACA 12MM</u>
		Cost \$ <u>1,860.00</u>	Cost \$ <u>550.00</u>
		How many cameras <u>1</u>	How many cameras <u>1</u>
Warning Light Monitor	16 light monitoring system.	<b>Incandescent</b>	<b>LED Lights</b>
		Cost \$ <u>N/A</u>	Cost \$ <u>780.00</u>
Additional Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>SURE-LOK</u>	
		Model No. <u>FF627S-4C-3</u>	
		Cost per station \$ <u>895.00</u>	
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ <u>1,500.00</u>	
		Rear Cost \$ <u>INCLUDED WITH SIDE OPTION</u>	
		Both Cost \$ <u>1,500.00</u>	
Windows	Tinted.	Cost \$ <u>750.00</u>	
Windows	Thermal pane, left of driver and service door.	Cost \$ <u>895.00</u>	