



State Price Quote Specification  
**TYPE C77—BID AS 71 PASSENGER,  
ELECTRIC**

Vendor: BRYSON  
SALES & SERVICE

Use this document to bid both non-lift and lift buses for 61–77 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
Seating Capacity	71 passenger based upon an average center-to-center seat spacing of at least 27.5".	Capacity w/o lift <u>71</u> Capacity w/lift <u>61</u>
Auxiliary Fans	2 fans, 6" maximum, mounted to right and left windshield and service door.	Mfr. <u>DCM</u>
Axle—Front	9,000 lb. minimum.	Mfr. <u>HENDRICKSON</u> Capacity <u>12000</u>
Axle—Rear	19,000 lb. minimum.	Mfr. <u>DANA</u> Capacity <u>23000</u>
Axle Oil Seals	Front and rear oil bath.	Mfr. <u>SKF</u>
Axle Ratio	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications Manual.	Mfr. <u>5.29</u> Capacity <u>21000</u>
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: <input checked="" type="checkbox"/> Diameter <u>4"</u> Other: <input type="checkbox"/> Square inches _____
Battery(ies) Low Voltage	1200 CCA 12 volt minimum to be mounted in body battery compartment w/o lift. 1400 CCA 12 volt minimum to be mounted in body battery compartment w/lift.	Number of batteries <u>2</u> CCA <u>1400</u>
Battery(ies) Propulsion	Battery propulsion must meet a minimum of 130 kWh.	Number of batteries <u>14</u> kWh <u>160</u>

State Price Quote Specification  
**TYPE C77—BID AS 71 PASSENGER,  
 ELECTRIC**

Vendor: BRYSON  
SALES & SERVICE

Use this document to bid both non-lift and lift buses for 61–77 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
Battery Compartment	Battery storage tray must be large enough to accommodate batteries as specified in chassis section.	<input checked="" type="checkbox"/> Swing out	<input type="checkbox"/> Roll out
Brakes	Air: Drum or Disc. Refer to Washington State School Bus Specifications Manual.	Disc Front <input type="checkbox"/> Drum Front <input checked="" type="checkbox"/> Size Front <u>16.5"x5"</u>	Rear <input type="checkbox"/> Rear <input checked="" type="checkbox"/> Rear <u>16.5"x7"</u>
Door, Service	Power operated.	<input type="checkbox"/> Air <input checked="" type="checkbox"/> Electric <input type="checkbox"/> Other	<input type="checkbox"/> Folding <input checked="" type="checkbox"/> Split, Outward opening <input type="checkbox"/> Other
Heaters	Minimum of 3 heaters; 1 front, 1 center, 1 rear. Shutoff valves at engine for all heaters. Two-speed motors.	Front B.T.U. <u>90,000</u> Center B.T.U. <u>50,000</u> Rear B.T.U. <u>50,000</u> Total B.T.U. <u>190,000</u>	
Hood	Tilt.	<input checked="" type="checkbox"/> Fiberglass	<input type="checkbox"/> Metal
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights–7", Tail Lights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified <input checked="" type="checkbox"/> If not, explain _____	
Motor	190 H.P. minimum.	Engine Mfr. <u>PRESTOLITE TM4</u> Model <u>LSM200CHV3000</u> Net torque <u>785</u> @ <u>3000</u> R.P.M. Net H.P. <u>315</u> @ <u>3000</u> R.P.M.	
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. <u>MITO</u> Model No. <u>07-SPF-210408</u>	

State Price Quote Specification  
**TYPE C77—BID AS 71 PASSENGER,  
 ELECTRIC**

Vendor: BRYSON  
SALES & SERVICE

Use this document to bid both non-lift and lift buses for 61–77 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>356"</u> w/lift <u>356"</u>  Mfg.'s C/C seat measurement of vehicle (inches): w/o lift <u>28"</u> w/lift <u>28.5"</u>
Steering Wheel	Tilt and telescoping column.	Check if as specified <input checked="" type="checkbox"/>
Step Tread	Studded or pebbled top tread covering.	Mfr. <u>SMI</u>
Tires	6 first quality, radial ply. No low profile tires.	Mfr. <u>COOPER</u> Size <u>11R 22.5</u> Load range <u>G</u>
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) <u>3.16</u>
Two-way Communications	45-watt, VHF, mil. spec.	Mfr. <u>KENWOOD</u> Model No. <u>TK-7302</u>
Wheels	6 to be compatible with tire size.	Size <u>22.5"</u> Rim width <u>8.25"</u>
SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BODY		
Wheelchair Lift—Installed	Must meet state specification. Platform shall be a minimum of 32" x 52".	Mfr. <u>BRAUN</u> Model No. <u>NCL-919-FIB2</u>
Wheelchair/ Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q-STRAINT</u> Model No. <u>Q-8106-L2</u>

State Price Quote Specification  
**TYPE C77—BID AS 71 PASSENGER,  
 ELECTRIC**

Vendor: BRYSON  
SALES & SERVICE

Use this document to bid both non-lift and lift buses for 61–77 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
<b>ADDITIONAL REQUIREMENTS—CHASSIS AND BODY</b>		
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery of the bus.	Check if as specified <input type="checkbox"/>
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at time of delivery.	Check if as specified <input type="checkbox"/>
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified <input type="checkbox"/>
Service and Cleaning	Cleaning and service by vendor prior to delivery will include: <ul style="list-style-type: none"> <li>• Chassis lubrication.</li> <li>• Check fluid levels: verify all are at recommended full levels.</li> <li>• Cooling system protected at -20°F.</li> <li>• Interior and exterior will be clean (including glass).</li> <li>• All systems (electric, air, hydraulic, mechanical and manual) be inspected to ensure proper operation at time of delivery.</li> <li>• All components and accessories will be installed and operational at time of delivery.</li> </ul>	Check if as specified <input type="checkbox"/>
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified <input type="checkbox"/>



Washington Office of Superintendent of  
**PUBLIC INSTRUCTION**  
2021-2022

STUDENT TRANSPORTATION  
Old Capitol Building  
PO BOX 47200  
Olympia, WA 98504-7200  
(360) 725-6120 TTY (360) 664-3631

**VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION**  
**TYPE C77— BID AS 71 PASSENGER ELECTRIC**

VENDOR'S COMPANY NAME BRYSON SALES & SERVICE OF WASHINGTON, INC.		REPRESENTATIVE'S NAME BRANDON BRYSON	TELEPHONE NUMBER 425-953-2820
ADDRESS 2407 GIBSON RD. EVERETT, WA 98204		Estimated delivery date to school district from time purchase order is received: _____ 150 - 210 DAYS ARO	
		Firm where engine and chassis can be serviced or repaired and parts obtained: _____ BRYSON SALES & SERVICE OF WASHINGTON, INC.	
		Firm where body can be serviced or repaired and parts obtained: _____ BRYSON SALES & SERVICE OF WASHINGTON, INC.	

BODY				
MAKE BLUE BIRD	Warranty: Years _____ Miles <u>112,000</u> -		Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>356"</u> w/lift <u>356"</u>	Equipped seating capacity: w/o lift <u>71</u> w/lift <u>61</u>
MODEL BBCV 3303	YEAR 2023	Seat color: <u>BRN</u> Floor color: <u>BLK</u>		
Overall vehicle length (inches): w/o lift <u>463.5"</u> w/lift <u>463.5"</u>				

CHASSIS			MOTOR		
MAKE BLUE BIRD	Warranty: Years <u>4</u> Miles <u>12,000</u>		MANUFACTURER PRESTOLITE TM4		Torque: <u>785</u> @ <u>3000</u> RPM H.P.: <u>315</u> @ <u>3000</u> RPM
MODEL BBCV3303	YEAR 2023	Wheel base: <u>273"</u>	MODEL LSM200CHV3000	YEAR 2023	C.I.D. or Liters: _____ Fuel type: <u>EV</u>
BATTERIES			Warranty: Years <u>5</u>		
12 Volt Battery type/grp: <u>31</u> _____		Propulsion Number batteries: <u>14</u>	Miles <u>100,000</u>		
Number batteries: <u>2</u>		Total kWh: <u>160</u>			
Total CCA: <u>1400</u>					

QUOTED PRICE	
Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).	
Electric Bid—w/o lift \$ <u>350,950.00</u>	Electric Bid—w/lift \$ <u>356,592.00</u>
VENDOR REPRESENTATIVE'S SIGNATURE	DATE

State Price Quote Specification  
**DISTRICT-SUPPORTED OPTIONS**

Vendor: BRYSON  
SALES & SERVICE

**C77**    **D84 – ELECTRIC**

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Activity Securement Seating	2-passenger position seats with lap-shoulder belts in all passenger positions.	Passenger Capacity <u>40</u> Cost \$ <u>8,657.00</u>	
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. <u>MCC AC-12iw1iw133</u> Cost \$ <u>20,238.00</u>	
Anti-spray Device	Rubber fender extenders.	Type C: Cost \$ <u>178.00</u> Type D: Cost \$ <u>N/A</u>	
Back-up Alarm	Must meet state specification.	Mfr. <u>ECCO VARIABLE DB</u> Cost \$ <u>190.00</u>	
Brakes	4-wheel hydraulic disk brake.	Cost \$ <u>N/A</u>	Deduct \$ <u>N/A</u>
Brakes	Air, Drum or Disc. Refer to Washington State School Bus Specifications manual.	Disc Cost \$ <u>3,190.00</u> Drum Cost \$ <u>INCLUDED</u>	Disc Deduct \$ <u>N/A</u> Drum Deduct \$ <u>N/A</u>
Color	Exterior white roof.	Cost \$ <u>INCLUDED</u>	
Door Locks	Vandal lock system on all exterior doors.	Cost \$ <u>459.00</u>	
Driver's Seat	Suspension type, 6-way adjustable, with lumbar adjustment. Cloth panel covers.	<b>Non-Air</b>	<b>Air</b>
		Mfr. <u>NATIONAL</u>	Mfr. <u>NATIONAL</u>
		Cost \$ <u>INCLUDED</u>	Cost \$ <u>276.00</u>
Fire Suppression System	Jomarr VT-6-E-NAF, or equal engine compartment fire suppression system of appropriate size to be installed according to manufacturer recommendation.	Mfr. <u>AMEREX VH25ABC 4 NOZZLE</u> Cost \$ <u>4,590.00</u>	
Floor Color	Nonstandard color.	Cost \$ <u>419.00</u>	
Headlights	Halogen.	Cost \$ <u>INCLUDED</u>	
Headlights	L.E.D.	Cost \$ <u>204.00</u>	

State Price Quote Specification  
**DISTRICT-SUPPORTED OPTIONS**

Vendor: BRYSON  
SALES & SERVICE

**C77**    **D84 – ELECTRIC**

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.
Heater (Auxiliary water)	Auxiliary fuel-fired heating systems. Refer to Washington State School Bus Specifications Manual, page 27.	Brand: <u>WEBASTO</u> Model: <u>SCHOLASTIC</u> Cost \$ <u>4,031.00</u>
Noise Reduction	Exceeding minimum specifications.	Driver compartment      Cost \$ <u>N/A</u> Engine compartment      Cost \$ <u>N/A</u> Full acoustical headliner      Cost \$ <u>773.00</u>
Retarder	Manufacturer's standard.	Driveline <input type="checkbox"/> Cost \$ <u>N/A</u> Exhaust <input type="checkbox"/> Cost \$ <u>N/A</u> Transmission <input type="checkbox"/> Cost \$ <u>N/A</u>
Seat Belt Ready Seat	3-passenger position seat with securement belts.	Cost \$ <u>583.00 PER SEAT</u>
Seating System	Identical, non-lift bus with lap-shoulder seat belt system installed in all positions.	2 by 2 Cost \$ <u>11,686.00</u> Capacity <u>46</u> 3 by 2 Cost \$ <u>13,601.00</u> Capacity <u>60</u> 3 by 3 Cost \$ <u>14,572.00</u> Capacity <u>71</u>
Storage Compartments	Largest available for unit bid.	Left-side <u>20</u> cubic feet. Cost \$ <u>1,733.00</u> Right-side <u>N/A</u> cubic feet. Cost \$ <u>N/A</u> Push-thru <u>N/A</u> cubic feet. Cost \$ <u>N/A</u>
Strobe Light	Exterior roof mounted white strobe light.	Mfr. <u>ECCO</u> Model No. <u>7460 LED CLEAR LENS</u> Cost \$ <u>160.00</u>

State Price Quote Specification  
**DISTRICT-SUPPORTED OPTIONS**

Vendor: BRYSON  
SALES & SERVICE

**C77**    **D84 – ELECTRIC**

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	<b>VENDOR SPECIFICALLY IDENTIFY ITEM BID</b> Price of items bid will establish the district cost.	
Student Protection System—Installed	Electronic system to insure driver post-trip inspection of passenger compartment.	Mfr. <u>BLUE BIRD</u> Model No. <u>DA01</u> Cost \$ <u>166.00</u>	
Suspension	Air ride (Air brake system only).	<b>Front</b>	<b>Rear</b>
		Cost \$ <u>951.00</u>	Cost \$ <u>1356.00</u>
Toolbox	Interior, manufacturer standard.	Cost \$ <u>70.00</u>	Deduct \$ <u>N/A</u>
Traction Device	Automatic chains.	Mfr. <u>ON SPOT</u> Cost \$ <u>2,865.00</u>	
Traction Device	Sanders.	Capacity <u>100 LBS.</u> Cost \$ <u>2,900.00</u>	
Vehicle Securement System	Must meet state specification.	Mfr. <u>BLUE BIRD</u>	Cost \$ <u>563.00</u>
Video Camera Systems—Installed	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. <u>SEON</u> Model No. <u>TH-4</u> Cost \$ <u>2,438.00</u> How many cameras <u>4</u>	
Video Camera Systems—Stop Sign Camera—Installed	Must meet state specification.	<b>Stand Alone System</b>	<b>Added to Interior System</b>
		Mfr. <u>SEON</u> Model No. <u>TH-4</u> Cost \$ <u>1,576.00</u> How many cameras <u>1</u>	Mfr. <u>SEON</u> Model No. <u>TH-4</u> Cost \$ <u>427.00</u> How many cameras <u>1</u>
Warning Light Monitor	16 light monitoring system.	<b>Incandescent</b>	<b>LED Lights</b>
		Cost \$ <u>233.00</u>	Cost \$ <u>233.00</u>



State Price Quote Specification  
**DISTRICT-SUPPORTED OPTIONS**

PART II (cont.)  
 Vendor: BRYSON  
SALES & SERVICE

**C77**  **D84 – ELECTRIC**  
 Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.
Additional Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q-STRAINT</u> Model No. <u>Q-8106-L2</u> Cost per station \$ <u>491.00</u>
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ <u>2,006.00</u> Rear Cost \$ <u>129.00</u> Both Cost \$ <u>2,135.00</u>
Windows	Tinted.	Cost \$ <u>INCLUDED</u>
Windows	Thermal pane, left of driver and service door.	Cost \$ <u>389.00</u>