



**State Price Quote Specification**  
**TYPE A— GAS & PROPANE**  
Use this document to bid both non-lift and lift, gas and propane buses.

**PART I**

Vendor: Northwest Bus Sales  
Mfr.: Pegasus Spec. Vehicles

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
<b>Seating Capacity</b>	Maximum passenger capacity based upon an average center-to-center seat spacing of at least 27.5" with a lap-shoulder belt for each seating position.	<b>Gas</b>	<b>Propane</b>
		Capacity w/o lift <u>30</u>	Capacity w/o lift <u>N/A</u>
		Capacity w/lift <u>24+1</u>	Capacity w/lift <u>N/A</u>
<b>Alternator</b>	145 amp minimum. Lift-equipped or air-conditioned. Manufacturer recommended capacity.	Mfr. <u>Pure Power</u>	
		Amps output w/o lift or A.C. <u>225</u>	
		Amps output w/lift or A.C. <u>225</u>	
<b>Auxiliary Automatic Transmission Cooler</b>	10,000 lb. Hayden or equal.	<b>Gas</b>	<b>Propane</b>
		Mfr. <u>GM</u>	Mfr. _____
		Lbs. rating <u>10,000</u>	Lbs. rating _____
<b>Axle—Front</b>	Manufacturer's recommendation.	<b>Gas</b>	<b>Propane</b>
		Mfr. <u>GM</u>	Mfr. _____
		Lbs. rating <u>4600</u>	Lbs. rating _____
		Indepen. suspens. <input checked="" type="checkbox"/>	Indepen. suspens. <input type="checkbox"/>
<b>Axle—Rear</b>	Manufacturer's recommendation.	<b>Gas</b>	<b>Propane</b>
		Mfr. <u>GM</u>	Mfr. _____
		Capacity <u>9600</u>	Capacity _____
<b>Axle Ratio</b>	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications Manual.	<b>Gas</b>	<b>Propane</b>
		Ratio <u>4.10</u>	Ratio _____
<b>Back-up Lights</b>	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: <input checked="" type="checkbox"/> Diameter <u>4"</u>	
		Other: <input type="checkbox"/> Square inches _____	

**PART I (cont.)**

**State Price Quote Specification**  
**TYPE A—GAS & PROPANE**

Use this document to bid both non-lift and lift, gas and propane buses.

Vendor: Northwest Bus Sales

Mfr.: Pegasus SV

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
<b>Battery(ies)</b>	535 CCA 12 volt minimum for gas and propane w/o lift. 1070 CCA 12 volt minimum for any bus w/lift.	<b>Gas/Propane w/o lift</b>	<b>Any bus w/lift</b>
		CCA <u>770</u>	CCA <u>1540</u>
<b>Brakes</b>	Hydraulic: Drum or Disc. Refer to Washington State School Bus Specifications Manual.	<b>Gas</b>	<b>Propane</b>
		Front Disc <input checked="" type="checkbox"/>	Front Disc <input type="checkbox"/>
		Drum <input type="checkbox"/>	Drum <input type="checkbox"/>
		Rear Disc <input checked="" type="checkbox"/>	Rear Disc <input type="checkbox"/>
		Drum <input type="checkbox"/>	Drum <input type="checkbox"/>
		Drum Size _____	Drum Size _____
<b>Doors, Service</b>	Power operated.	<input type="checkbox"/> Air <input type="checkbox"/> Folding <input checked="" type="checkbox"/> Electric <input type="checkbox"/> Split, Outward Opening <input type="checkbox"/> Other _____	
<b>Engine</b>	Gas and Propane—3.5 liters minimum.	<b>Gas</b>	<b>Propane</b>
		Engine mfr. <u>GM</u>	Engine mfr. _____
		H.P. <u>401</u>	Liters _____
<b>Fuel Tank</b>	Gas—25 gallon minimum. Propane—largest available.	<b>Gas</b>	<b>Propane</b>
		Capacity <u>33</u>	Capacity _____
<b>Heaters</b>	Front—manufacturer's standard. Rear—40,000 B.T.U. minimum.	Rear B.T.U. w/o lift <u>60000</u>	
		Rear B.T.U. w/lift <u>60000</u>	
<b>Lights</b>	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights—7", Tail Lights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified <input checked="" type="checkbox"/> If not, explain _____	

		<b>State Price Quote Specification</b>	<b>PART I (cont.)</b>
		<b>TYPE A—GAS &amp; PROPANE</b>	Vendor: <u>Northwest Bus Sales</u>
		Use this document to bid both non-lift and lift, gas and propane buses.	Mfr.: <u>Pegasus SV</u>

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
<b>P.A. System</b>	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. <u>REI</u>	
		Model No. <u>VR 3000 or equivalent</u>	
<b>Seat Spacing</b>	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>182.38</u> w/lift <u>182.38</u>	
		Mfg.'s C/C seat measurement of vehicle (inches): w/o lift <u>32</u> w/lift <u>32</u>	
<b>Steering Wheel</b>	Tilt.	Check if as specified <input checked="" type="checkbox"/>	
<b>Step Tread</b>	Studded or pebbled top tread covering.	Mfr. <u>Profusion</u>	
<b>Tires</b>	6 first quality, radial ply.	Mfr. <u>OEM</u>	
		Size <u>LT225/75R16E</u>	
		Load range <u>E</u>	
<b>Toolbox</b>	Exterior, manufacturer standard.	Size (cubic feet) <u>8</u>	
<b>Transmission</b>	Automatic—manufacturer's standard compatible with H.P. and torque rating of engine bid.	<b>Gas</b>	<b>Propane</b>
		Mfr. <u>GM</u>	Mfr. _____
		Model no. <u>6L90</u>	Model no. _____
<b>Two-way Communications</b>	45-watt, VHF, mil. spec.	Mfr. <u>Kenwood</u>	
		Model No. <u>NX-1700 or Equivalent</u>	
<b>Wheels</b>	6 to be compatible with tire size.	Size <u>16"</u>	
		Rim width <u>6.5"</u>	

		<b>State Price Quote Specification</b> <b>TYPE A—GAS &amp; PROPANE</b> Use this document to bid both non-lift and lift, gas and propane buses.	<b>PART I (cont.)</b> Vendor: <u>Northwest Bus Sales</u> Mfr.: <u>Pegasus SV</u>
--	--	------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
<b>SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BODY</b>		
<b>Wheelchair Lift—Installed</b>	Must meet state specification. Platform shall be a minimum of 32" x 52".	Mfr. <u>Braun</u> Model No. <u>NCL1000IB3545-2</u>
<b>Wheelchair/Occupant Tie-down System—Installed</b>	Must meet state specification.	Mfr. <u>Q Straint</u> Model No. <u>Q8200A-SC-QRT</u>
<b>ADDITIONAL REQUIREMENTS—CHASSIS AND BODY</b>		
<b>Line Setting Ticket</b>	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery.	Check if as specified <input checked="" type="checkbox"/>
<b>Owner's/Operator's Handbook</b>	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at delivery.	Check if as specified <input checked="" type="checkbox"/>
<b>Repair Manuals</b>	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified <input checked="" type="checkbox"/>
<b>Service and Cleaning</b>	Cleaning and service by vendor prior to delivery will include: <ul style="list-style-type: none"> <li>• Chassis lubrication.</li> <li>• Check fluid levels: verify all are at recommended full levels.</li> <li>• Cooling system protected at -20°F.</li> <li>• Interior and exterior will be clean (including glass).</li> <li>• All systems (electric, air, hydraulic, mechanical and manual) be inspected to ensure proper operation at time of delivery.</li> <li>• All components and accessories will be installed and operational at time of delivery.</li> </ul>	Check if as specified <input checked="" type="checkbox"/>
<b>Warranty</b>	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified <input checked="" type="checkbox"/>



Washington Office of Superintendent of  
**PUBLIC INSTRUCTION**  
2022-2023

STUDENT TRANSPORTATION  
Old Capitol Building  
PO BOX 47200  
Olympia, WA 98504-7200  
(360) 725-6120 TTY (360) 664-3631

**VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION  
TYPE A—GAS**

VENDOR'S COMPANY NAME Northwest Bus Sales, Inc.	REPRESENTATIVE'S NAME Rob Goolsby	TELEPHONE NUMBER 206-445-8591
ADDRESS 33207 Pacific Hwy. S. Federal Way, WA 98003	Estimated delivery date to school district from time purchase order is received: <u>240 Days</u>	
	Firm where engine and chassis can be serviced or repaired and parts obtained: <u>Any Chevrolet Dealer</u>	
	Firm where body can be serviced or repaired and parts obtained: <u>NW Bus Sales</u>	

**BODY**

MAKE <b>Pegasus Specialty Vehicles</b>	Warranty: Years <u>3</u> Miles <u>75000</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>182.38</u> w/lift <u>182.38</u>	Equipped seating capacity: w/o lift <u>30</u> w/lift <u>24+1</u>
MODEL <b>Orion</b>	YEAR 2023	Seat color: <u>Gray</u> Floor color: <u>Black</u>	Overall vehicle length (inches): w/o lift <u>292.01</u> w/lift <u>292.01</u>

**CHASSIS**

**ENGINE**

MAKE <b>Chevrolet</b>	Warranty: Years <u>5</u> Miles <u>60000</u>	MANUFACTURER GM/Chevrolet	Torque: <u>464</u> @ <u>4000</u> RPM H.P.: <u>401</u> @ <u>5200</u> RPM
MODEL <b>Express</b>	YEAR 2023	Wheel base: <u>159</u>	MODEL Express
YEAR 2023		MANUFACTURER <b>General Motors</b>	YEAR 2023
Warranty: Years <u>5</u> Miles <u>60,000</u>		Speeds forward: <u>6</u>	Liters: <u>6.6</u> Fuel type: <u>Gas</u>
MODEL <b>6L90</b>	Warranty: Years <u>5</u> Miles <u>60,000</u>	Number of cylinders: <u>8</u> Inline _____ V-type <u>x</u>	Battery type/grp: <u>12V</u> <u>12V</u> Number batteries: <u>1</u> <u>2</u> Total CCA: <u>770</u> <u>1540</u>

**QUOTED PRICE**

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Gas Bid—w/o lift \$88,635

Gas Bid—w/lift \$95,381

VENDOR REPRESENTATIVE'S SIGNATURE 	DATE <u>8/9/2022</u>
---------------------------------------	-------------------------



Washington Office of Superintendent of  
**PUBLIC INSTRUCTION**  
2022-2023

STUDENT TRANSPORTATION  
Old Capitol Building  
PO BOX 47200  
Olympia, WA 98504-7200  
(360) 725-6120 TTY (360) 664-3631

## VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE A—PROPANE

<b>VENDOR'S COMPANY NAME</b> Northwest Bus Sales, Inc.	<b>REPRESENTATIVE'S NAME</b> Rob Goolsby	<b>TELEPHONE NUMBER</b> 206-445-8591
<b>ADDRESS</b> 33207 Pacific Hwy. S. Federal Way, WA 98003	Estimated delivery date to school district from time purchase order is received: N/A _____	
	Firm where engine and chassis can be serviced or repaired and parts obtained: N/A _____	
	Firm where body can be serviced or repaired and parts obtained: N/A _____	

### BODY

<b>MAKE</b> _____	Warranty: Years _____	Miles _____	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift _____ w/lift _____	Equipped seating capacity: w/o lift _____ w/lift _____
<b>MODEL</b> _____ <b>YEAR</b> _____	Seat color: _____	Floor color: _____	w/o lift _____ w/lift _____	Overall vehicle length (inches): w/o lift _____ w/lift _____

### CHASSIS

### ENGINE

<b>MAKE</b> _____	Warranty: Years _____	Miles _____	MANUFACTURER _____	Torque: _____ @ _____ RPM
<b>MODEL</b> _____ <b>YEAR</b> _____	Wheel base: _____		MODEL _____ YEAR _____	H.P.: _____ @ _____ RPM
<b>TRANSMISSION</b>			Warranty: Years _____	Liters: _____
<b>MANUFACTURER</b> _____	Speeds forward: _____		Miles _____	Fuel type: _____
<b>MODEL</b> _____	Warranty: Years _____		Miles _____	Battery type/grp: _____
	Miles _____		Number of cylinders: _____	Number batteries: _____
			Inline _____ V-type _____	Total CCA: _____

### QUOTED PRICE

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Propane Bid—w/o lift \$ No Bid

Propane Bid—w/lift \$ No Bid

<b>VENDOR REPRESENTATIVE'S SIGNATURE</b> _____	<b>DATE</b> _____ <u>8/9/2022</u>
---------------------------------------------------	--------------------------------------

State Price Quote Specification  
**DISTRICT-SUPPORTED OPTIONS**  
**TYPE A**

Use this document to bid both non-lift and lift, gas and propane buses.

Vendor: Northwest Bus SalesMfr.: Pegasus SV**CHASSIS**

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
<b>Small A</b>	Type A bus—10,000 lbs or under GVWR chassis.	<b>Gas</b>	<b>Propane</b>
		Deduct <u>N/A</u>	Deduct _____
		Mfr. _____	Mfr. _____
		Capacity w/o lift _____	Capacity w/o lift _____
		Dual Wheel <input type="checkbox"/>	Dual Wheel <input type="checkbox"/>
		Single Wheel <input type="checkbox"/>	Single Wheel <input type="checkbox"/>
<b>Air Conditioning</b>	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. <u>Trans Air</u>	
		Cost \$ <u>4,200</u>	
<b>Alternate Fuel</b>	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications manual. Must comply with all of the requirements of FMVSS No. 305.	Mfr. _____	
<input type="checkbox"/> <b>CNG</b>		<input type="checkbox"/> CNG Cost \$ _____	
<input checked="" type="checkbox"/> <b>Electric</b>		<input checked="" type="checkbox"/> Electric Cost \$ <u>See separate bid for EV</u>	
<b>Back-up Alarm</b>	Must meet state specification.	Mfr. <u>STD</u>	
		Cost \$ _____	
<b>Color</b>	Exterior white roof.	Cost \$ <u>STD</u>	
<b>Steering Wheel</b>	Tilt and telescoping column.	Cost \$ <u>Tilt Only</u>	
<b>Strobe Light</b>	Exterior roof mounted white strobe light.	Mfr. <u>Safe Fleet</u>	
		Model No. <u>4" LED</u>	
		Cost \$ <u>195</u>	
<b>Student Protection System—Installed</b>	Electronic system to insure driver post-trip inspection of passenger compartment.	Mfr. <u>Pegasus</u>	
		Model No. _____	
		Cost \$ <u>STD</u>	
<b>Toolbox</b>	Interior, manufacturer standard.	Cost \$ <u>250</u>	Deduct \$ _____

		<b>State Price Quote Specification</b> <b>DISTRICT-SUPPORTED OPTIONS</b> <b>TYPE A</b> Use this document to bid both non-lift and lift, gas and propane buses.	<b>PART II (cont.)</b> Vendor: <u>Northwest Bus Sales</u> Mfr.: <u>Pegasus SV</u>
--	--	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
<b>Video Camera Systems—Installed</b>	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. <u>Rosco</u>	
		Model No. <u>DVXC4</u>	
		Cost \$ <u>1,995</u>	How many cameras <u>3</u>
<b>Video Camera Systems—Stop Sign Camera—Installed</b>	Must meet state specification.	<b>Stand Alone System</b>	<b>Added to Interior System</b>
		Mfr. <u>Seon</u>	Mfr. <u>Seon</u>
		Model No. <u>DH4</u>	Model No. <u>DH4</u>
		Cost \$ <u>2700</u>	Cost \$ <u>3996</u>
		How many cameras <u>1</u>	How many cameras <u>4</u>
<b>Warning Light Monitor</b>	16 light monitoring system.	<b>Incandescent</b>	<b>LED Lights</b>
		Cost \$ <u>N/A</u>	Cost \$ <u>450</u>
<b>Additional Wheelchair/Occupant Tie-down System—Installed</b>	Must meet state specification.	Mfr. <u>Q Straint</u>	
		Model No. <u>Q8200A-SC-QRT</u>	
		Cost per station \$ <u>840</u>	
<b>Windows</b>	Laminated passenger-compartment side or rear glass.	Side Cost \$ <u>680</u>	
		Rear Cost \$ <u>215</u>	
		Both Cost \$ <u>895</u>	
<b>Windows</b>	Tinted.	Cost \$ <u>STD</u>	