



State Price Quote Specification
TYPE D—84 PASSENGER, REAR ENGINE

Use this document to bid both non-lift and lift buses for 61 – 84 capacity.

Vendor: RWC Group

ITEM	SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.
Seating Capacity	84 passenger maximum design capacity seated for 78 passenger.	Capacity w/o lift <u>78</u> Capacity w/lift <u>60+1</u>
Alternator	240 amp minimum. Lift-equipped or air-conditioned. Manufacturer recommended capacity.	Mfr. <u>Leece-Neville</u> Amps output w/o lift or A.C. <u>240</u> Amps output w/lift or A.C. <u>240</u>
Auxiliary Fans	2 fans, 6" maximum, mounted to right and left windshield and service door.	Mfr. <u>Bergstrom</u>
Axle—Front	13,200 lb. minimum total suspension GVWR.	Mfr. <u>Meritor</u> Capacity <u>14,000</u>
Axle—Rear	23,000 lb. minimum total suspension GVWR.	Mfr. <u>Dana Spicer</u> Capacity <u>23,000</u>
Axle Oil Seals	Front and rear oil bath.	Mfr. <u>Conmet Preset</u>
Axle Ratio	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications Manual.	Ratio <u>5.29</u>
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: <input checked="" type="checkbox"/> Diameter <u>7 Inch</u> Other: <input type="checkbox"/> Square inches _____
Battery(ies)	1400 CCA 12 volt to be mounted in body battery compartment.	Number of batteries <u>2</u> CCA <u>1900</u>
Battery Compartment	Battery storage tray must be large enough to accommodate batteries as specified in chassis section.	<input type="checkbox"/> Swing out <input checked="" type="checkbox"/> Roll out
Brakes	Air: Drum or Disc. If Drum, minimum 16.5" x 6" front, minimum 16.5" x 8" rear. Refer to Washington State School Bus Specifications Manual.	Disc Front <input type="checkbox"/> Rear <input type="checkbox"/> Drum Front <input checked="" type="checkbox"/> Rear <input checked="" type="checkbox"/> Size Front <u>16.5x6</u> Rear <u>16.8x8</u>
Door, Service	Power operated.	<input type="checkbox"/> Folding <input type="checkbox"/> Other <input type="checkbox"/> Roll out <input checked="" type="checkbox"/> Split, Outward opening
Driver's Seat	Suspension type, 6-way adjustable, with lumbar adjustment. Cloth panel covers.	Mfr. <u>National</u>

State Price Quote Specification
TYPE D—84 PASSENGER, REAR ENGINE

Use this document to bid both non-lift and lift buses for 61 – 84 capacity.

ITEM	SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.
Engine	Diesel—280 H.P. minimum, located in the rear.	Engine mfr. <u>Cummins</u> Model or liters <u>L9</u> Net torque <u>860</u> @ <u>1300</u> R.P.M Net H.P. <u>300</u> @ <u>2000</u> R.P.M
Engine Heater	Engine manufacturer's recommended in-block heater.	Watts <u>1000</u> Volts <u>120</u> Mfr. <u>Phillips</u>
Engine Temperature	To be controlled electronically, by fan clutch/drive, or shutters.	Mfr. <u>Horton</u> <input checked="" type="checkbox"/> Electronic <input type="checkbox"/> Fan clutch <input type="checkbox"/> Shutters
Fuel Tank	100 gallon minimum.	Capacity <u>105 Gallons</u>
Heaters	Minimum of 3 heaters; 1 front, 1 center, 1 rear. Shutoff valves at engine for all heaters. Two-speed motors. Must include recirculating pump.	Front B.T.U. <u>90,000</u> Center B.T.U. <u>84,500</u> Rear B.T.U. <u>84,500</u> Total B.T.U. <u>259,000</u>
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights—7", Tail Lights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified <input checked="" type="checkbox"/> If not, explain _____
P.A. System	AM/FM/PA radio with 4 interior and 1 exterior speakers.	Mfr. <u>Adayo</u> Model No. <u>HA1102D623A</u>
Seat Spacing	78 passenger based upon manufacturer's maximum seat spacing.	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: <u>365.84</u> inches Mfg.'s C/C seat measurement: <u>28.62</u> inches
Steering Wheel	Tilt and telescoping column.	Check if as specified <input checked="" type="checkbox"/>
Step Tread	Studded or pebbled top tread covering.	Mfr. <u>Koroseal</u>
Tires	6 first quality, radial ply. No low profile tires.	Mfr. <u>Continental</u> Size <u>11R22.5</u> Load range <u>H</u>

State Price Quote Specification
TYPE D—84 PASSENGER, REAR ENGINE

Use this document to bid both non-lift and lift buses for 61 – 84 capacity.

ITEM	SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) <u>2.88</u>
Transmission	Automatic—Allison, PTS 3000 or equal.	Mfr. <u>Allison</u> Model no. <u>3000</u> Net input torque <u>950</u> Net input H.P. <u>300</u>
Two-way Communications	45-watt, VHF, mil. spec.	Mfr. <u>ICOM</u> Model No. <u>F-5011</u>
Wheels	6 to be compatible with tire size.	Size <u>22.5</u> Rim width <u>8.25</u>
Wheelchair Lift—Installed	Must meet state specification. Platform shall be a minimum of 32" x 52".	Mfr. <u>Braun</u> Model No. <u>NL919FIB</u>
Wheelchair/ Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q-Straint</u> Model No. <u>Q-8100-A1-SC</u>

State Price Quote Specification
TYPE D—84 PASSENGER, REAR ENGINE

Use this document to bid both non-lift and lift buses for 61 – 84 capacity.

ITEM	SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.
ADDITIONAL REQUIREMENTS—CHASSIS AND BODY		
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery of the bus.	Check if as specified <input type="checkbox"/>
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at time of delivery.	Check if as specified <input type="checkbox"/>
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified <input type="checkbox"/>
Service and Cleaning	Cleaning and service by vendor prior to delivery will include: <ul style="list-style-type: none"> • Chassis lubrication. • Check fluid levels: verify all are at recommended full levels. • Cooling system protected at -20°F. • Interior and exterior will be clean (including glass). • All systems (electric, air, hydraulic, mechanical and manual) be inspected to ensure proper operation at time of delivery. • All components and accessories will be installed and operational at time of delivery. 	Check if as specified <input type="checkbox"/>
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified <input type="checkbox"/>



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2021-2022

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE D—84 PASSENGER, REAR ENGINE

VENDOR'S COMPANY NAME RWC Group ADDRESS 600 North 75th Avenue Phoenix, AZ 85043	REPRESENTATIVE'S NAME Tom Hartman Estimated delivery date to school district from time purchase order is received: _____ 180 Days ARO Firm where engine and chassis can be serviced or repaired and parts obtained: _____ Any IC or International Dealer Firm where body can be serviced or repaired and parts obtained: _____ RWC Group (4 locations in WA)	TELEPHONE NUMBER 602-377-4401
---	---	----------------------------------

BODY			
MAKE IC Corporation		Warranty: Years <u>5</u> Miles <u>Unlir</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>394</u> w/lift <u>394</u>
MODEL PB305	YEAR 2022/2023	Seat color: <u>Gray</u> Floor color: <u>Black</u>	Equipped seating capacity: w/o lift <u>78</u> w/lift <u>60+1</u> Overall vehicle length (inches): w/o lift <u>479</u> w/lift <u>479</u>

CHASSIS		ENGINE	
MAKE IC Corporation		Warranty: Years <u>5</u> Miles <u>Unlir</u>	MANUFACTURER Cummins Torque: <u>860</u> @ <u>1300</u> RPM H.P.: <u>300</u> @ <u>2000</u> RPM
MODEL PB305	YEAR 2022/2023	Wheel base: <u>276</u>	MODEL L9 300
TRANSMISSION		Warranty: Years <u>5</u> Miles <u>Unlir</u>	C.I.D.: <u>8.9L</u> Fuel type: <u>Dies</u>
MANUFACTURER Allison		Speeds forward: <u>6</u>	Battery type/grp: <u>31</u> <u>31</u>
MODEL 3000		Warranty: Years <u>5</u> Miles <u>Unlir</u>	Number batteries: <u>2</u> <u>2</u>
		Number of cylinders: <u>6</u> Inline <u>X</u> V-type _____	Total CCA: <u>1900</u> <u>1900</u>

QUOTED PRICE	
Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).	
Bid—w/o lift \$ <u>125,615</u>	Bid—w/lift \$ <u>129,633</u>
VENDOR REPRESENTATIVE'S SIGNATURE 	DATE <u>8-11-21</u>

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS

C60 C77 D60 D84

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Activity Securement Seating	2-passenger position seats with lap-shoulder belts in all passenger positions.	Passenger Capacity <u>48</u> Cost \$ <u>29,894</u>	
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. <u>TransAir</u> Cost \$ <u>18,234</u>	
Alternate Fuel <input type="checkbox"/> CNG <input type="checkbox"/> Electric	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications manual. Must comply with all of the requirements of FMVSS No. 305.	Mfr. <u>N/A</u> <input type="checkbox"/> CNG Cost \$ _____ <input type="checkbox"/> Electric Cost \$ _____	
Alternator	Available options.	Cost \$ <u>882</u> Capacity <u>325</u> Cost \$ _____ Capacity _____ Cost \$ _____ Capacity _____	
Anti-spray Device	Rubber fender extenders.	Type C: Cost \$ <u>Included</u> Type D: Cost \$ <u>272</u>	
Back-up Alarm	Must meet state specification.	Mfr. <u>Ecco</u> Cost \$ <u>217</u>	
Brakes	4-wheel hydraulic disk brake.	Cost \$ <u>N/A</u> Deduct \$ <u>N/A</u>	
Brakes	Air, Drum or Disc. Refer to Washington State School Bus Specifications manual.	Disc Cost \$ <u>2,550</u> Disc Deduct \$ <u>N/A</u> Drum Cost \$ <u>Air std</u> Drum Deduct \$ <u>N/A</u>	
Color	Exterior white roof.	Cost \$ <u>776</u>	
Door Locks	Vandal lock system on all exterior doors.	Cost \$ <u>589</u>	
Driver's Seat	Suspension type, 6-way adjustable, with lumbar adjustment. Cloth panel covers.	Non-Air	Air
		Mfr. <u>Magnum</u>	Mfr. <u>National</u>
		Cost \$ <u>250</u>	Cost \$ <u>350</u>
Fire Suppression System	Jomarr VT-6-E-NAF, or equal engine compartment fire suppression system of appropriate size to be installed according to manufacturer recommendation.	Mfr. <u>N/A</u> Cost \$ _____	
Floor Color	Nonstandard color.	Cost \$ <u>419</u>	

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS

C60 C77 D60 D84

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Fuel Tank	Larger fuel capacity (CNG only).	Size: <u>N/A</u>	Cost \$ <u> </u>
Fuel Tank	Larger fuel capacity (Diesel only).	Size: <u>N/A</u>	Cost \$ <u> </u>
Fuel Tank	Larger fuel capacity (Propane only).	Size: <u>N/A</u>	Cost \$ <u> </u>
Headlights	Halogen.	Cost \$ <u>STD</u>	
Headlights	L.E.D.	Cost \$ <u>670</u>	
Heater (Auxiliary water)	Auxiliary fuel-fired heating systems. Refer to Washington State School Bus Specifications Manual, page 27.	Brand: <u>Webasto</u>	Model: <u>Scholastic</u> Cost \$ <u>3,300</u>
Noise Reduction	Exceeding minimum specifications.	Driver compartment	Cost \$ <u>526</u>
		Engine compartment	Cost \$ <u>Standard</u>
		Full acoustical headliner	Cost \$ <u>Standard</u>
Retarder	Manufacturer's standard.	Driveline <input type="checkbox"/>	Cost \$ <u> </u>
		Exhaust <input checked="" type="checkbox"/>	Cost \$ <u>Standard</u>
		Transmission <input type="checkbox"/>	Cost \$ <u> </u>
Seat Belt Ready Seat	3-passenger position seat with securement belts.	Cost \$ <u>956</u>	
Seating System	Identical, non-lift bus with lap-shoulder seat belt system installed in all positions.	2 by 2 Cost \$ <u>15,900</u>	
		Capacity <u>52</u>	
		3 by 2 Cost \$ <u>N/A</u>	
		Capacity <u>N/A</u>	
		3 by 3 Cost \$ <u>17,550</u>	
		Capacity <u>78</u>	

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS

PART II (cont.)
 Vendor: RWC Group

C60 C77 D60 D84

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Storage Compartments	Largest available for unit bid.	Left-side <u>82.6</u> cubic feet. Cost \$ <u>1,748</u>	
		Right-side <u>82.6</u> cubic feet. Cost \$ <u>1,748</u>	
		Push-thru <u>153.35</u> cubic feet. Cost \$ <u>3,532</u>	
Strobe Light	Exterior roof mounted white strobe light.	Mfr. <u>Ecco</u> Model No. <u>6550C</u> Cost \$ <u>217</u>	
Student Protection System—Installed	Electronic system to insure driver post-trip inspection of passenger compartment.	Mfr. <u>Child Check Mate</u> Model No. <u>EPI</u> Cost \$ <u>340</u>	
Suspension	Air ride (Air brake system only).	Front	Rear
		Cost \$ <u>788</u>	Cost \$ <u>Std</u>
Toolbox	Interior, manufacturer standard.	Cost \$ <u>62</u>	Deduct \$ <u>N/A</u>
Traction Device	Automatic chains.	Mfr. <u>On Spot Chains</u> Cost \$ <u>2,780</u>	
Traction Device	Sanders.	Capacity <u>10</u> Gallon Cost \$ <u>3,304</u>	
Transmission	Automatic—Allison, PTS 3000 or equal.	Mfr. <u>Allison</u> Model No. <u>3000</u> Cost \$ <u>Standard</u>	
Vehicle Securement System	Must meet state specification.	Mfr. <u>SBS</u>	Cost \$ <u>1,002</u>

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS

C60 C77 D60 D84

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Video Camera Systems— Installed	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. <u>Seon</u> Model No. <u>TH4</u> Cost \$ <u>2,646</u> How many cameras <u>3</u>	
Video Camera Systems—Stop Sign Camera— Installed	Must meet state specification.	Stand Alone System	Added to Interior System
		Mfr. <u>Seon</u> Model No. <u>TH4</u> Cost \$ <u>2,439</u> How many cameras <u>1</u>	Mfr. <u>Seon</u> Model No. <u>TH4</u> Cost \$ <u>694</u> How many cameras <u>1</u>
Warning Light Monitor	16 light monitoring system.	Incandescent	LED Lights
		Cost \$ <u>191</u>	Cost \$ <u>217</u>
Additional Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q-Straint</u> Model No. <u>Q-8100-A1-SC</u> Cost per station \$ <u>1,150</u>	
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ <u>816</u> Rear Cost \$ <u>103</u> Both Cost \$ <u>919</u>	
Windows	Tinted.	Cost \$ <u>980</u>	
Windows	Thermal pane, left of driver and service door.	Cost \$ <u>555</u>	