



State Price Quote Specification  
**TYPE A— DIESEL, GAS & PROPANE**

Vendor: \_\_\_\_\_

Mfr.: \_\_\_\_\_

Use this document to bid both non-lift and lift, gas, diesel and propane buses.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.		VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
Seating Capacity	Maximum passenger capacity based upon an average center-to-center seat spacing of at least 27.5" with a lap-shoulder belt for each seating position.	<b>Gas</b>	<b>Diesel</b>	<b>Propane</b>
		Capacity w/o lift _____ Capacity w/lift _____	Capacity w/o lift _____ Capacity w/lift _____	Capacity w/o lift _____ Capacity w/lift _____
Alternator	145 amp minimum. Lift-equipped or air-conditioned. Manufacturer recommended capacity.		Mfr. _____ Amps output w/o lift or A.C. _____ Amps output w/lift or A.C. _____	
Auxiliary Automatic Transmission Cooler	10,000 lb. Hayden or equal.	<b>Gas</b>	<b>Diesel</b>	<b>Propane</b>
		Mfr. _____ Lbs. rating _____	Mfr. _____ Lbs. rating _____	Mfr. _____ Lbs. rating _____
Axle—Front	Manufacturer's recommendation.	<b>Gas</b>	<b>Diesel</b>	<b>Propane</b>
		Mfr. _____ Capacity _____ Indepen. suspens. <input type="checkbox"/>	Mfr. _____ Lbs. rating _____ Indepen. suspens. <input type="checkbox"/>	Mfr. _____ Lbs. rating _____ Indepen. suspens. <input type="checkbox"/>
Axle—Rear	Manufacturer's recommendation.	<b>Gas</b>	<b>Diesel</b>	<b>Propane</b>
		Mfr. _____ Capacity _____	Mfr. _____ Capacity _____	Mfr. _____ Capacity _____
Axle Ratio	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications Manual.	<b>Gas</b>	<b>Diesel</b>	<b>Propane</b>
		Ratio _____	Ratio _____	Ratio _____
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.		Round: <input type="checkbox"/> Diameter _____ Other: <input type="checkbox"/> Square inches _____	

State Price Quote Specification

**TYPE A— DIESEL, GAS & PROPANE**

Use this document to bid both non-lift and lift, gas, diesel and propane buses.

Vendor: \_\_\_\_\_

Mfr.: \_\_\_\_\_

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.		VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.																																																							
Battery(ies)	535 CCA 12 volt minimum for gas and propane w/o lift. 1070 CCA 12 volt minimum for diesel or any bus w/lift.		<table border="1"> <tr> <th data-bbox="1289 431 1661 496"><i>Gas/Propane w/o lift</i></th> <th data-bbox="1661 431 1971 496"><i>Diesel or any bus w/lift</i></th> </tr> <tr> <td data-bbox="1289 496 1661 553">CCA _____</td> <td data-bbox="1661 496 1971 553">CCA _____</td> </tr> </table>		<i>Gas/Propane w/o lift</i>	<i>Diesel or any bus w/lift</i>	CCA _____	CCA _____																																																		
<i>Gas/Propane w/o lift</i>	<i>Diesel or any bus w/lift</i>																																																									
CCA _____	CCA _____																																																									
Brakes	Hydraulic: Drum or Disc. Refer to Washington State School Bus Specifications Manual.	<table border="1"> <tr> <th colspan="3" data-bbox="932 553 1289 594"><i>Gas</i></th> </tr> <tr> <td data-bbox="932 594 1037 634">Front</td> <td data-bbox="1037 594 1142 634">Disc <input type="checkbox"/></td> <td data-bbox="1142 594 1289 634"></td> </tr> <tr> <td></td> <td data-bbox="1037 634 1142 675">Drum <input type="checkbox"/></td> <td data-bbox="1142 634 1289 675"></td> </tr> <tr> <td data-bbox="932 675 1037 716">Rear</td> <td data-bbox="1037 675 1142 716">Disc <input type="checkbox"/></td> <td data-bbox="1142 675 1289 716"></td> </tr> <tr> <td></td> <td data-bbox="1037 716 1142 756">Drum <input type="checkbox"/></td> <td data-bbox="1142 716 1289 756"></td> </tr> <tr> <td colspan="3" data-bbox="932 756 1289 792">Drum Size _____</td> </tr> </table>	<i>Gas</i>			Front	Disc <input type="checkbox"/>			Drum <input type="checkbox"/>		Rear	Disc <input type="checkbox"/>			Drum <input type="checkbox"/>		Drum Size _____			<table border="1"> <tr> <th colspan="3" data-bbox="1289 553 1633 594"><i>Diesel</i></th> </tr> <tr> <td data-bbox="1289 594 1394 634">Front</td> <td data-bbox="1394 594 1499 634">Disc <input type="checkbox"/></td> <td data-bbox="1499 594 1633 634"></td> </tr> <tr> <td></td> <td data-bbox="1394 634 1499 675">Drum <input type="checkbox"/></td> <td data-bbox="1499 634 1633 675"></td> </tr> <tr> <td data-bbox="1289 675 1394 716">Rear</td> <td data-bbox="1394 675 1499 716">Disc <input type="checkbox"/></td> <td data-bbox="1499 675 1633 716"></td> </tr> <tr> <td></td> <td data-bbox="1394 716 1499 756">Drum <input type="checkbox"/></td> <td data-bbox="1499 716 1633 756"></td> </tr> <tr> <td colspan="3" data-bbox="1289 756 1633 792">Drum Size _____</td> </tr> </table>	<i>Diesel</i>			Front	Disc <input type="checkbox"/>			Drum <input type="checkbox"/>		Rear	Disc <input type="checkbox"/>			Drum <input type="checkbox"/>		Drum Size _____			<table border="1"> <tr> <th colspan="3" data-bbox="1633 553 1971 594"><i>Propane</i></th> </tr> <tr> <td data-bbox="1633 594 1738 634">Front</td> <td data-bbox="1738 594 1843 634">Disc <input type="checkbox"/></td> <td data-bbox="1843 594 1971 634"></td> </tr> <tr> <td></td> <td data-bbox="1738 634 1843 675">Drum <input type="checkbox"/></td> <td data-bbox="1843 634 1971 675"></td> </tr> <tr> <td data-bbox="1633 675 1738 716">Rear</td> <td data-bbox="1738 675 1843 716">Disc <input type="checkbox"/></td> <td data-bbox="1843 675 1971 716"></td> </tr> <tr> <td></td> <td data-bbox="1738 716 1843 756">Drum <input type="checkbox"/></td> <td data-bbox="1843 716 1971 756"></td> </tr> <tr> <td colspan="3" data-bbox="1633 756 1971 792">Drum Size _____</td> </tr> </table>	<i>Propane</i>			Front	Disc <input type="checkbox"/>			Drum <input type="checkbox"/>		Rear	Disc <input type="checkbox"/>			Drum <input type="checkbox"/>		Drum Size _____		
<i>Gas</i>																																																										
Front	Disc <input type="checkbox"/>																																																									
	Drum <input type="checkbox"/>																																																									
Rear	Disc <input type="checkbox"/>																																																									
	Drum <input type="checkbox"/>																																																									
Drum Size _____																																																										
<i>Diesel</i>																																																										
Front	Disc <input type="checkbox"/>																																																									
	Drum <input type="checkbox"/>																																																									
Rear	Disc <input type="checkbox"/>																																																									
	Drum <input type="checkbox"/>																																																									
Drum Size _____																																																										
<i>Propane</i>																																																										
Front	Disc <input type="checkbox"/>																																																									
	Drum <input type="checkbox"/>																																																									
Rear	Disc <input type="checkbox"/>																																																									
	Drum <input type="checkbox"/>																																																									
Drum Size _____																																																										
Doors, Service	Power operated.		<input type="checkbox"/> Air <input type="checkbox"/> Folding <input type="checkbox"/> Electric <input type="checkbox"/> Split, Outward Opening <input type="checkbox"/> Other _____																																																							
Engine	Gas and Propane—3.5 liters minimum. Diesel—130 H.P. minimum.	<table border="1"> <tr> <th colspan="2" data-bbox="932 870 1289 902"><i>Gas</i></th> </tr> <tr> <td data-bbox="932 902 1142 943">Engine mfr. _____</td> <td data-bbox="1142 902 1289 943"></td> </tr> <tr> <td data-bbox="932 943 1142 1019">Liters _____</td> <td data-bbox="1142 943 1289 1019"></td> </tr> </table>	<i>Gas</i>		Engine mfr. _____		Liters _____		<table border="1"> <tr> <th colspan="2" data-bbox="1289 870 1633 902"><i>Diesel</i></th> </tr> <tr> <td data-bbox="1289 902 1499 943">Engine mfr. _____</td> <td data-bbox="1499 902 1633 943"></td> </tr> <tr> <td data-bbox="1289 943 1499 1019">H.P. _____</td> <td data-bbox="1499 943 1633 1019"></td> </tr> </table>	<i>Diesel</i>		Engine mfr. _____		H.P. _____		<table border="1"> <tr> <th colspan="2" data-bbox="1633 870 1971 902"><i>Propane</i></th> </tr> <tr> <td data-bbox="1633 902 1843 943">Engine mfr. _____</td> <td data-bbox="1843 902 1971 943"></td> </tr> <tr> <td data-bbox="1633 943 1843 1019">Liters _____</td> <td data-bbox="1843 943 1971 1019"></td> </tr> </table>	<i>Propane</i>		Engine mfr. _____		Liters _____																																					
<i>Gas</i>																																																										
Engine mfr. _____																																																										
Liters _____																																																										
<i>Diesel</i>																																																										
Engine mfr. _____																																																										
H.P. _____																																																										
<i>Propane</i>																																																										
Engine mfr. _____																																																										
Liters _____																																																										
Engine Heater	Diesel only—engine manufacturer's recommended in-block heater.		Watts _____ Volts _____ Mfr. _____																																																							
Fuel Tank	Gas and Diesel—25 gallon minimum. Propane—largest available.		<table border="1"> <tr> <th data-bbox="1289 1097 1661 1130"><i>Gas/Diesel</i></th> <th data-bbox="1661 1097 1971 1130"><i>Propane</i></th> </tr> <tr> <td data-bbox="1289 1130 1661 1187">Capacity _____</td> <td data-bbox="1661 1130 1971 1187">Capacity _____</td> </tr> </table>		<i>Gas/Diesel</i>	<i>Propane</i>	Capacity _____	Capacity _____																																																		
<i>Gas/Diesel</i>	<i>Propane</i>																																																									
Capacity _____	Capacity _____																																																									
Hand Throttle	Diesel only—locking type, electronic, or immediate acting electric fast idle.	<input type="checkbox"/> Vernier <input type="checkbox"/> Electric <input type="checkbox"/> T type <input type="checkbox"/> Electronic																																																								
Heaters	Front—manufacturer's standard. Rear—40,000 B.T.U. minimum.		Rear B.T.U. w/o lift _____ Rear B.T.U. w/lift _____																																																							
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights—7", Tail Lights, Turn Signals, Eight-Light System, and Dome-Light System.		Check if as specified <input type="checkbox"/> If not, explain _____																																																							

State Price Quote Specification  
**TYPE A— DIESEL, GAS & PROPANE**  
 Use this document to bid both non-lift and lift, gas, diesel and propane buses.

Vendor: \_\_\_\_\_

Mfr.: \_\_\_\_\_

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.		
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. _____ Model No. _____		
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift _____ w/lift _____  Mfg.'s C/C seat measurement of vehicle (inches): w/o lift _____ w/lift _____		
Steering Wheel	Tilt.	Check if as specified <input type="checkbox"/>		
Step Tread	Studded or pebbled top tread covering.	Mfr. _____		
Tires	6 first quality, radial ply.	Mfr. _____ Size _____ Load range _____		
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) _____		
Transmission	Automatic—manufacturer's standard compatible with H.P. and torque rating of engine bid.	<b>Gas</b>	<b>Diesel</b>	<b>Propane</b>
		Mfr. _____ Model no. _____	Mfr. _____ Model no. _____	Mfr. _____ Model no. _____
Two-way Communications	45-watt, VHF, mil. spec.	Mfr. _____ Model No. _____		
Wheels	6 to be compatible with tire size.	Size _____ Rim width _____		

State Price Quote Specification  
**TYPE A— DIESEL, GAS & PROPANE**  
 Use this document to bid both non-lift and lift, gas, diesel and propane buses.

Vendor: \_\_\_\_\_

Mfr.: \_\_\_\_\_

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
<b>SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BODY</b>		
Wheelchair Lift—Installed	Must meet state specification. Platform shall be a minimum of 32" x 52".	Mfr. _____ Model No. _____
Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. _____ Model No. _____
<b>ADDITIONAL REQUIREMENTS—CHASSIS AND BODY</b>		
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery.	Check if as specified <input type="checkbox"/>
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at delivery.	Check if as specified <input type="checkbox"/>
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified <input type="checkbox"/>
Service and Cleaning	Cleaning and service by vendor prior to delivery will include: <ul style="list-style-type: none"> <li>• Chassis lubrication.</li> <li>• Check fluid levels: verify all are at recommended full levels.</li> <li>• Cooling system protected at -20°F.</li> <li>• Interior and exterior will be clean (including glass).</li> <li>• All systems (electric, air, hydraulic, mechanical and manual) be inspected to ensure proper operation at time of delivery.</li> <li>• All components and accessories will be installed and operational at time of delivery.</li> </ul>	Check if as specified <input type="checkbox"/>
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified <input type="checkbox"/>



Washington Office of Superintendent of  
**PUBLIC INSTRUCTION**  
2021-2022

STUDENT TRANSPORTATION  
Old Capitol Building  
PO BOX 47200  
Olympia, WA 98504-7200  
(360) 725-6120 TTY (360) 664-3631

**VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION  
TYPE A—DIESEL**

VENDOR'S COMPANY NAME	REPRESENTATIVE'S NAME	TELEPHONE NUMBER
ADDRESS	Estimated delivery date to school district from time purchase order is received: _____	
	Firm where engine and chassis can be serviced or repaired and parts obtained: _____	
	Firm where body can be serviced or repaired and parts obtained: _____	
	_____	

BODY				
MAKE	Warranty: Years _____ Miles _____	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift _____ w/lift _____	Equipped seating capacity: w/o lift _____ w/lift _____	
MODEL	SEAT color: _____ Floor color: _____		Overall vehicle length (inches): w/o lift _____ w/lift _____	
YEAR				

CHASSIS		ENGINE		
MAKE	Warranty: Years _____ Miles _____	MANUFACTURER	Torque: _____ @ _____ RPM	H.P.: _____ @ _____ RPM
MODEL	Wheel base: _____	MODEL	YEAR	Fuel type: _____
TRANSMISSION		Warranty: Years _____ Miles _____	Battery type/grp: _____	
MANUFACTURER	Speeds forward: _____	Number of cylinders: _____ Inline _____ V-type _____	Number batteries: _____	
MODEL	Warranty: Years _____ Miles _____		Total CCA: _____	

QUOTED PRICE	
Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).	
Diesel Bid—w/o lift \$ _____	Diesel Bid—w/lift \$ _____
VENDOR REPRESENTATIVE'S SIGNATURE <i>David Jones</i>	DATE



Washington Office of Superintendent of  
**PUBLIC INSTRUCTION**  
2021-2022

STUDENT TRANSPORTATION  
Old Capitol Building  
PO BOX 47200  
Olympia, WA 98504-7200  
(360) 725-6120 TTY (360) 664-3631

## VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE A—GAS

VENDOR'S COMPANY NAME	REPRESENTATIVE'S NAME	TELEPHONE NUMBER
ADDRESS	Estimated delivery date to school district from time purchase order is received: _____  Firm where engine and chassis can be serviced or repaired and parts obtained: _____  Firm where body can be serviced or repaired and parts obtained: _____	

BODY				
MAKE	Warranty: Years _____ Miles _____	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift _____ w/lift _____	Equipped seating capacity: w/o lift _____ w/lift _____	
MODEL	YEAR	Seat color: _____ Floor color: _____	Overall vehicle length (inches): w/o lift _____ w/lift _____	

CHASSIS		ENGINE		
MAKE	Warranty: Years _____ Miles _____	MANUFACTURER		Torque: _____ @ _____ RPM H.P.: _____ @ _____ RPM
MODEL	YEAR	Wheel base: _____	MODEL	YEAR
TRANSMISSION		Warranty: Years _____ Miles _____	Liters: _____ Fuel type: _____	
MANUFACTURER	Speeds forward: _____	Number of cylinders: _____ Inline _____ V-type _____		Battery type/grp: _____
MODEL	Warranty: Years _____ Miles _____	Total CCA: _____		Number batteries: _____

QUOTED PRICE	
Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).	
Gas Bid—w/o lift \$ _____	Gas Bid—w/lift \$ _____
VENDOR REPRESENTATIVE'S SIGNATURE <i>David Jones</i>	DATE



Washington Office of Superintendent of  
**PUBLIC INSTRUCTION**  
2021-2022

STUDENT TRANSPORTATION  
Old Capitol Building  
PO BOX 47200  
Olympia, WA 98504-7200  
(360) 725-6120 TTY (360) 664-3631

## VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE A—PROPANE

VENDOR'S COMPANY NAME	REPRESENTATIVE'S NAME	TELEPHONE NUMBER
ADDRESS	Estimated delivery date to school district from time purchase order is received: _____ _____ Firm where engine and chassis can be serviced or repaired and parts obtained: _____ _____ Firm where body can be serviced or repaired and parts obtained: _____ _____	

BODY				
MAKE	Warranty: Years _____	Miles _____	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift _____ w/lift _____	Equipped seating capacity: w/o lift _____ w/lift _____
MODEL	YEAR	Seat color: _____ Floor color: _____		Overall vehicle length (inches): w/o lift _____ w/lift _____

CHASSIS		ENGINE		
MAKE	Warranty: Years _____ Miles _____	MANUFACTURER	Torque: _____ @ _____ RPM	H.P.: _____ @ _____ RPM
MODEL	YEAR	Wheel base: _____	MODEL	YEAR
		Liters: _____ Fuel type: _____		
TRANSMISSION		Warranty: Years _____ Miles _____		Battery type/grp: _____
MANUFACTURER	Speeds forward: _____	Number of cylinders: _____ Inline _____ V-type _____		Number batteries: _____
MODEL	Warranty: Years _____ Miles _____			Total CCA: _____

QUOTED PRICE	
Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).	
Propane Bid—w/o lift \$ _____	Propane Bid—w/lift \$ _____
VENDOR REPRESENTATIVE'S SIGNATURE <i>David Jones</i>	DATE

State Price Quote Specification  
**DISTRICT-SUPPORTED OPTIONS**  
**TYPE A**

Vendor: \_\_\_\_\_

Mfr.: \_\_\_\_\_

Use this document to bid both non-lift and lift, gas, diesel and propane buses.

CHASSIS			
ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
		<i>Gas</i>	<i>Diesel</i>
		<i>Propane</i>	
Small A	Type A bus—10,000 lbs or under GVWR chassis.	Deduct _____ Mfr. _____ Capacity w/o lift _____ Dual Wheel <input type="checkbox"/> Single Wheel <input type="checkbox"/>	Deduct _____ Mfr. _____ Capacity w/o lift _____ Dual Wheel <input type="checkbox"/> Single Wheel <input type="checkbox"/>
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. _____ Cost \$ _____	
Alternate Fuel <input type="checkbox"/> CNG <input type="checkbox"/> Electric	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications manual. Must comply with all of the requirements of FMVSS No. 305.	Mfr. _____ <input type="checkbox"/> CNG Cost \$ _____ <input type="checkbox"/> Electric Cost \$ _____	
Back-up Alarm	Must meet state specification.	Mfr. _____ Cost \$ _____	
Color	Exterior white roof.	Cost \$ _____	
Steering Wheel	Tilt and telescoping column.	Cost \$ _____	
Strobe Light	Exterior roof mounted white strobe light.	Mfr. _____ Model No. _____ Cost \$ _____	
Student Protection System—Installed	Electronic system to insure driver post-trip inspection of passenger compartment.	Mfr. _____ Model No. _____ Cost \$ _____	
Toolbox	Interior, manufacturer standard.	Cost \$ _____	Deduct \$ _____



State Price Quote Specification  
**DISTRICT-SUPPORTED OPTIONS**  
**TYPE A**

**PART II (cont.)**

Vendor: \_\_\_\_\_

Mfr.: \_\_\_\_\_

Use this document to bid both non-lift and lift, gas, diesel and propane buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Video Camera Systems—Installed	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. _____ Model No. _____ Cost \$ _____ How many cameras _____	
Video Camera Systems—Stop Sign Camera—Installed	Must meet state specification.	<b>Stand Alone System</b>	<b>Added to Interior System</b>
		Mfr. _____ Model No. _____ Cost \$ _____ How many cameras _____	Mfr. _____ Model No. _____ Cost \$ _____ How many cameras _____
Warning Light Monitor	16 light monitoring system.	<b>Incandescent</b>	<b>LED Lights</b>
		Cost \$ _____	Cost \$ _____
Additional Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. _____ Model No. _____ Cost per station \$ _____	
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ _____	
		Rear Cost \$ _____	
		Both Cost \$ _____	
Windows	Tinted.	Cost \$ _____	