

State Price Quote Specification
TYPE A— GAS & PROPANE

Use this document to bid both non-lift and lift, gas and propane buses.

Vendor: _____
BRYSON _____
Mfr.: MICRO BIRD _____

ITEM	STATE-SUPPORTED SPECIFICATIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID	
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	Price of items bid will establish the state cost.	
Seating Capacity	Maximum passenger capacity based upon an average center-to-center seat spacing of at least 27.5" with a lap-shoulder belt for each seating position.	Gas	Propane
		Capacity w/o lift <u>22</u>	Capacity w/o lift <u>28</u>
		Capacity w/lift <u>13</u>	Capacity w/lift <u>19</u>
Alternator	145 amp minimum. Lift-equipped or air-conditioned. Manufacturer recommended capacity.	Mfr. <u>DELCO / FORD</u>	
		Amps output w/o lift or A.C. <u>220/210</u>	
		Amps output w/lift or A.C. <u>220/210</u>	
Auxiliary Automatic Transmission Cooler	10,000 lb. Hayden or equal.	Gas	Propane
		Mfr. <u>GM</u>	Mfr. <u>FORD</u>
		Lbs. rating <u>10,000</u>	Lbs. rating <u>10,000</u>
Axle—Front	Manufacturer's recommendation.	Gas	Propane
		Mfr. <u>GM</u>	Mfr. <u>FORD</u>
		Lbs. rating <u>4,300</u>	Lbs. rating <u>5,000</u>
		Indepen. suspens. <input checked="" type="checkbox"/>	Indepen. suspens. <input checked="" type="checkbox"/>
Axle—Rear	Manufacturer's recommendation.	Gas	Propane
		Mfr. <u>GM</u>	Mfr. <u>FORD</u>
		Capacity <u>8,600</u>	Capacity <u>9,600</u>
Axle Ratio	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications Manual.	Gas	Propane
		Ratio <u>3.73</u>	Ratio <u>4.56</u>
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: <input checked="" type="checkbox"/> Diameter <u>4"</u>	Other: <input type="checkbox"/> Square inches _____

Vendor: BRYSON

Mfr.: MICRO BIRD

State Price Quote Specification
TYPE A—GAS & PROPANE

Use this document to bid both non-lift and lift, gas and propane buses.

ITEM	STATE-SUPPORTED SPECIFICATIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID	
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	Price of items bid will establish the state cost.	
Battery(ies)	535 CCA 12 volt minimum for gas and propane w/o lift. 1070 CCA 12 volt minimum for any bus w/lift.	Gas/Propane w/o lift	Any bus w/lift
		CCA <u>GAS 1540/LPG 1500</u>	CCA <u>GAS 1540/LPG 1500</u>
Brakes	Hydraulic: Drum or Disc. Refer to Washington State School Bus Specifications Manual.	Gas	Propane
		Front Disc <input checked="" type="checkbox"/>	Front Disc <input checked="" type="checkbox"/>
		Drum <input type="checkbox"/>	Drum <input type="checkbox"/>
		Rear Disc <input checked="" type="checkbox"/>	Rear Disc <input checked="" type="checkbox"/>
		Drum <input type="checkbox"/>	Drum <input type="checkbox"/>
		Drum Size <u>MFG STD</u>	Drum Size <u>MFT STD</u>
Doors, Service	Power operated.	<input type="checkbox"/> Air <input type="checkbox"/> Folding <input checked="" type="checkbox"/> Electric <input checked="" type="checkbox"/> Split, Outward Opening <input type="checkbox"/> Other _____	
Engine	Gas and Propane—3.5 liters minimum.	Gas	Propane
		Engine mfr. <u>GM</u>	Engine mfr. <u>FORD</u>
		H.P. <u>6.6L</u>	Liters <u>7.3L</u>
Fuel Tank	Gas—25-gallon minimum. Propane—largest available.	Gas	Propane
		Capacity <u>32 GALLONS</u>	Capacity <u>40 GALLONS</u>
Heaters	Front—manufacturer's standard. Rear—40,000 B.T.U. minimum.	Rear B.T.U. w/o lift <u>42,000</u> Rear B.T.U. w/lift <u>42,000</u>	
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights—7", Taillights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified <input checked="" type="checkbox"/> If not, explain. _____ _____	

State Price Quote Specification
TYPE A—GAS & PROPANE

Use this document to bid both non-lift and lift, gas and propane buses.

Vendor: BRYSON

Mfr.: MICRO BIRD

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. <u>MITO</u>	
		Model No. <u>MFG STD</u>	
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>135"</u> w/lift <u>135"</u>	
		Mfg.'s C/C seat measurement of vehicle (inches): w/o lift <u>27.5"</u> w/lift <u>30"</u>	
Steering Wheel	Tilt.	Check if as specified <input checked="" type="checkbox"/>	
Step Tread	Studded or pebbled top tread covering.	Mfr. <u>SMI</u>	
Tires	6 first quality, radial ply.	Mfr. <u>ONE OF FIVE MAJOR BRANDS</u>	
		Size <u>LT 255 75R 16E</u>	
		Load range <u>D</u>	
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) <u>1.2</u>	
Transmission	Automatic—manufacturer's standard compatible with H.P. and torque rating of engine bid.	Gas	Propane
		Mfr. <u>GM</u>	Mfr. <u>FORD</u>
		Model no. <u>8 SPD HD</u>	Model no. <u>6 SPD</u>
Two-way Communications	45-watt, VHF, mil. spec.	Mfr. <u>KENWOOD</u>	
		Model No. <u>NX37520HVK</u>	
Wheels	6 to be compatible with tire size.	Size <u>16"</u>	
		Rim width <u>6"</u>	

State Price Quote Specification
TYPE A—GAS & PROPANE

Use this document to bid both non-lift and lift, gas and propane buses.

Vendor: BRYSONMfr.: MICRO BIRD

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BODY		
Wheelchair Lift—Installed	Must meet state specification. Platform shall be a minimum of 32" x 52".	Mfr. <u>BRAUN</u> Model No. <u>CENTURY</u>
Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q-STRAINT</u> Model No. <u>QRT DELUXE SLIDE & CLICK</u>
ADDITIONAL REQUIREMENTS—CHASSIS AND BODY		
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery.	Check if as specified <input checked="" type="checkbox"/>
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at delivery.	Check if as specified <input checked="" type="checkbox"/>
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified <input checked="" type="checkbox"/>
Service and Cleaning	Cleaning and service by vendor prior to delivery will include: <ul style="list-style-type: none"> • Chassis lubrication. • Check fluid levels: verify all are at recommended full levels. • Cooling system protected at -20°F. • Interior and exterior will be clean (including glass). • All systems (electric, air, hydraulic, mechanical, and manual) be inspected to ensure proper operation at time of delivery. • All components and accessories will be installed and operational at time of delivery. 	Check if as specified <input checked="" type="checkbox"/>
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified <input checked="" type="checkbox"/>



STUDENT TRANSPORTATION
 Old Capitol Building
 PO BOX 47200
 Olympia, WA 98504-7200
 (360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE A—GAS

VENDOR'S COMPANY NAME BRYSON SALES & SERVICE OF WASHINGTON, INC. ADDRESS 2407 GIBSON RD. EVERETT, WA 98204	REPRESENTATIVE'S NAME BRANDON BRYSON Estimated delivery date to school district from time purchase order is received: <u>150-210</u> Firm where engine and chassis can be serviced or repaired, and parts obtained: <u>BRYSON</u> Firm where body can be serviced or repaired, and parts obtained: <u>BRYSON</u>	TELEPHONE NUMBER 425-953-2820
---	---	----------------------------------

BODY

MAKE MICRO BIRD		Warranty: Years <u>1</u> Miles <u>12,000</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>153.75"</u> w/lift <u>153.75"</u>	Equipped seating capacity: w/o lift <u>22</u> w/lift <u>16</u> Overall vehicle length (inches): w/o lift <u>262"</u> w/lift <u>262"</u>
MODEL G5	YEAR 2024	Seat color: <u>BROWN</u> Floor color: <u>GRAY</u>		

CHASSIS

MAKE GM		Warranty: Years <u>3</u> Miles <u>36,000</u>	MANUFACTURER GM		Torque: <u>464</u> @ <u>4000</u> RPM H.P.: <u>401</u> @ <u>5200</u> RPM
MODEL 12,300	YEAR 2024 / 2025	Wheelbase: <u>139"</u>	MODEL 6.6L V8	YEAR 2024 / 2025	Liters: <u>6.6L</u> Fuel type: <u>GAS</u>

TRANSMISSION

MANUFACTURER GM		Speeds forward: <u>8</u>	Warranty: Years <u>3</u> Miles <u>36,000</u>		Battery type/grp: <u>MAINT</u> <u>FREE</u>
MODEL 8 SPD HD		Warranty: Years <u>3</u> Miles <u>36,000</u>	Number of cylinders: <u>8</u> Inline _____ V-type <u>X</u>		Number batteries: <u>2</u> _____ Total CCA: <u>1540</u> _____

QUOTED PRICE

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Gas Bid—w/o lift \$ 110,435.00

Gas Bid—w/lift \$ 117,249.00

VENDOR REPRESENTATIVE'S SIGNATURE
Brandon Bryson

DATE
08/07/23



STUDENT TRANSPORTATION
 Old Capitol Building
 PO BOX 47200
 Olympia, WA 98504-7200
 (360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION

TYPE A—PROPANE

VENDOR'S COMPANY NAME BRYSON SALES & SERVICE OF WASHINGTON, INC.		REPRESENTATIVE'S NAME BRANDON BRYSON	TELEPHONE NUMBER 425-953-2820
ADDRESS 2407 GIBSON RD. EVERETT, WA 98204		Estimated delivery date to school district from time purchase order is received: <u>150-210</u>	
		Firm where engine and chassis can be serviced or repaired, and parts obtained: <u>BRYSON</u>	
		Firm where body can be serviced or repaired, and parts obtained: <u>BRYSON</u>	

BODY

MAKE MICRO BIRD	Warranty: Years <u>1</u> Miles <u>12,000</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>153.75"</u> w/lift <u>153.75"</u>	Equipped seating capacity: w/o lift <u>28</u> w/lift <u>19</u>
MODEL G5	YEAR 2024	Seat color: <u>BROWN</u> Floor color: <u>GRAY</u>	Overall vehicle length (inches): w/o lift <u>253"</u> w/lift <u>253"</u>

CHASSIS

MAKE FORD	Warranty: Years <u>3</u> Miles <u>36,000</u>
MODEL E450 / 14500	YEAR 2024 / 2025
Wheelbase: <u>158"</u>	

ENGINE

MANUFACTURER FORD	Torque: <u>468</u> @ <u>3900</u> RPM H.P.: <u>350</u> @ <u>3900</u> RPM
MODEL 7.3L	YEAR 2024 / 2025
Liters: <u>7.3L</u> Fuel type: <u>PROPANE</u>	

TRANSMISSION

MANUFACTURER FORD	Warranty: Years <u>3</u> Miles <u>36,000</u>
MODEL 6R80	Speeds forward: <u>6</u>
Warranty: Years <u>3</u> Miles <u>36,000</u>	

Warranty: Years <u>3</u> Miles <u>36,000</u>		Battery type/grp: <u>MAINT</u> <u>FREE</u>
Number of cylinders: <u>8</u> Inline _____ V-type <u>X</u>		Number batteries: <u>2</u> _____
		Total CCA: <u>1500</u> _____

QUOTED PRICE

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Propane Bid—w/o lift \$ 150,852.00

Propane Bid—w/lift \$ 157,870.00

VENDOR REPRESENTATIVE'S SIGNATURE

Brandon Bryson

DATE

08/07/23

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS
TYPE A

Vendor: BRYSON

Mfr.: MICRO BIRD

Use this document to bid both non-lift and lift, gas and propane buses.

ITEM	CHASSIS	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Small A	Type A bus—10,000 lbs. or under GVWR chassis.	Gas	Propane
		Deduct <u>N/A</u>	Deduct <u>N/A</u>
		Mfr. <u>N/A</u>	Mfr. <u>N/A</u>
		Capacity w/o lift <u>N/A</u>	Capacity w/o lift <u>N/A</u>
		Dual Wheel <input type="checkbox"/>	Dual Wheel <input type="checkbox"/>
		Single Wheel <input type="checkbox"/>	Single Wheel <input type="checkbox"/>
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. <u>VALEO</u>	
		Cost \$ <u>3,552.00</u>	
Alternate Fuel	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications manual. Must comply with all of the requirements of FMVSS No. 305.	Mfr. <u>MICRO BIRD</u>	
<input type="checkbox"/> CNG		<input type="checkbox"/> CNG Cost \$ <u>N/A</u>	
<input checked="" type="checkbox"/> Electric		<input type="checkbox"/> Electric Cost \$ <u>REFERENCE 1394-2 TYPE A ELECTRIC</u>	
Back-up Alarm	Must meet state specification.	Mfr. <u>ECCO</u>	
		Cost \$ <u>171.00</u>	
Color	Exterior white roof.	Cost \$ <u>INCLUDED</u>	
Steering Wheel	Tilt and telescoping column.	Cost \$ <u>INCLUDED</u>	
Strobe Light	Exterior roof mounted white strobe light.	Mfr. <u>ECCO</u>	
		Model No. <u>7460 LED CLEAR LENS</u>	
		Cost \$ <u>195.00</u>	
Student Protection System—Installed	Electronic system to insure driver post-trip inspection of passenger compartment.	Mfr. <u>CHILD CHECK</u>	
		Model No. <u>CCM</u>	
		Cost \$ <u>329.</u>	
Toolbox	Interior, manufacturer standard.	Cost \$ <u>INCLUDED</u>	Deduct \$ <u>0.00</u>

PART II (cont.)

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS
TYPE A

Vendor: BRYSON

Mfr.: MICRO BIRD

Use this document to bid both non-lift and lift, gas and propane buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Video Camera Systems—Installed	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. <u>REI</u>	
		Model No. <u>REI-HD6-600W-4-500GB</u>	
		Cost \$ <u>2,609.00</u>	How many cameras <u>4</u>
Video Camera Systems—Stop Sign Camera—Installed	Must meet state specification.	Stand Alone System	Added to Interior System
		Mfr. <u>REI</u>	Mfr. <u>REI</u>
		Model No. <u>HD6-600W-2-500GB</u>	Model No. <u>STD INTERIOR CAMERA</u>
		Cost \$ <u>2,487.00</u>	Cost \$ <u>315.00</u>
		How many cameras <u>2</u>	How many cameras <u>1</u>
Warning Light Monitor	16 light monitoring system.	Incandescent	LED Lights
		Cost \$ <u>790.00</u>	Cost \$ <u>790.00</u>
Additional Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q-STRAINT</u>	
		Model No. <u>SLIDE & CLICK</u>	
		Cost per station \$ <u>1,272.00</u>	
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ <u>1,578.00</u>	
		Rear Cost \$ <u>669.00</u>	
		Both Cost \$ <u>2,247.00</u>	
Windows	Tinted.	Cost \$ <u>INCLUDED</u>	