



State Price Quote Specification
TYPE A— GAS & PROPANE
Use this document to bid both non-lift and lift, gas and propane buses.

Vendor: _____
RWC Group _____
Mfr.: Collins _____

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
Seating Capacity	Maximum passenger capacity based upon an average center-to-center seat spacing of at least 27.5" with a lap-shoulder belt for each seating position.	Gas	Propane
		Capacity w/o lift <u>24</u>	Capacity w/o lift <u>N/A</u>
		Capacity w/lift <u>18+1</u>	Capacity w/lift <u>N/A</u>
Alternator	145 amp minimum. Lift-equipped or air-conditioned. Manufacturer recommended capacity.	Mfr. <u>Delco</u>	
		Amps output w/o lift or A.C. <u>220</u>	
		Amps output w/lift or A.C. <u>220</u>	
Auxiliary Automatic Transmission Cooler	10,000 lb. Hayden or equal.	Gas	Propane
		Mfr. <u>GM</u>	Mfr. <u>N/A</u>
		Lbs. rating <u>10,000</u>	Lbs. rating <u>N/A</u>
Axle—Front	Manufacturer's recommendation.	Gas	Propane
		Mfr. <u>GM</u>	Mfr. <u>N/A</u>
		Lbs. rating <u>4,300</u>	Lbs. rating <u>N/A</u>
		Indepen. suspens. <input checked="" type="checkbox"/>	Indepen. suspens. <input type="checkbox"/>
Axle—Rear	Manufacturer's recommendation.	Gas	Propane
		Mfr. <u>GM</u>	Mfr. <u>N/A</u>
		Capacity <u>8,600</u>	Capacity <u>N/A</u>
Axle Ratio	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications Manual.	Gas	Propane
		Ratio <u>3.73</u>	Ratio <u>N/A</u>
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: <input checked="" type="checkbox"/> Diameter <u>4 Inch</u>	
		Other: <input type="checkbox"/> Square inches _____	

Vendor: RWC GroupMfr.: Collins

State Price Quote Specification
TYPE A—GAS & PROPANE

Use this document to bid both non-lift and lift, gas and propane buses.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
Battery(ies)	535 CCA 12 volt minimum for gas and propane w/o lift. 1070 CCA 12 volt minimum for any bus w/lift.	Gas/Propane w/o lift	Any bus w/lift
		CCA <u>1540</u>	CCA <u>1540</u>
Brakes	Hydraulic: Drum or Disc. Refer to Washington State School Bus Specifications Manual.	Gas	Propane
		Front Disc <input checked="" type="checkbox"/>	Front Disc <input type="checkbox"/>
		Drum <input type="checkbox"/>	Drum <input type="checkbox"/>
		Rear Disc <input checked="" type="checkbox"/>	Rear Disc <input type="checkbox"/>
		Drum <input type="checkbox"/>	Drum <input type="checkbox"/>
		Drum Size <u>13.6</u>	Drum Size <u>N/A</u>
Doors, Service	Power operated.	<input type="checkbox"/> Air <input type="checkbox"/> Folding <input checked="" type="checkbox"/> Electric <input checked="" type="checkbox"/> Split, Outward Opening <input type="checkbox"/> Other _____	
Engine	Gas and Propane—3.5 liters minimum.	Gas	Propane
		Engine mfr. <u>GM</u>	Engine mfr. <u>N/A</u>
		H.P. <u>404</u>	Liters <u>N/A</u>
Fuel Tank	Gas—25 gallon minimum. Propane—largest available.	Gas	Propane
		Capacity <u>33</u>	Capacity <u>N/A</u>
Heaters	Front—manufacturer's standard. Rear—40,000 B.T.U. minimum.	Rear B.T.U. w/o lift <u>60K</u>	
		Rear B.T.U. w/lift <u>60K</u>	
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights—7", Tail Lights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified <input checked="" type="checkbox"/> If not, explain _____	

		State Price Quote Specification	PART I (cont.)
		TYPE A—GAS & PROPANE	Vendor: <u>RWC Group</u>
		Use this document to bid both non-lift and lift, gas and propane buses.	Mfr.: <u>Collins</u>

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. <u>GM</u>	
		Model No. <u>UOF</u>	
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>136</u> w/lift <u>152</u>	
		Mfg.'s C/C seat measurement of vehicle (inches): w/o lift <u>27.5</u> w/lift <u>27.5</u>	
Steering Wheel	Tilt.	Check if as specified <input checked="" type="checkbox"/>	
Step Tread	Studded or pebbled top tread covering.	Mfr. <u>Koroseal</u>	
Tires	6 first quality, radial ply.	Mfr. <u>General</u>	
		Size <u>LT225/75R16</u>	
		Load range <u>E</u>	
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) <u>4.96</u>	
Transmission	Automatic—manufacturer's standard compatible with H.P. and torque rating of engine bid.	Gas	Propane
		Mfr. <u>GM</u>	Mfr. <u>N/A</u>
		Model no. <u>6L90</u>	Model no. <u>N/A</u>
Two-way Communications	45-watt, VHF, mil. spec.	Mfr. <u>ICOM</u>	
		Model No. <u>F5011</u>	
Wheels	6 to be compatible with tire size.	Size <u>16</u>	
		Rim width <u>6.5</u>	

		State Price Quote Specification TYPE A—GAS & PROPANE Use this document to bid both non-lift and lift, gas and propane buses.	PART I (cont.) Vendor: <u>RWC Group</u> Mfr.: <u>Collins</u>
--	--	--	---

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BODY		
Wheelchair Lift—Installed	Must meet state specification. Platform shall be a minimum of 32" x 52".	Mfr. <u>Braun</u> Model No. <u>NCL917IB</u>
Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q-Straint</u> Model No. <u>Q-8100-A1</u>
ADDITIONAL REQUIREMENTS—CHASSIS AND BODY		
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery.	Check if as specified <input checked="" type="checkbox"/>
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at delivery.	Check if as specified <input checked="" type="checkbox"/>
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified <input checked="" type="checkbox"/>
Service and Cleaning	Cleaning and service by vendor prior to delivery will include: <ul style="list-style-type: none"> • Chassis lubrication. • Check fluid levels: verify all are at recommended full levels. • Cooling system protected at -20°F. • Interior and exterior will be clean (including glass). • All systems (electric, air, hydraulic, mechanical and manual) be inspected to ensure proper operation at time of delivery. • All components and accessories will be installed and operational at time of delivery. 	Check if as specified <input checked="" type="checkbox"/>
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified <input checked="" type="checkbox"/>



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2022-2023

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION
TYPE A—GAS

VENDOR'S COMPANY NAME RWC Group	REPRESENTATIVE'S NAME Tom Hartman	TELEPHONE NUMBER 602-377-4401
ADDRESS 600 N. 75 th Avenue Phoenix, AZ 85043	Estimated delivery date to school district from time purchase order is received: 180 Days ARO _____	
	Firm where engine and chassis can be serviced or repaired and parts obtained: Any GM Dealer _____	
	Firm where body can be serviced or repaired and parts obtained: RWC Group (4 locations in WA) _____	

BODY

MAKE Collins	Warranty: Years <u>5</u> Miles <u>100K</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>136</u> w/lift <u>152</u>	Equipped seating capacity: w/o lift <u>24</u> w/lift <u>18+1</u>
MODEL DH400	YEAR 2023	Seat color: <u>Gray</u> Floor color: <u>Black</u>	Overall vehicle length (inches): w/o lift <u>242</u> w/lift <u>258</u>

CHASSIS

ENGINE

MAKE Chevrolet	Warranty: Years <u>3</u> Miles <u>36K</u>	MANUFACTURER GM	Torque: <u>464</u> @ <u>4000</u> RPM H.P.: <u>404</u> @ <u>5200</u> RPM
MODEL G3500	YEAR 2023	Wheel base: <u>139</u>	MODEL SFI V8
TRANSMISSION		Warranty: Years <u>5</u> Miles <u>100K</u>	YEAR 2022
MANUFACTURER Chevrolet	Speeds forward: <u>6</u>	Number of cylinders: <u>8</u> Inline _____ V-type <u>X</u>	Liters: <u>6.6</u> Fuel type: <u>Gas</u>
MODEL 6L90	Warranty: Years <u>5</u> Miles <u>60K</u>	Battery type/grp: <u>74</u> <u>74</u>	Number batteries: <u>2</u> <u>2</u>
		Total CCA: <u>1540</u> <u>1540</u>	

QUOTED PRICE

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Gas Bid—w/o lift \$ 114,878

Gas Bid—w/lift \$ 124,707

VENDOR REPRESENTATIVE'S SIGNATURE
Tom Hartman

DATE
8-17-22



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2022-2023

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

**VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION
TYPE A—PROPANE**

VENDOR'S COMPANY NAME	REPRESENTATIVE'S NAME	TELEPHONE NUMBER
ADDRESS	Estimated delivery date to school district from time purchase order is received: _____	
	Firm where engine and chassis can be serviced or repaired and parts obtained: _____	
	Firm where body can be serviced or repaired and parts obtained: _____	

BODY

MAKE	Warranty: Years _____	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: _____	Equipped seating capacity: _____
MODEL	Miles _____	w/o lift _____ w/lift _____	w/o lift _____ w/lift _____
YEAR	Seat color: _____	w/o lift _____ w/lift _____	Overall vehicle length (inches): _____
	Floor color: _____		w/o lift _____ w/lift _____

CHASSIS

ENGINE

MAKE	Warranty: Years _____	MANUFACTURER	Torque: _____ @ _____ RPM
	Miles _____		H.P.: _____ @ _____ RPM
MODEL	Wheel base: _____	MODEL	Liters: _____
YEAR		YEAR	Fuel type: _____
TRANSMISSION		Warranty: Years _____	Battery type/grp: _____
MANUFACTURER	Speeds forward: _____	Miles _____	Number batteries: _____
MODEL	Warranty: Years _____	Number of cylinders: _____	Total CCA: _____
	Miles _____	Inline _____ V-type _____	

QUOTED PRICE

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Propane Bid—w/o lift \$ N/A

Propane Bid—w/lift \$ N/A

VENDOR REPRESENTATIVE'S SIGNATURE Tom Hartman	DATE 8-17-22
---	------------------------

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS
TYPE A

Use this document to bid both non-lift and lift, gas and propane buses.

Vendor: RWC GroupMfr.: Collins**CHASSIS**

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Small A	Type A bus—10,000 lbs or under GVWR chassis.	Gas	Propane
		Deduct <u>-2,100</u>	Deduct <u>N/A</u>
		Mfr. <u>GM</u>	Mfr. <u>N/A</u>
		Capacity w/o lift <u>16</u>	Capacity w/o lift <u>N/A</u>
		Dual Wheel <input type="checkbox"/>	Dual Wheel <input type="checkbox"/>
		Single Wheel <input checked="" type="checkbox"/>	Single Wheel <input type="checkbox"/>
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. <u>American Cooling Tech</u>	
		Cost \$ <u>6,440</u>	
Alternate Fuel	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications manual. Must comply with all of the requirements of FMVSS No. 305.	Mfr. _____	
<input type="checkbox"/> CNG		<input type="checkbox"/> CNG Cost \$ <u>N/A</u>	
<input type="checkbox"/> Electric		<input type="checkbox"/> Electric Cost \$ _____	
Back-up Alarm	Must meet state specification.	Mfr. <u>Superior Signals</u>	
		Cost \$ <u>110</u>	
Color	Exterior white roof.	Cost \$ <u>Standard</u>	
Steering Wheel	Tilt and telescoping column.	Cost \$ <u>N/A</u>	
Strobe Light	Exterior roof mounted white strobe light.	Mfr. <u>Opti-Luxx</u>	
		Model No. <u>Beacon 4903</u>	
		Cost \$ <u>194</u>	
Student Protection System—Installed	Electronic system to insure driver post-trip inspection of passenger compartment.	Mfr. <u>Check Mate</u>	
		Model No. <u>EP1</u>	
		Cost \$ <u>538</u>	
Toolbox	Interior, manufacturer standard.	Cost \$ <u>62</u>	Deduct \$ <u>N/A</u>

		State Price Quote Specification DISTRICT-SUPPORTED OPTIONS TYPE A Use this document to bid both non-lift and lift, gas and propane buses.	PART II (cont.) Vendor: <u>RWC Group</u> Mfr.: <u>Collins</u>
--	--	---	--

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Video Camera Systems—Installed	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. <u>Seon</u> Model No. <u>TH4</u> Cost \$ <u>3,644</u> How many cameras <u>3</u>	
Video Camera Systems—Stop Sign Camera—Installed	Must meet state specification.	Stand Alone System Mfr. <u>Seon</u> Model No. <u>TH4</u> Cost \$ <u>2,877</u> How many cameras <u>1</u>	Added to Interior System Mfr. <u>Seon</u> Model No. <u>TH4</u> Cost \$ <u>889</u> How many cameras <u>1</u>
Warning Light Monitor	16 light monitoring system.	Incandescent Cost \$ <u>239</u>	LED Lights Cost \$ <u>558</u>
Additional Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q-Straint</u> Model No. <u>Q-8100-A1</u> Cost per station \$ <u>1,063</u>	
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ <u>350</u> Rear Cost \$ <u>72</u> Both Cost \$ <u>422</u>	
Windows	Tinted.	Cost \$ <u>375</u>	