

State Price Quote Specification
**TYPE D84—BID AS 78 PASSENGER
 DIESEL & CNG**

Vendor: BRYSON
SALES & SERVICE

Use this document to bid both non-lift and lift buses for 61–84 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
Seating Capacity	78 passenger based upon maximum seat spacing allowed in accordance with FMVSS 222.	Capacity w/o lift <u>78</u> Capacity w/lift <u>67</u>	
Alternator	240 amp minimum. Lift-equipped or air-conditioned. Manufacturer recommended capacity.	Diesel Mfr. <u>LEECE NEVILLE</u> Max. amps output w/o lift or A.C. <u>240</u> Max. amps output w/lift or A.C. <u>240</u>	CNG Mfr. <u>LEECE NEVILLE</u> Max. amps output w/o lift or A.C. <u>240</u> Max. amps output w/lift or A.C. <u>240</u>
Auxiliary Fans	2 fans, 6" maximum, mounted to right and left windshield and service door.	Mfr. <u>DCM</u>	
Axle—Front	13,200 lb. minimum.	Diesel Mfr. <u>HENDRICKSON</u> Capacity <u>13200</u>	CNG Mfr. <u>HENDRICKSON</u> Capacity <u>13200</u>
Axle—Rear	19,000 lb. minimum.	Mfr. <u>DANA</u> Capacity <u>21000</u>	Mfr. <u>DANA</u> Capacity <u>21000</u>
Axle Oil Seals	Front and rear oil bath.	Mfr. <u>SKF</u>	
Axle Ratio	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications Manual.	Ratio <u>5.29</u>	
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: <input checked="" type="checkbox"/> Diameter <u>4"</u> Other: <input type="checkbox"/> Square inches _____	
Battery(ies)	1200 CCA 12 volt minimum to be mounted in body battery compartment w/o lift. 1400 CCA 12 volt minimum to be mounted in body battery compartment w/lift.	Size/group w/o lift <u>GP 31</u> CCA <u>2100</u> Size/group w/lift <u>GP 31</u> CCA <u>2100</u>	
Battery Compartment	Battery storage tray must be large enough to accommodate batteries as specified in chassis section.	<input checked="" type="checkbox"/> Swing out	<input type="checkbox"/> Roll out

PART I (cont.)

State Price Quote Specification

**TYPE D84—BID AS 78 PASSENGER
DIESEL & CNG**

Vendor: BRYSON
SALES & SERVICE

Use this document to bid both non-lift and lift buses for 61–84 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.		VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.		
Brakes	Air: Drum or Disc. If Drum, minimum 16.5" x 5" front, minimum 16.5" x 7" rear. Refer to Washington State School Bus Specifications Manual.	Diesel		CNG	
		Disc Front <input type="checkbox"/> Rear <input type="checkbox"/> Drum Front <input checked="" type="checkbox"/> Rear <input checked="" type="checkbox"/> Size Front <u>16.5"x6"</u> Rear <u>16.5"x7"</u>	Disc Front <input type="checkbox"/> Rear <input type="checkbox"/> Drum Front <input checked="" type="checkbox"/> Rear <input checked="" type="checkbox"/> Size Front <u>16.5"x6"</u> Rear <u>16.5"x</u>		
Door, Service	Power operated.	<input type="checkbox"/> Air <input checked="" type="checkbox"/> Electric <input type="checkbox"/> Other		<input type="checkbox"/> Folding <input checked="" type="checkbox"/> Split, Outward opening <input type="checkbox"/> Other	
Engine	Diesel—210 H.P. minimum.	Diesel		CNG	
		Engine mfr. <u>CUMMINS</u> Model or liters <u>B6.7L</u> Net torque <u>520</u> @ <u>1600</u> R.P.M Net H.P. <u>220</u> @ <u>2400</u> R.P.M Location: Rear <input type="checkbox"/> Forward <input checked="" type="checkbox"/>	Engine mfr. <u>CUMMINS</u> Model or liters <u>L9N</u> Net torque <u>900</u> @ <u>1300</u> R.P.M Net H.P. <u>280</u> @ <u>2000</u> R.P.M Location: Rear <input checked="" type="checkbox"/> Forward <input type="checkbox"/>		
Engine Heater	Engine manufacturer's recommended in-block heater.	Diesel		CNG	
		Watts <u>720</u> Volts <u>120</u> Mfr. <u>PHILLIPS</u>	Watts <u>1000</u> Volts <u>120</u> Mfr. <u>PHILLIPS</u>		
Engine Temperature	To be controlled electronically, by fan clutch/drive, or shutters.	Mfr. <u>HORT</u> <input type="checkbox"/> Electronic <input checked="" type="checkbox"/> Fan clutch <input type="checkbox"/> Shutters			
Fuel Tank		Diesel—100 gallon minimum. CNG—Dedicated CNG Fuel system, maximum capacity available.	Diesel		CNG
	Capacity <u>100 GALLONS</u>		Capacity <u>62.23 GALLONS</u> Specify life time (years): <u>20</u>		

State Price Quote Specification
**TYPE D84—BID AS 78 PASSENGER
 DIESEL & CNG**

Vendor: BRYSON
SALES & SERVICE

Use this document to bid both non-lift and lift buses for 61–84 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
Heaters	Minimum of 3 heaters; 1 front, 1 center, 1 rear. Shutoff valves at engine for all heaters. Two-speed motors. Must include recirculating pump.	Front B.T.U. <u>90,000</u> Center B.T.U. <u>50,000</u> Rear B.T.U. <u>50,000</u> Total B.T.U. <u>190,000</u>
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights—7", Tail Lights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified <input type="checkbox"/> If not, explain _____
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. <u>MITO</u> Model No. <u>07-SPF-210408</u>
Seat Spacing	78 passenger based upon maximum seat spacing allowed in accordance with FMVSS 222.	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>415"</u> w/lift <u>415"</u> Mfg.'s C/C seat measurement of vehicle (inches): w/o lift <u>25.5"</u> w/lift <u>25.5"</u>
Steering Wheel	Tilt and telescoping column.	Check if as specified <input type="checkbox"/>
Step Tread	Studded or pebbled top tread covering.	Mfr. <u>SMI</u>
Tires	6 first quality, radial ply. No low profile tires.	Mfr. <u>COOPER</u> Size <u>11R 22.5</u> Load range <u>H</u>
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) <u>3.16</u>
Transmission	Automatic—Allison, PTS 2500 or equal.	Diesel
		CNG
		Mfr. <u>ALLISON</u> Model No. <u>2500 PTS</u> Net input torque <u>660</u> Net input H.P. <u>300</u>
		Mfr. <u>ALLISON</u> Model No. <u>3000 PTS</u> Net input torque <u>950</u> Net input H.P. <u>300</u>

State Price Quote Specification
**TYPE D84—BID AS 78 PASSENGER
 DIESEL & CNG**

Vendor: BRYSON
SALES & SERVICE

Use this document to bid both non-lift and lift buses for 61–84 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
Two-way Communications	45-watt, VHF, mil. spec.	Mfr. <u>KENWOOD</u> Model No. <u>TK7302</u>
Wheels	6 to be compatible with tire size.	Size <u>22.5"</u> Rim width <u>8.25"</u>
SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BODY		
Wheelchair Lift—Installed	Must meet state specification. Platform shall be a minimum of 32" x 52".	Mfr. <u>BRAUN</u> Model No. <u>NCL919-FIB2</u>
Wheelchair/ Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q-STRAINT</u> Model No. <u>Q-8106-L2</u>

State Price Quote Specification
**TYPE D84—BID AS 78 PASSENGER
 DIESEL & CNG**

Vendor: BRYSON
SALES & SERVICE

Use this document to bid both non-lift and lift buses for 61–84 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
ADDITIONAL REQUIREMENTS—CHASSIS AND BODY		
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery of the bus.	Check if as specified <input type="checkbox"/>
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at time of delivery.	Check if as specified <input type="checkbox"/>
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified <input type="checkbox"/>
Service and Cleaning	Cleaning and service by vendor prior to delivery will include: <ul style="list-style-type: none"> • Chassis lubrication. • Check fluid levels: verify all are at recommended full levels. • Cooling system protected at -20°F. • Interior and exterior will be clean (including glass). • All systems (electric, air, hydraulic, mechanical and manual) be inspected to ensure proper operation at time of delivery. • All components and accessories will be installed and operational at time of delivery. 	Check if as specified <input type="checkbox"/>
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified <input type="checkbox"/>



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2021-2022

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION
TYPE D84—BID AS 78 PASSENGER (DIESEL)

VENDOR'S COMPANY NAME BRYSON SALES & SERVICE OF WASHINGTON, INC.		REPRESENTATIVE'S NAME BRANDON BRYSON	TELEPHONE NUMBER 425-953-2820
ADDRESS 2407 GIBSON RD. EVERETT, WA 98204		Estimated delivery date to school district from time purchase order is received: _____ 150 - 210 DAYS ARO	
		Firm where engine and chassis can be serviced or repaired and parts obtained: _____ BRYSON SALES & SERVICE OF WASHINGTON, INC.	
		Firm where body can be serviced or repaired and parts obtained: _____ BRYSON SALES & SERVICE OF WASHINGTON, INC.	

BODY			
MAKE BLUE BIRD	Warranty: Years <u>1</u> Miles <u>12,000</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>415"</u> w/lift <u>415"</u>	Equipped seating capacity: w/o lift <u>78</u> w/lift <u>67</u>
MODEL T3FE 4004	YEAR 2023	Seat color: <u>BRN</u> Floor color: <u>BLK</u>	Overall vehicle length (inches): w/o lift <u>484"</u> w/lift <u>484"</u>

CHASSIS		ENGINE	
MAKE BLUE BIRD	Warranty: Years <u>1</u> Miles <u>12,000</u>	MANUFACTURER CUMMINS	Torque: <u>520</u> @ <u>1600</u> RPM H.P.: <u>220</u> @ <u>2400</u> RPM
MODEL T3FE 4004	YEAR 2023	Warranty: Years <u>5</u> Miles <u>100,000</u>	C.I.D. or Liters: <u>6.7L</u> Fuel type: <u>DSL</u>
WHEEL BASE Wheel base: <u>232"0</u>		MODEL B6.7L	Battery type/grp: <u>31</u> <u>31</u>
TRANSMISSION MANUFACTURER ALLISON		YEAR 2023	Number batteries: <u>3</u> <u>3</u>
MODEL 2500 PTS	Speeds forward: <u>5</u>	Warranty: Years <u>7</u> Miles <u>UNLIMITED</u>	Total CCA: <u>2100</u> <u>2100</u>
		Number of cylinders: <u>6</u> Inline <u>X</u> V-type _____	

QUOTED PRICE	
Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).	
Diesel Bid—w/o lift \$ <u>111,379.00</u>	Diesel Bid—w/lift \$ <u>116,872.00</u>
VENDOR REPRESENTATIVE'S SIGNATURE	DATE



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2021-2022

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION
TYPE D84—BID AS 78 PASSENGER (CNG)

VENDOR'S COMPANY NAME BRYSON SALES & SERVICE OF WASHINGTON, INC.		REPRESENTATIVE'S NAME BRANDON BRYSON	TELEPHONE NUMBER 425-953-2820
ADDRESS 2407 GIBSON RD. EVERETT, WA 98204		Estimated delivery date to school district from time purchase order is received: _____ 150 - 210 DAYS ARO	
		Firm where engine and chassis can be serviced or repaired and parts obtained: _____ BRYSON SALES & SERVICE OF WASHINGTON, INC.	
		Firm where body can be serviced or repaired and parts obtained: _____ BRYSON SALES & SERVICE OF WASHINGTON, INC.	

BODY			
MAKE BLUE BIRD	Warranty: Years <u>1</u> Miles <u>12,000</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>388"</u> w/lift <u>388"</u>	Equipped seating capacity: w/o lift <u>78</u> w/lift <u>67</u>
MODEL T3RE 3904	YEAR 2023	Seat color: <u>BRN</u> Floor color: <u>BLK</u>	Overall vehicle length (inches): w/o lift <u>472"</u> w/lift <u>472"</u>

CHASSIS		ENGINE	
MAKE BLUE BIRD	Warranty: Years <u>1</u> Miles <u>12,000</u>	MANUFACTURER CUMMINS	Torque: <u>900</u> @ <u>1300</u> RPM H.P.: <u>280</u> @ <u>2000</u> RPM
MODEL T3RE 3904	YEAR 2023	MODEL L9N	YEAR 2023
Wheel base: <u>259"</u>		C.I.D. or Liters: <u>8.9L</u> Fuel type: <u>CNG</u>	Battery type/grp: <u>31</u> <u>31</u>
TRANSMISSION		Warranty: Years <u>5</u> Miles <u>100,000</u>	Number batteries: <u>3</u> <u>3</u>
MANUFACTURER ALLISON	Speeds forward: <u>5</u>	Number of cylinders: <u>8</u> Inline <u>X</u> V-type _____	Total CCA: <u>2100</u> <u>2100</u>
MODEL 3000 PTS	Warranty: Years <u>5</u> Miles <u>UNLIMITED</u>		

QUOTED PRICE	
Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).	
CNG Bid—w/o lift \$ <u>179,537.00</u>	CNG Bid—w/lift \$ <u>186,508.00</u>
VENDOR REPRESENTATIVE'S SIGNATURE	DATE

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS

Vendor: BRYSON
 SALES & SERVICE

C60 C77 D60 D84

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Activity Securement Seating	2-passenger position seats with lap-shoulder belts in all passenger positions.	Passenger Capacity <u>60</u> Cost \$ <u>14,458.00</u>	
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. <u>MCC AC-12iw1i2133</u> Cost \$ <u>9,006.00</u>	
Alternate Fuel <input type="checkbox"/> CNG <input type="checkbox"/> Electric	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications manual. Must comply with all of the requirements of FMVSS No. 305.	Mfr. <u>N/A</u> <input type="checkbox"/> CNG Cost \$ <u>N/A</u> <input type="checkbox"/> Electric Cost \$ <u>SEE 1394-9 TYPE D ELECTRIC</u>	
Alternator	Available options.	Cost \$ <u>INCLUDED</u> Capacity <u>240 AMP</u> Cost \$ <u>417.00</u> Capacity <u>280 AMP</u> Cost \$ <u>589.00</u> Capacity <u>325 AMP</u>	
Anti-spray Device	Rubber fender extenders.	Type C: Cost \$ <u>178.00</u> Type D: Cost \$ <u>344.00</u>	
Back-up Alarm	Must meet state specification.	Mfr. <u>ECCO VARIABLE DB</u> Cost \$ <u>190.00</u>	
Brakes	4-wheel hydraulic disk brake.	Cost \$ <u>N/A</u>	Deduct \$ <u>N/A</u>
Brakes	Air, Drum or Disc. Refer to Washington State School Bus Specifications manual.	Disc Cost \$ <u>3,190.00</u> Drum Cost \$ <u>N/A</u>	Disc Deduct \$ <u>N/A</u> Drum Deduct \$ <u>N/A</u>
Color	Exterior white roof.	Cost \$ <u>INCLUDED</u>	
Door Locks	Vandal lock system on all exterior doors.	Cost \$ <u>459.00</u>	
Driver's Seat	Suspension type, 6-way adjustable, with lumbar adjustment. Cloth panel covers.	Non-Air	Air
		Mfr. <u>NATIONAL</u> Cost \$ <u>INCLUDED</u>	Mfr. <u>NATIONAL</u> Cost \$ <u>276.00</u>
Fire Suppression System	Jomarr VT-6-E-NAF, or equal engine compartment fire suppression system of appropriate size to be installed according to manufacturer recommendation.	Mfr. <u>AMEREX VH25ABC</u> Cost \$ <u>4,950.00</u>	

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS C60 C77 D60 D84

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Floor Color	Nonstandard color.	Cost \$ <u>419.00</u>	
Fuel Tank	Larger fuel capacity (CNG only).	Size: <u>N/A</u>	Cost \$ <u>N/A</u>
Fuel Tank	Larger fuel capacity (Diesel only).	Size: <u>N/A</u>	Cost \$ <u>N/A</u>
Fuel Tank	Larger fuel capacity (Propane only).	Size: <u>N/A</u>	Cost \$ <u>N/A</u>
Headlights	Halogen.	Cost \$ <u>INCLUDED</u>	
Headlights	L.E.D.	Cost \$ <u>595.00 SEALED BEAM ASSEMBLY</u>	
Heater (Auxiliary water)	Auxiliary fuel-fired heating systems. Refer to Washington State School Bus Specifications Manual, page 27.	Brand: <u>WEBASTO</u>	Model: <u>SCHOLASTIC</u> Cost \$ <u>3,123.00</u>
Noise Reduction	Exceeding minimum specifications.	Driver compartment	Cost \$ <u>INCLUDED</u> Engine compartment Cost \$ <u>INCLUDED</u> Full acoustical headliner Cost \$ <u>773.00</u>
Retarder	Manufacturer's standard.	Driveline <input checked="" type="checkbox"/>	Cost \$ <u>14,724.00</u> Exhaust <input checked="" type="checkbox"/> Cost \$ <u>91.00</u> Transmission <input type="checkbox"/> Cost \$ <u>N/A</u>
Seat Belt Ready Seat	3-passenger position seat with securement belts.	Cost \$ <u>583.00 PER SEAT</u>	
Seating System	Identical, non-lift bus with lap-shoulder seat belt system installed in all positions.	2 by 2 Cost \$ <u>12,721.00</u> Capacity <u>50</u> 3 by 2 Cost \$ <u>14,725.00</u> Capacity <u>65</u> 3 by 3 Cost \$ <u>18,868.00</u> Capacity <u>78</u>	

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS

Vendor: BRYSON
SALES & SERVICE

C60 C77 D60 D84

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Storage Compartments	Largest available for unit bid.	Left-side <u>16</u> cubic feet. Cost \$ <u>883.00</u> Right-side <u>28.4</u> cubic feet. Cost \$ <u>1,384.00</u> Push-thru <u>N/A</u> cubic feet. Cost \$ <u>N/A</u>	
Strobe Light	Exterior roof mounted white strobe light.	Mfr. <u>ECCO</u> Model No. <u>7460 LED CLEAR LENS</u> Cost \$ <u>160.00</u>	
Student Protection System—Installed	Electronic system to insure driver post-trip inspection of passenger compartment.	Mfr. <u>BLUE BIRD</u> Model No. <u>DA01</u> Cost \$ <u>166.00</u>	
Suspension	Air ride (Air brake system only).	Front	Rear
		Cost \$ <u>1,190.00</u>	Cost \$ <u>1,356.00</u>
Toolbox	Interior, manufacturer standard.	Cost \$ <u>70.00</u>	Deduct \$ <u>N/A</u>
Traction Device	Automatic chains.	Mfr. <u>ON SPOT</u> Cost \$ <u>2,900.00</u>	
Traction Device	Sanders.	Capacity <u>100 LBS.</u> Cost \$ <u>2,424.00</u>	
Transmission	Automatic—Allison, PTS 3000 or equal.	Mfr. <u>ALLISON</u> Model No. <u>3000 PTS</u> Cost \$ <u>5,393.00</u>	
Vehicle Securement System	Must meet state specification.	Mfr. <u>BLUE BIRD</u>	Cost \$ <u>563.00</u>

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS

Vendor: BRYSON
SALES & SERVICE

C60 C77 D60 D84

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Video Camera Systems—Installed	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. <u>SEON</u> Model No. <u>TH-4</u> Cost \$ <u>2438.00</u> How many cameras <u>4</u>	
Video Camera Systems—Stop Sign Camera—Installed	Must meet state specification.	Stand Alone System	Added to Interior System
		Mfr. <u>SEON</u> Model No. <u>TH-4</u> Cost \$ <u>1,576.00</u> How many cameras <u>1</u>	Mfr. <u>SEON</u> Model No. <u>TH-4</u> Cost \$ <u>427.00</u> How many cameras <u>1</u>
Warning Light Monitor	16 light monitoring system.	Incandescent	LED Lights
		Cost \$ <u>233.00</u>	Cost \$ <u>233.00</u>
Additional Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q-STRAINT</u> Model No. <u>Q-8106-L2</u> Cost per station \$ <u>491.00</u>	
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ <u>2,032.00</u> Rear Cost \$ <u>129.00</u> Both Cost \$ <u>2,161.00</u>	
Windows	Tinted.	Cost \$ <u>INCLUDED</u>	
Windows	Thermal pane, left of driver and service door.	Cost \$ <u>389.00</u>	