



State Price Quote Specification
TYPE A— GAS & PROPANE
Use this document to bid both non-lift and lift, gas and propane buses.

PART I

Vendor: Northwest Bus Sales_

Mfr.: Magellan

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
		<i>Gas</i>	<i>Propane</i>
Seating Capacity	Maximum passenger capacity based upon an average center-to-center seat spacing of at least 27.5" with a lap-shoulder belt for each seating position.	Capacity w/o lift <u>24</u>	Capacity w/o lift _____
		Capacity w/lift <u>18+1</u>	Capacity w/lift _____
Alternator	145 amp minimum. Lift-equipped or air-conditioned. Manufacturer recommended capacity.	Mfr. <u>GM</u>	_____
		Amps output w/o lift or A.C. <u>220</u>	_____
		Amps output w/lift or A.C. <u>220</u>	_____
Auxiliary Automatic Transmission Cooler	10,000 lb. Hayden or equal.	<i>Gas</i>	<i>Propane</i>
		Mfr. <u>GM</u>	Mfr. _____
		Lbs. rating <u>10,000</u>	Lbs. rating _____
Axle—Front	Manufacturer's recommendation.	<i>Gas</i>	<i>Propane</i>
		Mfr. <u>GM</u>	Mfr. _____
		Lbs. rating <u>4,300</u>	Lbs. rating _____
		Indepen. suspens. <input checked="" type="checkbox"/>	Indepen. suspens. <input type="checkbox"/>
Axle—Rear	Manufacturer's recommendation.	<i>Gas</i>	<i>Propane</i>
		Mfr. <u>GM</u>	Mfr. _____
		Capacity <u>8,600</u>	Capacity _____
Axle Ratio	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications Manual.	<i>Gas</i>	<i>Propane</i>
		Ratio <u>3.73:1</u>	Ratio _____
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: <input checked="" type="checkbox"/> Diameter <u>4.6"</u>	_____
		Other: <input type="checkbox"/> Square inches _____	_____

PART I (cont.)

State Price Quote Specification
TYPE A—GAS & PROPANE

Use this document to bid both non-lift and lift, gas and propane buses.

Vendor: Northwest Bus Sales

Mfr.: Magellan

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
Battery(ies)	535 CCA 12 volt minimum for gas and propane w/o lift. 1070 CCA 12 volt minimum for any bus w/lift.	Gas/Propane w/o lift	Any bus w/lift
		CCA <u>Dual 770 CCA</u>	CCA <u>Dual 770 CCA</u>
Brakes	Hydraulic: Drum or Disc. Refer to Washington State School Bus Specifications Manual.	Gas	Propane
		Front Disc <input checked="" type="checkbox"/>	Front Disc <input type="checkbox"/>
		Drum <input type="checkbox"/>	Drum <input type="checkbox"/>
		Rear Disc <input checked="" type="checkbox"/>	Rear Disc <input type="checkbox"/>
		Drum <input type="checkbox"/>	Drum <input type="checkbox"/>
		Drum Size _____	Drum Size _____
Doors, Service	Power operated.	<input type="checkbox"/> Air <input type="checkbox"/> Folding <input checked="" type="checkbox"/> Electric	
		<input type="checkbox"/> Split, Outward Opening <input type="checkbox"/> Other _____	
Engine	Gas and Propane—3.5 liters minimum.	Gas	Propane
		Engine mfr. <u>GM</u>	Engine mfr. _____
		H.P. <u>401</u>	Liters _____
Fuel Tank	Gas—25 gallon minimum. Propane—largest available.	Gas	Propane
		Capacity <u>33 Gallon</u>	Capacity _____
Heaters	Front—manufacturer's standard. Rear—40,000 B.T.U. minimum.	Rear B.T.U. w/o lift <u>45,000</u>	
		Rear B.T.U. w/lift <u>45,000</u>	
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights—7", Tail Lights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified <input checked="" type="checkbox"/>	
		If not, explain	

		State Price Quote Specification	PART I (cont.)
		TYPE A—GAS & PROPANE	Vendor: <u>Northwest Bus Sales</u>
		Use this document to bid both non-lift and lift, gas and propane buses.	Mfr.: <u>Magellan</u>

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. <u>Jensen</u>	
		Model No. <u>JPA600</u>	
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>152"</u> w/lift <u>152"</u>	
		Mfg.'s C/C seat measurement of vehicle (inches): w/o lift <u>33"</u> w/lift <u>29.5"</u>	
Steering Wheel	Tilt.	Check if as specified <input checked="" type="checkbox"/>	
Step Tread	Studded or pebbled top tread covering.	Mfr. <u>ProFusion</u>	
Tires	6 first quality, radial ply.	Mfr. <u>OEM</u>	
		Size <u>LT225/75R16</u>	
		Load range <u>E</u>	
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) <u>2.85</u>	
Transmission	Automatic—manufacturer's standard compatible with H.P. and torque rating of engine bid.	Gas	Propane
		Mfr. <u>GM</u>	Mfr. _____
		Model no. <u>6L90</u>	Model no. _____
Two-way Communications	45-watt, VHF, mil. spec.	Mfr. <u>Kenwood</u>	
		Model No. <u>NX-1700 or Equivalent</u>	
Wheels	6 to be compatible with tire size.	Size <u>16"</u>	
		Rim width <u>6.5"</u>	

		State Price Quote Specification TYPE A—GAS & PROPANE Use this document to bid both non-lift and lift, gas and propane buses.	PART I (cont.) Vendor: <u>Northwest Bus Sales</u> Mfr.: <u>Magellan</u>
--	--	--	--

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BODY		
Wheelchair Lift—Installed	Must meet state specification. Platform shall be a minimum of 32" x 52".	Mfr. <u>Braun</u> Model No. <u>NCL917IB-2</u>
Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q'Straint</u> Model No. <u>Q-8100-A1-L</u>
ADDITIONAL REQUIREMENTS—CHASSIS AND BODY		
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery.	Check if as specified <input checked="" type="checkbox"/>
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at delivery.	Check if as specified <input checked="" type="checkbox"/>
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified <input checked="" type="checkbox"/>
Service and Cleaning	Cleaning and service by vendor prior to delivery will include: <ul style="list-style-type: none"> • Chassis lubrication. • Check fluid levels: verify all are at recommended full levels. • Cooling system protected at -20°F. • Interior and exterior will be clean (including glass). • All systems (electric, air, hydraulic, mechanical and manual) be inspected to ensure proper operation at time of delivery. • All components and accessories will be installed and operational at time of delivery. 	Check if as specified <input checked="" type="checkbox"/>
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified <input checked="" type="checkbox"/>



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2022-2023

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

**VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION
TYPE A—GAS**

VENDOR'S COMPANY NAME Northwest Bus Sales, Inc.	REPRESENTATIVE'S NAME Rob Goolsby	TELEPHONE NUMBER 206-445-8591
ADDRESS 33207 Pacific Hwy. S. Federal Way, WA 98003	Estimated delivery date to school district from time purchase order is received: <u>Estimated 270 days ARO</u>	
	Firm where engine and chassis can be serviced or repaired and parts obtained: <u>Nearest Chevrolet Dealer</u>	
	Firm where body can be serviced or repaired and parts obtained: <u>Northwest Bus Sales</u>	

BODY

MAKE Magellan	Warranty: Years <u>5</u> Miles <u>60k</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>152"</u> w/lift <u>152"</u>	Equipped seating capacity: w/o lift <u>24</u> w/lift <u>18+1</u>
MODEL DH416	YEAR 2023/2024	Seat color: <u>Gray</u> Floor color: <u>Black</u>	Overall vehicle length (inches): w/o lift <u>258"</u> w/lift <u>258"</u>

CHASSIS

MAKE Chevrolet	Warranty: Years <u>3</u> Miles <u>36k</u>	MANUFACTURER General Motors	Torque: <u>464</u> @ <u>4000</u> RPM H.P.: <u>401</u> @ <u>5200</u> RPM
MODEL Express Cutaway	YEAR 2024	Wheel base: <u>139"</u>	MODEL L8T
			YEAR 2024
			Liters: <u>6.6</u> Fuel type: <u>Gas</u>

ENGINE

TRANSMISSION


MANUFACTURER General Motors	Warranty: Years <u>5</u> Miles <u>60k</u>	Speeds forward: <u>6</u>	Battery type/grp: <u>12V</u> <u>12V</u>
MODEL 6L90	Warranty: Years <u>5</u> Miles <u>60k</u>	Number of cylinders: <u>8</u> Inline _____ V-type <u>X</u>	Number batteries: <u>2</u> <u>2</u>
			Total CCA: <u>1540</u> <u>1540</u>

QUOTED PRICE

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Gas Bid—w/o lift \$ 102,895

Gas Bid—w/lift \$ 110,837

VENDOR REPRESENTATIVE'S SIGNATURE 	DATE <u>8/9/2022</u>
--	-------------------------



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2022-2023

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE A—PROPANE

VENDOR'S COMPANY NAME Northwest Bus Sales, Inc	REPRESENTATIVE'S NAME Rob Goolsby	TELEPHONE NUMBER 206-445-8591
ADDRESS 33207 Pacific Hwy. S. Federal Way, WA 98003	Estimated delivery date to school district from time purchase order is received: N/A _____	
	Firm where engine and chassis can be serviced or repaired and parts obtained: N/A _____	
	Firm where body can be serviced or repaired and parts obtained: N/A _____	

BODY

MAKE N/A	Warranty: Years _____	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: _____	Equipped seating capacity: _____
MODEL _____	Miles _____	w/o lift _____ w/lift _____	w/o lift _____ w/lift _____
YEAR _____	Seat color: _____	w/o lift _____ w/lift _____	Overall vehicle length (inches): _____
	Floor color: _____		w/o lift _____ w/lift _____

CHASSIS

ENGINE

MAKE	Warranty: Years _____	MANUFACTURER	Torque: _____ @ _____ RPM
	Miles _____		H.P.: _____ @ _____ RPM
MODEL _____	Wheel base: _____	MODEL _____	Liters: _____
YEAR _____		YEAR _____	Fuel type: _____
TRANSMISSION		Warranty: Years _____	Battery type/grp: _____
MANUFACTURER	Speeds forward: _____	Miles _____	Number batteries: _____
MODEL	Warranty: Years _____	Number of cylinders: _____	Total CCA: _____
	Miles _____	Inline _____ V-type _____	

QUOTED PRICE

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Propane Bid—w/o lift \$ No Bid

Propane Bid—w/lift \$ No Bid

VENDOR REPRESENTATIVE'S SIGNATURE 	DATE <u>8/9/2022</u>
--	--------------------------------

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS
TYPE A

Use this document to bid both non-lift and lift, gas and propane buses.

Vendor: Northwest Bus SalesMfr.: Magellan**CHASSIS**

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Small A	Type A bus—10,000 lbs or under GVWR chassis.	Gas	Propane
		Deduct <u>N/A</u>	Deduct <u>N/A</u>
		Mfr. _____	Mfr. _____
		Capacity w/o lift _____	Capacity w/o lift _____
		Dual Wheel <input type="checkbox"/>	Dual Wheel <input type="checkbox"/>
		Single Wheel <input type="checkbox"/>	Single Wheel <input type="checkbox"/>
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. <u>ACT</u>	
		Cost \$ <u>5,125</u>	
Alternate Fuel	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications manual. Must comply with all of the requirements of FMVSS No. 305.	Mfr. _____	
<input type="checkbox"/> CNG		<input type="checkbox"/> CNG Cost \$ _____	
<input checked="" type="checkbox"/> Electric		<input checked="" type="checkbox"/> Electric Cost \$ <u>See submission for Electric Type-A</u>	
Back-up Alarm	Must meet state specification.	Mfr. <u>Standard</u>	
		Cost \$ _____	
Color	Exterior white roof.	Cost \$ <u>Standard</u>	
Steering Wheel	Tilt and telescoping column.	Cost \$ <u>Tilt standard, telescoping not available</u>	
Strobe Light	Exterior roof mounted white strobe light.	Mfr. <u>Sound Off Signal or Equivalent</u>	
		Model No. <u>3107LCC or Equivalent</u>	
		Cost \$ <u>275</u>	
Student Protection System—Installed	Electronic system to insure driver post-trip inspection of passenger compartment.	Mfr. <u>Child Checkmate</u>	
		Model No. <u>EP1+</u>	
		Cost \$ <u>Standard</u>	
Toolbox	Interior, manufacturer standard.	Cost \$ <u>295</u>	Deduct \$ _____

		State Price Quote Specification DISTRICT-SUPPORTED OPTIONS TYPE A Use this document to bid both non-lift and lift, gas and propane buses.	PART II (cont.) Vendor: <u>Northwest Bus Sales</u> Mfr.: <u>Magellan</u>
--	--	---	---

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Video Camera Systems—Installed	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. <u>Rosco</u>	
		Model No. <u>DVXC-4</u>	
		Cost \$ <u>1,995</u>	How many cameras <u>3</u>
Video Camera Systems—Stop Sign Camera—Installed	Must meet state specification.	Stand Alone System	Added to Interior System
		Mfr. <u>Seon</u>	Mfr. <u>Seon</u>
		Model No. <u>DH4</u>	Model No. <u>DH4</u>
		Cost \$ <u>2700</u>	Cost \$ <u>3996</u>
		How many cameras <u>1</u>	How many cameras <u>4</u>
Warning Light Monitor	16 light monitoring system.	Incandescent	LED Lights
		Cost \$ _____	Cost \$ <u>695</u>
Additional Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q'Straint</u>	
		Model No. <u>Q-8100-A1-L</u>	
		Cost per station \$ <u>975</u>	
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ <u>1280</u> (4 windows per side)	
		Rear Cost \$ <u>200</u>	
		Both Cost \$ <u>1480</u>	
Windows	Tinted.	Cost \$ <u>Standard</u>	