



State Price Quote Specification
**TYPE C60—BID AS 48 PASSENGER,
DIESEL, GAS & PROPANE**

Vendor: _____
Northwest Bus Sales _____

Use this document to bid both non-lift and lift buses for 35–60 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.		
Seating Capacity	48 passenger based upon an average center-to-center seat spacing of at least 27.5".	Capacity w/o lift <u>48</u> Capacity w/lift <u>36+1</u>		
Alternator	240 amp minimum. Lift-equipped or air-conditioned. Manufacturer recommended capacity.	Diesel	Gas	Propane
		Mfr. <u>PACCAR</u>	Mfr. _____	Mfr. _____
		Max. amps output w/o lift or A.C. <u>240</u>	Max. amps output w/o lift or A.C. _____	Max. amps output w/o lift or A.C. _____
		Max. amps output w/lift or A.C. _____	Max. amps output w/lift or A.C. _____	Max. amps output w/lift or A.C. _____
Auxiliary Fans	2 fans, 6" maximum, mounted to right and left windshield and service door.	Mfr. <u>Bergstrom or equivalent</u>		
Axle—Front	8,000 lb. minimum.	Diesel	Gas	Propane
		Mfr. <u>Hendrickson</u>	Mfr. _____	Mfr. _____
		Capacity <u>10000</u>	Capacity _____	Capacity _____
Axle—Rear	17,500 lb. minimum.	Diesel	Gas	Propane
		Mfr. <u>Meritor</u>	Mfr. _____	Mfr. _____
		Capacity <u>18500</u>	Capacity _____	Capacity _____
Axle Oil Seals	Front and rear oil bath.	Diesel	Gas	Propane
		Mfr. <u>PACCAR</u>	Mfr. _____	Mfr. _____
Axle Ratio	Must comply with power and grade-ability formula. Refer to Washington State School Bus Specifications Manual.	Diesel	Gas	Propane
		Mfr. <u>Meritor</u>	Mfr. _____	Mfr. _____
		Model no. <u>6.50:1</u>	Model no. _____	Model no. _____
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: <input checked="" type="checkbox"/>	Diameter <u>4"</u>	
		Other: <input type="checkbox"/>	Square inches _____	

		<p>State Price Quote Specification</p> <p>TYPE C60—BID AS 48 PASSENGER, DIESEL, GAS & PROPANE</p> <p>Use this document to bid both non-lift and lift buses for 35–60 capacity.</p>	<p>PART I (cont.)</p> <p>Vendor: _____</p> <p><u>Northwest Bus Sales</u></p>
--	--	---	---

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.		
		<i>Diesel</i>	<i>Gas</i>	<i>Propane</i>
Battery(ies)	1200 CCA 12 volt minimum to be mounted in body battery compartment w/o lift.	Size/group w/o lift <u>31</u> CCA <u>2000</u>	Size/group w/o lift _____ CCA _____	Size/group w/o lift _____ CCA _____
	1400 CCA 12 volt minimum to be mounted in body battery compartment w/lift.	Size/group w/lift <u>31</u> CCA <u>2000</u>	Size/group w/lift _____ CCA _____	Size/group w/lift _____ CCA _____
Battery Compartment	Battery storage tray must be large enough to accommodate batteries as specified in chassis section.		<input checked="" type="checkbox"/> Swing out	<input type="checkbox"/> Roll out
Brakes	Hydraulic disc. Refer to Washington State School Bus Specifications Manual.		Size Front <u>15.3"</u>	Rear <u>15.3"</u>
Door, Service	Power operated.		<input type="checkbox"/> Air <input checked="" type="checkbox"/> Electric <input type="checkbox"/> Other	<input type="checkbox"/> Folding <input checked="" type="checkbox"/> Split, Outward opening <input type="checkbox"/> Other
Engine	Diesel and Propane—180 H.P. minimum.	<i>Diesel</i>	<i>Gas</i>	<i>Propane</i>
		Engine mfr. <u>PACCAR</u>	Engine mfr. _____	Engine mfr. _____
		Model or liters <u>PX-7</u>	Model or liters _____	Model or liters _____
	Gas—210 H.P. minimum.	Net torque <u>520</u> @ <u>1600</u> R.P.M	Net torque ____ @ ____ R.P.M	Net torque ____ @ ____ R.P.M
		Net H.P. <u>200</u> @ <u>2400</u> R.P.M	Net H.P. ____ @ ____ R.P.M	Net H.P. ____ @ ____ R.P.M
Engine Heater	Engine manufacturer's recommended in-block heater.		Watts <u>500</u>	Volts <u>110</u>
			Mfr. <u>PACCAR</u>	
Engine Temperature	To be controlled electronically, by fan clutch/drive, or shutters.		Mfr. <u>PACCAR</u>	<input checked="" type="checkbox"/> Electronic
			<input type="checkbox"/> Fan clutch	<input type="checkbox"/> Shutters
Fuel Tank	Diesel and Gas—60 gallon minimum. Propane—largest available.	<i>Diesel</i>	<i>Gas</i>	<i>Propane</i>
		Capacity <u>70</u>	Capacity _____	Capacity _____

		PART I (cont.)
State Price Quote Specification TYPE C60—BID AS 48 PASSENGER, DIESEL, GAS & PROPANE Use this document to bid both non-lift and lift buses for 35–60 capacity.		Vendor: _____ Northwest Bus Sales _____

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
Heaters	Minimum of 3 heaters; 1 front, 1 center, 1 rear. Shutoff valves at engine for all heaters. Two-speed motors. Must include recirculating pump.	Front B.T.U. <u>15000</u> Center B.T.U. <u>60000</u> Rear B.T.U. <u>60000</u> Total B.T.U. <u>135000</u>
Hood	Tilt.	<input checked="" type="checkbox"/> Fiberglass <input type="checkbox"/> Metal
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights–7", Tail Lights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified <input checked="" type="checkbox"/> If not, explain _____
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. REI _____ Model No. <u>VR3000 or Equivalent</u>
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>270"</u> w/lift <u>270"</u> Mfg.'s C/C seat measurement of vehicle (inches): w/o lift <u>31</u> w/lift <u>31</u>
Steering Wheel	Tilt and telescoping column.	Check if as specified <input checked="" type="checkbox"/>
Step Tread	Studded or pebbled top tread covering.	Mfr. <u>PROFUSION</u>
Tires	6 first quality, radial ply. No low profile tires.	Mfr. <u>VARIES</u> Size <u>11R22.5</u> Load range <u>G</u>
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) <u>8</u>

		PART I (cont.)
State Price Quote Specification TYPE C60—BID AS 48 PASSENGER, DIESEL, GAS & PROPANE Use this document to bid both non-lift and lift buses for 35–60 capacity.		Vendor: _____ <u>Northwest Bus Sales</u>

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.		
Transmission	Diesel and Propane:	<i>Diesel</i>	<i>Gas</i>	<i>Propane</i>
	Automatic—Allison, PTS 2500 or equal.	Mfr. <u>PACCAR</u>	Mfr. <u>N/A</u>	Mfr. <u>N/A</u>
	Gas: Automatic— manufacturer's standard compatible with H.P. and torque rating of engine bid.	Model no. <u>TX-8A</u>	Model no. _____	Model no. _____
		Net input <u>600</u>	Net input _____	Net input _____
		Net input H.P. <u>300</u>	Net input H.P. _____	Net input H.P. _____
Two-way Communications	45-watt, VHF, mil. spec.		Mfr. <u>Kenwood</u>	
			Model No. <u>NX-1700 or Equivalent</u>	
Wheels	6 to be compatible with tire size.		Size <u>22.5"</u>	
			Rim width <u>8.25"</u>	
SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BODY				
Wheelchair Lift—Installed	Must meet state specification. Platform shall be a minimum of 32" x 52".		Mfr. <u>BRAUN</u>	
			Model No. <u>NCL 1000IB3545-2</u>	
Wheelchair/ Occupant Tie- down System— Installed	Must meet state specification.		Mfr. <u>Q STRAINT</u>	
			Model No. <u>Q8200A-SC-QRT</u>	

		State Price Quote Specification	PART I (cont.)
		TYPE C60—BID AS 48 PASSENGER, DIESEL, GAS & PROPANE	Vendor: _____
		Use this document to bid both non-lift and lift buses for 35–60 capacity.	<u>Northwest Bus Sales</u>

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
ADDITIONAL REQUIREMENTS—CHASSIS AND BODY		
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery of the bus.	Check if as specified <input checked="" type="checkbox"/>
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at time of delivery.	Check if as specified <input checked="" type="checkbox"/>
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified <input checked="" type="checkbox"/>
Service and Cleaning	Cleaning and service by vendor prior to delivery will include: <ul style="list-style-type: none"> • Chassis lubrication. • Check fluid levels: verify all are at recommended full levels. • Cooling system protected at -20°F. • Interior and exterior will be clean (including glass). • All systems (electric, air, hydraulic, mechanical and manual) be inspected to ensure proper operation at time of delivery. • All components and accessories will be installed and operational at time of delivery. 	Check if as specified <input checked="" type="checkbox"/>
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified <input checked="" type="checkbox"/>



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2022-2023

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

**VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION
TYPE C60—BID AS 48 PASSENGER (DIESEL)**

VENDOR'S COMPANY NAME Northwest Bus Sales	REPRESENTATIVE'S NAME Rob Goolsby	TELEPHONE NUMBER 206-445-8591
ADDRESS 33207 Pacific Hwy. S. Federal Way, WA 98003	Estimated delivery date to school district from time purchase order is received: <u>Estimated</u> <u>240 DAYS</u>	
	Firm where engine and chassis can be serviced or repaired and parts obtained: <u>PETERBILT</u> <u>DEALER</u>	
	Firm where body can be serviced or repaired and parts obtained: <u>NORTHWEST BUS SALES</u>	

BODY

MAKE Pegasus Specialty Vehicle	Warranty: Years <u>3</u> Miles <u>75000</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>270"</u> w/lift <u>270"</u>	Equipped seating capacity: w/o lift <u>48</u> w/lift <u>36+1</u>
MODEL Atlas	YEAR 2023	Seat color: Gray Floor color: Black	Overall vehicle length (inches): w/o lift <u>396</u> w/lift <u>396</u>

CHASSIS

ENGINE

MAKE Peterbilt	Warranty: Years <u>3</u> Miles <u>Unlim.</u>	MANUFACTURER PACCAR	Torque: <u>520</u> @ <u>1600</u> RPM H.P.: <u>200</u> @ <u>2400</u> RPM
MODEL 535	YEAR 2023	Wheel base: <u>253</u>	MODEL PX-7
TRANSMISSION		Warranty: Years <u>3</u> Miles <u>Unlim</u>	YEAR 2023
MANUFACTURER PACCAR	Speeds forward: <u>8</u>	Battery type/grp: <u>12V</u> <u>12V</u>	C.I.D. or Liters: <u>6.7L</u> Fuel type: <u>Diesel</u>
MODEL TX8A	Warranty: Years <u>4</u> Miles <u>Unlim</u>	Number of cylinders: <u>6</u> Inline X V-type _____	Number batteries: <u>2</u> <u>2</u> Total CCA: <u>2000</u> <u>2000</u>

QUOTED PRICE

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Diesel Bid—w/o lift \$ 142,329

Diesel Bid—w/lift \$ 149,999

VENDOR REPRESENTATIVE'S SIGNATURE

DATE

8/9/2022



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2022-2023

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

**VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION
TYPE C60—BID AS 48 PASSENGER (GAS)**

VENDOR'S COMPANY NAME Northwest Bus Sales, Inc.	REPRESENTATIVE'S NAME Rob Goolsby	TELEPHONE NUMBER 206-445-8591
ADDRESS 33207 Pacific Hwy. S. Federal Way, WA 98003	Estimated delivery date to school district from time purchase order is received: <u>No Bid</u>	
	Firm where engine and chassis can be serviced or repaired and parts obtained: _____	
	Firm where body can be serviced or repaired and parts obtained: _____	

BODY

MAKE _____	Warranty: Years _____ Miles _____	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift _____ w/lift _____	Equipped seating capacity: w/o lift _____ w/lift _____
MODEL _____ YEAR _____	Seat color: _____ Floor color: _____		Overall vehicle length (inches): w/o lift _____ w/lift _____

CHASSIS

ENGINE


MAKE _____	Warranty: Years _____ Miles _____	MANUFACTURER _____	Torque: _____ @ _____ RPM H.P.: _____ @ _____ RPM
MODEL _____ YEAR _____	Wheel base: _____	MODEL _____ YEAR _____	C.I.D. or Liters: _____ Fuel type: _____
TRANSMISSION		Warranty: Years _____ Miles _____	Battery type/grp: _____
MANUFACTURER _____	Speeds forward: _____		Number batteries: _____
MODEL _____	Warranty: Years _____ Miles _____	Number of cylinders: _____ Inline _____ V-type _____	Total CCA: _____

QUOTED PRICE

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Gas Bid—w/o lift \$ No Bid

Gas Bid—w/lift \$ No Bid

VENDOR REPRESENTATIVE'S SIGNATURE _____ 	DATE _____ <u>8/9/2022</u>
---	--------------------------------------



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2022-2023

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION
TYPE C60—BID AS 48 PASSENGER (PROPANE)

VENDOR'S COMPANY NAME Northwest Bus Sales, Inc.		REPRESENTATIVE'S NAME Rob Goolsby	TELEPHONE NUMBER 206-445-8591
ADDRESS 33207 Pacific Hwy. S. Federal Way, WA 98003		Estimated delivery date to school district from time purchase order is received: <u>No Bid</u>	
		Firm where engine and chassis can be serviced or repaired and parts obtained: _____	
		Firm where body can be serviced or repaired and parts obtained: _____	

BODY

MAKE _____	Warranty: Years _____	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: _____	Equipped seating capacity: w/o lift _____ w/lift _____
MODEL _____ YEAR _____	Miles _____	Seat color: _____ w/o lift _____ w/lift _____	Overall vehicle length (inches): w/o lift _____ w/lift _____
	Floor color: _____		

CHASSIS


ENGINE

MAKE _____	Warranty: Years _____	MANUFACTURER _____	Torque: _____ @ _____ RPM
	Miles _____		H.P.: _____ @ _____ RPM
MODEL _____ YEAR _____	Wheel base: _____	MODEL _____ YEAR _____	C.I.D. or Liters: _____
TRANSMISSION		Warranty: Years _____	Battery type/grp: _____
MANUFACTURER _____	Speeds forward: _____	Miles _____	Number batteries: _____
MODEL _____	Warranty: Years _____	Number of cylinders: _____	Total CCA: _____
	Miles _____	Inline _____ V-type _____	

QUOTED PRICE

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Propane Bid—w/o lift \$ No Bid Propane Bid—w/lift \$ No Bid

VENDOR REPRESENTATIVE'S SIGNATURE _____ 	DATE _____ <u>8/9/2022</u>
--	-------------------------------

	<p>State Price Quote Specification</p> <p>DISTRICT-SUPPORTED OPTIONS</p> <p><input checked="" type="checkbox"/> C60 <input type="checkbox"/> C77 <input type="checkbox"/> D60 <input type="checkbox"/> D84</p> <p>Use this document to bid both non-lift and lift buses.</p>	<p>Vendor: _____</p> <p>Northwest Bus Sales</p>
--	---	---

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Activity Securement Seating	2-passenger position seats with lap-shoulder belts in all passenger positions.	Passenger Capacity <u>32</u>	
		Cost \$ <u>500</u> per seat	
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. <u>TRANS AIR</u>	
		Cost \$ <u>9500</u>	
Alternate Fuel	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications manual. Must comply with all of the requirements of FMVSS No. 305.	Mfr. <u>N/A</u>	
<input type="checkbox"/> CNG		<input type="checkbox"/> CNG Cost \$ _____	
<input type="checkbox"/> Electric		<input type="checkbox"/> Electric Cost \$ _____	
Alternator	Available options.	Cost \$ <u>N/A</u>	Capacity _____
		Cost \$ _____	Capacity _____
		Cost \$ _____	Capacity _____
Anti-spray Device	Rubber fender extenders.	Type C: Cost \$ <u>STD</u>	
		Type D: Cost \$ _____	
Back-up Alarm	Must meet state specification.	Mfr. <u>ECCO</u>	
		Cost \$ <u>STD</u>	
Brakes	4-wheel hydraulic disk brake.	Cost \$ _____	Deduct \$ _____
Brakes	Air, Drum or Disc. Refer to Washington State School Bus Specifications manual.	Disc Cost \$ _____	Disc Deduct \$ _____
		Drum Cost \$ _____	Drum Deduct \$ _____
Color	Exterior white roof.	Cost \$ <u>STD</u>	
Door Locks	Vandal lock system on all exterior doors.	Cost \$ <u>375</u>	
Driver's Seat	Suspension type, 6-way adjustable, with lumbar adjustment. Cloth panel covers.	Non-Air	Air
		Mfr. <u>STD</u>	Mfr. <u>NATIONAL</u>
		Cost \$ _____	Cost \$ <u>750</u>
Fire Suppression System	Jomarr VT-6-E-NAF, or equal engine compartment fire suppression system of appropriate size to be installed according to manufacturer recommendation.	Mfr. <u>FOGMAKER</u>	
		Cost \$ <u>5500</u>	

		State Price Quote Specification DISTRICT-SUPPORTED OPTIONS <input checked="" type="checkbox"/> C60 <input type="checkbox"/> C77 <input type="checkbox"/> D60 <input type="checkbox"/> D84 Use this document to bid both non-lift and lift buses.	Vendor: _____ <u>Northwest Bus Sales</u>
--	--	---	---

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Floor Color	Nonstandard color.	Cost \$ <u>500</u>	
Fuel Tank	Larger fuel capacity (CNG only).	Size: <u>N/A</u>	Cost \$ _____
Fuel Tank	Larger fuel capacity (Diesel only).	Size: <u>100</u>	Cost \$ <u>850</u>
Fuel Tank	Larger fuel capacity (Propane only).	Size: <u>N/A</u>	Cost \$ _____
Headlights	Halogen.	Cost \$ <u>STD</u>	
Headlights	L.E.D.	Cost \$ <u>N/A</u>	
Heater (Auxiliary water)	Auxiliary fuel-fired heating systems. Refer to Washington State School Bus Specifications Manual, page 27.	Brand: <u>Webasto</u>	Model: <u>45k BTU</u>
		Cost \$ <u>4,395</u>	
Noise Reduction	Exceeding minimum specifications.	Driver compartment	Cost \$ <u>350</u>
		Engine compartment	Cost \$ <u>N/A</u>
		Full acoustical headliner	Cost \$ <u>1100</u>
Retarder	Manufacturer's standard.	Driveline <input type="checkbox"/>	Cost \$ _____
		Exhaust <input checked="" type="checkbox"/>	Cost \$ <u>1200</u>
		Transmission <input type="checkbox"/>	Cost \$ _____
Seat Belt Ready Seat	3-passenger position seat with securement belts.	Cost \$ <u>STD</u>	
Seating System	Identical, non-lift bus with lap-shoulder seat belt system installed in all positions.	2 by 2 Cost \$ <u>8000</u>	
		Capacity <u>32</u>	
		3 by 2 Cost \$ <u>10000</u>	
		Capacity <u>40</u>	
		3 by 3 Cost \$ <u>12000</u>	
		Capacity <u>48</u>	

		State Price Quote Specification DISTRICT-SUPPORTED OPTIONS <input checked="" type="checkbox"/> C60 <input type="checkbox"/> C77 <input type="checkbox"/> D60 <input type="checkbox"/> D84 Use this document to bid both non-lift and lift buses.	Vendor: _____ <u>Northwest Bus Sales</u>
--	--	---	---

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Storage Compartments	Largest available for unit bid.	Left-side <u>8</u> _____ cubic feet.	
		Cost \$ <u>2100</u> _____	
		Right-side _____ cubic feet.	
		Cost \$ _____	
		Push-thru _____ cubic feet.	
		Cost \$ _____	
Strobe Light	Exterior roof mounted white strobe light.	Mfr. <u>SAFE FLEET</u> _____	
		Model No. <u>125</u> _____	
		Cost \$ <u>275</u> _____	
Student Protection System—Installed	Electronic system to insure driver post-trip inspection of passenger compartment.	Mfr. <u>PEGASUS</u> _____	
		Model No. _____	
		Cost \$ <u>STD</u> _____	
Suspension	Air ride (Air brake system only).	Front	Rear
		Cost \$ _____	Cost \$ <u>4480</u> _____
Toolbox	Interior, manufacturer standard.	Cost \$ <u>175</u> _____	Deduct \$ _____
Traction Device	Automatic chains.	Mfr. <u>OnSpot</u> _____	
		Cost \$ <u>5995</u> _____	
Traction Device	Sanders.	Capacity <u>160#</u> _____	
		Cost \$ <u>3990</u> _____	
Transmission	Automatic—Allison, PTS 3000 or equal.	Mfr. <u>N/A</u> _____	
		Model No. _____	
		Cost \$ _____	
Vehicle Securement System	Must meet state specification.	Mfr. <u>Safety Brake</u> _____	Cost \$ <u>1600</u> _____

		State Price Quote Specification DISTRICT-SUPPORTED OPTIONS <input checked="" type="checkbox"/> C60 <input type="checkbox"/> C77 <input type="checkbox"/> D60 <input type="checkbox"/> D84 Use this document to bid both non-lift and lift buses.	Vendor: _____ <u>Northwest Bus Sales</u>
--	--	--	---

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Video Camera Systems—Installed	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. <u>Rosco</u>	
		Model No. <u>DVXC4</u>	
		Cost \$ <u>2195</u>	How many cameras <u>3</u>
Video Camera Systems—Stop Sign Camera—Installed	Must meet state specification.	Stand Alone System	Added to Interior System
		Mfr. <u>Seon</u>	Mfr. <u>Seon</u>
		Model No. <u>DH4</u>	Model No. <u>DH4</u>
		Cost \$ <u>2700</u>	Cost \$ <u>3996</u>
		How many cameras <u>1</u>	How many cameras <u>4</u>
Warning Light Monitor	16 light monitoring system.	Incandescent	LED Lights
		Cost \$ <u>N/A</u>	Cost \$ <u>500</u>
Additional Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q'Straint</u>	
		Model No. <u>Q8200A-SC-QRT</u>	
		Cost per station \$ <u>995</u>	
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ <u>960</u>	
		Rear Cost \$ <u>240</u>	
		Both Cost \$ <u>1200</u>	
Windows	Tinted.	Cost \$ <u>STD</u>	
Windows	Thermal pane, left of driver and service door.	Cost \$ <u>400 (ENTRANCE DOOR ONLY)</u>	