

Vendor:

State Price Quote Specification

Northwest Bus Sales, Inc. Mfr.: Magellan

TYPE A— GAS & PROPANE

ITEM	STATE-SUPPORTED SPECIFICATIONS	VENDOR SPECIFICA	LLY IDENTIFY ITEM BID	
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	Price of items bid will establish the state cost.		
Seating Capacity	Maximum passenger capacity based upon an average center-to-	Gas	Propane	
	center seat spacing of at least 27.5" with a lap-shoulder belt for each seating position.	Capacity w/o lift <u>24</u>	Capacity w/o lift <u>N/A</u>	
		Capacity w/lift <u>18+1</u>	Capacity w/lift <u>N/A</u>	
Alternator	145 amp minimum. Lift-equipped or air-conditioned. Manufacturer	Mfr. <u>GM</u>		
	recommended capacity.	Amps output w/o lift or A.C	. <u>220</u>	
		Amps output w/lift or A.C. 2	220	
Auxiliary Automatic	10,000 lb. Hayden or equal.	Gas	Propane	
Transmission Cooler		Mfr. <u>GM</u>	Mfr. <u>N/A</u>	
		Lbs. rating <u>10,000</u>	Lbs. rating <u>N/A</u>	
Axle—Front	Manufacturer's recommendation.	Gas	Propane	
		Mfr. <u>GM</u>	Mfr. <u>N/A</u>	
		Lbs. rating <u>4,300</u>	Lbs. rating <u>N/A</u>	
		Indepen. suspens.	Indepen. suspens.	
Axle—Rear	Manufacturer's recommendation.	Gas	Propane	
		Mfr. <u>GM</u>	Mfr. <u>N/A</u>	
		Capacity <u>8,600</u>	Capacity <u>N/A</u>	
Axle Ratio	Must comply with power and gradeability formula. Refer to	Gas	Propane	
	Washington State School Bus Specifications Manual.	Ratio <u>3.73:1</u>	Ratio <u>N/A</u>	
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round:⊠Diameter4Other:□Square inch		

State Price Quote Specification TYPE A—GAS & PROPANE

Vendor: _____ Northwest Bus Sales, Inc. Mfr.:Magellan

ITEM	STATE-SUPPORTED SPECIFICATIONS		.LY IDENTIFY ITEM BID establish the state cost.	
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	Frice of items bid will o		
Battery(ies)	535 CCA 12 volt minimum for gas and propane w/o lift.	Gas/Propane w/o lift	Any bus w/lift	
	1070 CCA 12 volt minimum for any bus w/lift.	CCA Dual 770 CCA	CCA Dual 770 CCA	
Brakes	Hydraulic: Drum or Disc. Refer to Washington State School Bus	Gas	Propane	
	Specifications Manual.	Front Disc 🖂	Front Disc 🗆	
		Drum 🗆	Drum 🗆	
		Rear Disc 🖂	Rear Disc 🗆	
		Drum 🗆	Drum 🗆	
		Drum Size	Drum Size	
Doors, Service	Power operated.	☐ Air ☐ Folding ⊠ Electric		
		Split, Outward Opening	□ Other	
Engine	Gas and Propane—3.5 liters minimum.	Gas	Propane	
		Engine mfr. <u>GM</u>	Engine mfr. <u>N/A</u>	
		H.P. <u>401</u>	Liters <u>6.6</u>	
Fuel Tank	Gas—25-gallon minimum.	Gas	Propane	
	Propane—largest available.	Capacity <u>33 Gallon</u>	Capacity <u>N/A</u>	
Heaters	Front—manufacturer's standard. Rear—40,000 B.T.U. minimum.	Rear B.T.U. w/o lift <u>45,000</u> Rear B.T.U. w/lift <u>45,000</u>	 	
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights–7", Taillights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified ⊠ If not, explain.		

PART I (cont.)

State Price Quote Specification **TYPE A—GAS & PROPANE** Use this document to bid both non-lift and lift, gas and propane buses. Vendor: ______ Northwest Bus Sales, Inc.

Mfr.: Magellan

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.			
P.A. System AM/FM/PA radio with 2 interior and 1 exterior speakers.		Mfr. <u>OEM w/ separate</u>	PA module		
		Model No. OEM w/ sep	arate PA module		
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>152</u> " w/lift <u>152</u> "			
		Mfg.'s C/C seat measurement of vehicle (inches): w/o lift <u>33"</u> w/lift <u>29.5"</u>			
Steering Wheel	Tilt.	Check if as specified ⊠			
Step Tread	Studded or pebbled top tread covering.	Mfr. ProFusion	Mfr. ProFusion		
Tires	6 first quality, radial ply.	Mfr. <u>OEM</u>			
		Size <u>LT225/75R16</u>			
		Load range <u>E</u>			
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) 2.85			
Transmission	Automatic-manufacturer's standard compatible with H.P. and	Gas	Propane		
	torque rating of engine bid.	Mfr. <u>GM</u>	Mfr. <u>N/A</u>		
		Model no. <u>6L90</u>	Model no		
Two-way	45-watt, VHF, mil. spec.	Mfr. Kenwood			
Communications		Model No. <u>NX-1700 VH</u>	F		
Wheels	6 to be compatible with tire size.	Size <u>16"</u>			
		Rim width 6.5"			

PART I (cont.)

State Price Quote Specification TYPE A—GAS & PROPANE

Vendor: <u>Northwest Bus Sales, Inc.</u> Mfr.: <u>Magellan</u>

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
	SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BOD	Y
Wheelchair Lift— Installed	Must meet state specification. Platform shall be a minimum of 32" x 52".	Mfr. Braun
		Model No. <u>NCL917IB-2</u>
Wheelchair/Occupant	Must meet state specification.	Mfr. <u>Q'Straint</u>
Tie-down System— Installed		Model No. <u>Q-8100-A1-L</u>
	ADDITIONAL REQUIREMENTS—CHASSIS AND BODY	
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery.	Check if as specified ⊠
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at delivery.	Check if as specified 🛛
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified 🛛
Service and Cleaning	 Cleaning and service by vendor prior to delivery will include: Chassis lubrication. Check fluid levels: verify all are at recommended full levels. Cooling system protected at -20°F. Interior and exterior will be clean (including glass). All systems (electric, air, hydraulic, mechanical, and manual) be inspected to ensure proper operation at time of delivery. All components and accessories will be installed and operational at time of delivery. 	Check if as specified 🛛
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified ⊠

Washington Office of Superintendent of PUBLIC INSTRUCTION 2023-2024	STUDENT TRANSPORTATION Old Capitol Building PO BOX 47200 Olympia, WA 98504-7200 (360) 725-6120 TTY (360) 664-3631 VEHICLE DATA SHEET AND OFFICIAL PRICE QUO TYPE A-GAS	ΤΑΤΙΟΝ
VENDOR'S COMPANY NAME Northwest Bus Sales, Inc. Address 33207 Pacific Hwy. S. Federal Way, WA 98003	REPRESENTATIVE'S NAME Rob Goolsby Estimated delivery date to school district from 180 days ARO	ced or repaired, and parts obtained: Nearest

			BODY					
MAKE Magellan MODEL DH416	year 2023	Warranty: Seat color: Floor color:		Inside measurement f stepwell to appropriat rear of passenger sea w/o lift <u>152"</u>	e point at ating area: w/lift <u>152"</u>	Equipped seating w/o lift 24 Overall vehicle w/o lift 258"	w/lift <u>18-</u> length (ind	<u>-1</u> ches):
	CHASSIS				ENG	SINE		
MAKE Chevrolet		Warranty:	Years <u>3</u> Miles <u>36k</u>	MANUFACTURER General Motors		Torque: <u>464</u> @ H.P.: <u>401</u> @		RPM RPM
MODEL Express 3500 Cutaway	year 2023	Wheelbase	<u>139"</u>	MODEL L8T	YEAR 2024	Liters: <u>6.6</u> Fuel type: <u>Gas</u>		
	RANSMISSION			Warranty: Years 5		Battery type/grp:	<u>12V</u>	<u>12V</u>
MANUFACTURER General Motors		Speeds forv	vard: <u>6</u>	Miles <u>60k</u>		Number batteries:	<u>2</u>	<u>2</u>
MODEL 6L90		,	Years <u>5</u> Miles <u>60k</u>	Number of cylinders: <u>{</u> Inline V-ty		Total CCA:	<u>1540</u>	<u>1540</u>
			QUOTED P	RICE				
Quoted price is based upon payme	ent within 30 days afte	r delivery to t	ne school district	(without sales tax).				
Gas Bid—w/o lift \$ <u>105,149</u>	_ G	as Bid—w/lift	\$ <u>112,425</u>					
)		date <u>8/8/23</u>				
VENDOR REPRESENTATIVE'S SIGNATURE	- Charger							

FORM SPI 1394-1 (Rev. 7/23)

Washington Office of Superintendent of PUBLIC INSTRUCTION 2023-2024	STUDENT TRANSPORTAT Old Capitol Building PO BOX 47200 Olympia, WA 98504-7200 (360) 725-6120 TTY (360) 664-	g 00	
	VEHICLE DATA SHEET AND OFF TYPE A—PRO		
VENDOR'S COMPANY NAME Northwest Bus Sales, Inc.	REPRESENTATIVE'S NAME Gob Goolsby	TELEPHONE NUMBER 206-445-8591	
ADDRESS 33207 Pacific Hwy. S. Federal Way, WA 98003		Estimated delivery date to school district from time purchase order is received: No Bid	
	Firm where body can	n be serviced or repaired, and parts obtained:	

BODY						
MAKE		Warranty: Yea Mile		Inside measurement from rear of stepwell to appropriate point at	Equipped seating capacity: w/o lift w/lift	
MODEL	YEAR	. Ivinc		rear of passenger seating area:	w/o int	
		Seat color:		w/o lift w/lift	Overall vehicle length (inches):	
		Floor color:			w/o lift w/lift	

	CHASSIS			EN	GINE	
MAKE		Warranty: Years Miles	MANUFACTURER		Torque: @ H.P.: @	RPM RPM
MODEL	YEAR	Wheelbase:	MODEL	YEAR	Liters: Fuel type:	
	TRANSMISSION		Warranty: Years		Battery	type/grp:
MANUFACTURER		Speeds forward:	Miles		Number	batteries:
MODEL		Warranty: Years Miles	Number of cylinders: Inline V-ty	/pe	Total CCA:	

QUOTED PRICE					
Quoted price is based upon payment within 30 days after delivery to the school d	istrict (without sales tax).				
Propane Bid—w/o lift \$ <u>No Bid</u> Propane Bid—w/lift \$ <u>No Bid</u>					
VENDOR REPRESENTATIVE'S SIGNATURE	DATE <u>8/8/23</u>				

FORM SPI 1394-1 (Rev. 7/23)

PART II

Vendor:

Northwest Bus Sales, Inc.

State Price Quote Specification DISTRICT-SUPPORTED OPTIONS TYPE A

Mfr.: <u>Magellan</u>

	CHASSIS			
ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.		CALLY IDENTIFY ITEM BID will establish the district cost.	
Small A	Type A bus—10,000 lbs. or under GVWR chassis.	Gas	Propane	
		Deduct <u>N/A</u>	Deduct <u>N/A</u>	
		Mfr	Mfr	
		Capacity w/o lift	Capacity w/o lift	
		Dual Wheel	Dual Wheel 🗆	
		Single Wheel \Box	Single Wheel \Box	
Air Conditioning	To cool passenger compartment as required in the	Mfr. <u>ACT 45k BTU</u>		
	Washington State School Bus Specifications manual.	Cost \$ <u>5650</u>		
Alternate Fuel	Must comply with power and gradeability formula. Refer to	Mfr		
	Washington State School Bus Specifications manual. Must	CNG Cost \$		
⊠ Electric	comply with all of the requirements of FMVSS No. 305.	⊠ Electric Cost \$ <u>See submission for Electric Type-A</u>		
Back-up Alarm	Must meet state specification.	Mfr. Standard	rd	
		Cost \$		
Color	Exterior white roof.	Cost \$ <u>Standard</u>		
Steering Wheel	Tilt and telescoping column.	Cost \$ <u>Tilt standard, teles</u>	coping not available	
Strobe Light	Exterior roof mounted white strobe light.	Mfr. <u>Sound Off Signal or Eq</u>	uivalent	
		Model No. <u>3107LCC or Equivalent</u>		
		Cost \$ <u>295</u>		
Student Protection	Electronic system to insure driver post-trip inspection of	Mfr. Child Checkmate		
System—Installed	passenger compartment.	Model No. <u>EP1+</u>		
		Cost \$ <u>520</u>		
Toolbox	Interior, manufacturer standard.	Cost \$ <u>325</u>	Deduct \$	

PART II (cont.)

State Price Quote Specification DISTRICT-SUPPORTED OPTIONS TYPE A

Vendor: <u>Northwest Bus Sales, Inc.</u> Mfr.: <u>Magellan</u>

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.		ALLY IDENTIFY ITEM BID Il establish the district cost.		
Video Camera	Digital audio/video system for monitoring the passenger	Mfr. <u>AngelTrax</u>			
Systems—Installed	compartment with more than two cameras.	Model No. <u>Vulcan</u>			
		Cost \$ <u>3,765</u>	_ How many cameras <u>3</u>		
Video Camera	Must meet state specification.	Stand Alone System	Added to Interior System		
Systems—Stop Sign Camera—Installed		Mfr. <u>AngelTrax</u>	Mfr. <u>AngelTrax</u>		
		Model No. <u>Vulcan</u>	Model No. <u>Vulcan</u>		
		Cost \$ <u>3,839</u>	_ Cost \$ <u>4,425</u>		
		How many cameras <u>2</u>	How many cameras <u>4</u>		
Warning Light Monitor	16 light monitoring system.	Incandescent	LED Lights		
		Cost \$ <u>N/A</u>	Cost \$ <u>695</u>		
Additional	Must meet state specification.	Mfr. <u>Q'Straint</u>			
Wheelchair/Occupant		Model No. <u>Q-8100-A1-L</u>			
Tie-down System— Installed		Cost per station \$ 1,395	Cost per station \$ 1,395		
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ <u>1,495</u>	Side Cost \$ <u>1,495</u>		
		Rear Cost \$ <u>225</u>	Rear Cost \$ <u>225</u>		
		Both Cost \$ <u>1,715</u>	Both Cost \$ <u>1,715</u>		
Windows	Tinted.	Cost \$ Standard	Cost \$ <u>Standard</u>		