



State Price Quote Specification  
**TYPE C77—BID AS 71 PASSENGER,  
DIESEL, GAS & PROPANE**

Vendor: BRYSON  
\_\_\_\_\_

Use this document to bid both non-lift and lift buses for 61–77 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID		
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	Price of items bid will establish the state cost.		
Seating Capacity	71 passenger based upon an average center-to-center seat spacing of at least 27.5".	Capacity w/o lift <u>71</u> Capacity w/lift <u>61</u>		
Alternator	240 amp minimum. Lift-equipped or air-conditioned. Manufacturer recommended capacity.	<b>Diesel</b>	<b>Gas</b>	<b>Propane</b>
		Mfr. <u>LEECE NEVILLE</u>	Mfr. <u>LEECE NEVILLE</u>	Mfr. <u>LEECE NEVILLE</u>
		Max. amps output w/o lift or A.C. <u>240</u>	Max. amps output w/o lift or A.C. <u>240</u>	Max. amps output w/o lift or A.C. <u>240</u>
		Max. amps output w/lift or A.C. <u>240</u>	Max. amps output w/lift or A.C. <u>240</u>	Max. amps output w/lift or A.C. <u>240</u>
Auxiliary Fans	2 fans, 6" maximum, mounted to right and left windshield and service door.	Mfr. <u>GSS USA</u>		
Axle—Front	9,000 lb. minimum.	<b>Diesel</b>	<b>Gas</b>	<b>Propane</b>
		Mfr. <u>HENDRICKSON</u>	Mfr. <u>HENDRICKSON</u>	Mfr. <u>HENDRICKSON</u>
		Capacity <u>12000</u>	Capacity <u>12000</u>	Capacity <u>12000</u>
Axle—Rear	19,000 lb. minimum.	<b>Diesel</b>	<b>Gas</b>	<b>Propane</b>
		Mfr. <u>DANA</u>	Mfr. <u>DANA</u>	Mfr. <u>DANA</u>
		Capacity <u>21000</u>	Capacity <u>21000</u>	Capacity <u>21000</u>
Axle Oil Seals	Front and rear oil bath, or maintenance free sealed greased bearings.	<b>Diesel</b>	<b>Gas</b>	<b>Propane</b>
		Mfr. <u>SKF</u>	Mfr. <u>SKF</u>	Mfr. <u>SKF</u>
Axle Ratio	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications Manual.	<b>Diesel</b>	<b>Gas</b>	<b>Propane</b>
		Mfr. <u>DANA S21</u>	Mfr. <u>DANA S21</u>	Mfr. <u>DANA S21</u>
		Model no. <u>5.29</u>	Model no. <u>5.29</u>	Model no. <u>5.29</u>
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: <input checked="" type="checkbox"/> Diameter <u>4"</u> Other: <input type="checkbox"/> Square inches _____		

State Price Quote Specification  
**TYPE C77—BID AS 71 PASSENGER,  
 DIESEL, GAS & PROPANE**

Use this document to bid both non-lift and lift buses for 61–77 capacity.

STATE-SUPPORTED SPECIFICATIONS					VENDOR SPECIFICALLY IDENTIFY ITEM BID					
ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.				Price of items bid will establish the state cost.					
Battery(ies)	1200 CCA 12 volt minimum to be mounted in body battery compartment w/o lift.	<b>Diesel</b>			<b>Gas</b>			<b>Propane</b>		
	1400 CCA 12 volt minimum to be mounted in body battery compartment w/lift.	Size/group w/o lift <u>GP 31</u> CCA <u>2100</u>	Size/group w/lift <u>GP 31</u> CCA <u>2100</u>	Size/group w/o lift <u>GP 31</u> CCA <u>2100</u>	Size/group w/lift <u>GP 31</u> CCA <u>2100</u>	Size/group w/o lift <u>GP 31</u> CCA <u>2100</u>	Size/group w/lift <u>GP 31</u> CCA <u>2100</u>	Size/group w/o lift <u>GP 31</u> CCA <u>2100</u>	Size/group w/lift <u>GP 31</u> CCA <u>2100</u>	
Battery Compartment	Battery storage tray must be large enough to accommodate batteries as specified in chassis section.				<input checked="" type="checkbox"/> Swing out			<input type="checkbox"/> Roll out		
Brakes	Air: Drum or Disc. Refer to Washington State School Bus Specifications Manual.				Disc Front <input type="checkbox"/>	Rear <input type="checkbox"/>		Drum Front <input checked="" type="checkbox"/>	Rear <input checked="" type="checkbox"/>	
Door, Service	Power operated.				<input type="checkbox"/> Air			<input type="checkbox"/> Folding		
					<input checked="" type="checkbox"/> Electric			<input checked="" type="checkbox"/> Split, Outward opening		
					<input type="checkbox"/> Other			<input type="checkbox"/> Other		
Engine	Diesel, Gas and Propane—210 H.P. minimum.	<b>Diesel</b>			<b>Gas</b>			<b>Propane</b>		
		Engine mfr. <u>CUMMINS</u>	Engine mfr. <u>FORD</u>	Engine mfr. <u>FORD</u>	Model or liters <u>B6.7L</u>	Model or liters <u>7.3L</u>	Model or liters <u>7.3L</u>	Net torque <u>520 @ 1600</u> R.P.M	Net torque <u>468 @ 3750</u> R.P.M	Net torque <u>468 @ 3750</u> R.P.M
		Net H.P. <u>220 @ 2400</u> R.P.M	Net H.P. <u>335 @ 3750</u> R.P.M	Net H.P. <u>335 @ 3750</u> R.P.M	Net H.P. <u>335 @ 3750</u> R.P.M	Net H.P. <u>335 @ 3750</u> R.P.M	Net H.P. <u>335 @ 3750</u> R.P.M	Net H.P. <u>335 @ 3750</u> R.P.M	Net H.P. <u>335 @ 3750</u> R.P.M	
Engine Heater	Engine manufacturers recommended in-block heater.				Watts <u>750</u> Volts <u>120</u>			Mfr. <u>PHILLIPS</u>		
Engine Temperature	To be controlled electronically, by fan clutch/drive, or shutters.				Mfr. <u>HORTON</u>			<input type="checkbox"/> Electronic		
					<input checked="" type="checkbox"/> Fan clutch			<input type="checkbox"/> Shutters		
Fuel Tank	Diesel—100-gallon minimum. Gas and Propane—60-gallon minimum.	<b>Diesel</b>			<b>Gas</b>			<b>Propane</b>		
		Capacity <u>100 GALLONS</u>			Capacity <u>100 GALLONS</u>			Capacity <u>69 GALLONS</u>		

State Price Quote Specification  
**TYPE C77—BID AS 71 PASSENGER,  
 DIESEL, GAS & PROPANE**

Use this document to bid both non-lift and lift buses for 61–77 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
Heaters	Minimum of 3 heaters; 1 front, 1 center, 1 rear. Shutoff valves at engine for all heaters. Two-speed motors. Must include recirculating pump.	Front B.T.U. <u>90,000 &amp; 50,000</u> Center B.T.U. <u>50,000</u> Rear B.T.U. <u>50,000</u> Total B.T.U. <u>240,000</u>
Hood	Tilt.	<input checked="" type="checkbox"/> Fiberglass <input type="checkbox"/> Metal
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights–7", Taillights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified <input checked="" type="checkbox"/> If not, explain. _____
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. <u>MUSIC WAVE</u> Model No. <u>MFG STD</u>
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>356"</u> w/lift <u>356"</u>  Mfg.'s C/C seat measurement of vehicle (inches): w/o lift <u>28"</u> w/lift <u>28.5"</u>
Steering Wheel	Tilt and telescoping column.	Check if as specified
Step Tread	Studded or pebbled top tread covering.	Mfr. <u>PROFUSION INDUSTRIES</u>
Tires	6 first quality, radial ply. No low profile tires.	Mfr. <u>ONE OF FIVE MAJOR BRANDS</u> Size <u>11R 22.5</u> Load range <u>H</u>
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) <u>3.16</u>

State Price Quote Specification  
**TYPE C77—BID AS 71 PASSENGER,  
 DIESEL, GAS & PROPANE**

Use this document to bid both non-lift and lift buses for 61–77 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.		
Transmission	Diesel and Propane: Automatic—Allison, PTS 2500 or equal. Gas: Automatic— manufacturer's standard compatible with H.P. and torque rating of engine bid.	<i><b>Diesel</b></i>	<i><b>Gas</b></i>	<i><b>Propane</b></i>
		Mfr. <u>ALLISON</u>	Mfr. <u>FORD</u>	Mfr. <u>FORD</u>
		Model no. <u>2500 PTS</u>	Model no. <u>6R140</u>	Model no. <u>6R140</u>
		Net input <u>660</u>	Net input <u>800</u>	Net input <u>800</u>
		Net input H.P. <u>300</u>	Net input H.P. <u>400</u>	Net input H.P. <u>400</u>
Two-way Communications	45-watt, VHF, mil. spec.	Mfr. <u>KENWOOD</u> Model No. <u>NX3720HVK</u>		
Wheels	6 to be compatible with tire size.	Size <u>22.5"</u> Rim width <u>8.5"</u>		
<b>SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BODY</b>				
Wheelchair Lift—Installed	Must meet state specification. Platform shall be a minimum of 32" x 52".	Mfr. <u>BRAUN</u> Model No. <u>NCL919-FIB-2</u>		
Wheelchair/ Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q-STRAINT</u> Model No. <u>Q-8106-L2</u>		
<b>ADDITIONAL REQUIREMENTS—CHASSIS AND BODY</b>				
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery of the bus.	Check if as specified <input checked="" type="checkbox"/>		
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at time of delivery.	Check if as specified <input checked="" type="checkbox"/>		
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified <input checked="" type="checkbox"/>		

State Price Quote Specification  
**TYPE C77—BID AS 71 PASSENGER,  
 DIESEL, GAS & PROPANE**

Use this document to bid both non-lift and lift buses for 61–77 capacity.

<b>ITEM</b>	<b>STATE-SUPPORTED SPECIFICATIONS</b> Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	<b>VENDOR SPECIFICALLY IDENTIFY ITEM BID</b> Price of items bid will establish the state cost.
Service and Cleaning	Cleaning and service by vendor prior to delivery will include: <ul style="list-style-type: none"> <li>• Chassis lubrication.</li> <li>• Check fluid levels: verify all are at recommended full levels.</li> <li>• Cooling system protected at -20°F.</li> <li>• Interior and exterior will be clean (including glass).</li> <li>• All systems (electric, air, hydraulic, mechanical, and manual) be inspected to ensure proper operation at time of delivery.</li> <li>• All components and accessories will be installed and operational at time of delivery.</li> </ul>	Check if as specified <input checked="" type="checkbox"/>
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified <input checked="" type="checkbox"/>



Washington Office of Superintendent of  
**PUBLIC INSTRUCTION**  
2023-2024

STUDENT TRANSPORTATION  
Old Capitol Building  
PO BOX 47200  
Olympia, WA 98504-7200  
(360) 725-6120 TTY (360) 664-3631

**VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION  
TYPE C77— BID AS 71 PASSENGER (DIESEL)**

VENDOR'S COMPANY NAME BRYSON SALES & SERVICE OF WASHINGTON, INC.		REPRESENTATIVE'S NAME BRANDON BRYSON	TELEPHONE NUMBER 425-953-2820
ADDRESS 2407 GIBSON RD. EVERETT, WA 98204		Estimated delivery date to school district from time purchase order is received: <u>150-210</u>	
		Firm where engine and chassis can be serviced or repaired, and parts obtained: <u>BRYSON</u>	
		Firm where body can be serviced or repaired, and parts obtained: <u>BRYSON</u>	

**BODY**

MAKE BLUE BIRD	Warranty: Years <u>1</u> Miles <u>12,000</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>356"</u> w/lift <u>356"</u>	Equipped seating capacity: w/o lift <u>71</u> w/lift <u>61</u>
MODEL BBCV 3303	YEAR 2024	Seat color: <u>BROWN</u> Floor color: <u>BLACK</u>	Overall vehicle length (inches): w/o lift <u>470.29</u> w/lift <u>470.29</u>

**CHASSIS**

MAKE BLUE BIRD	Warranty: Years <u>1</u> Miles <u>12,000</u>
MODEL BBCV 3303	YEAR 2024
Wheelbase: <u>273"</u>	

**ENGINE**

MANUFACTURER CUMMINS	Torque: <u>520</u> @ <u>1600</u> RPM H.P.: <u>220</u> @ <u>2400</u> RPM
MODEL B6.7L	YEAR 2024
C.I.D. or Liters: <u>6.7L</u> Fuel type: <u>DIESEL</u>	

**TRANSMISSION**

MANUFACTURER ALLISON	Warranty: Years <u>5</u> Miles <u>100,000</u>
MODEL 2500 PTS	YEAR 2024
Speeds forward: <u>5</u>	
Warranty: Years <u>7</u> Miles <u>UNLIM</u>	

Battery type/grp: <u>31</u> <u>31</u>	
Number batteries: <u>3</u> <u>3</u>	
Total CCA: <u>2100</u> <u>2100</u>	
Number of cylinders: <u>6</u> Inline <u>X</u> V-type <u>_____</u>	

**QUOTED PRICE**

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Diesel Bid—w/o lift \$ 171,864.00

Diesel Bid—w/lift \$ 184,721.00

VENDOR REPRESENTATIVE'S SIGNATURE  
Brandon Bryson

DATE  
08/07/2023



Washington Office of Superintendent of  
**PUBLIC INSTRUCTION**  
2023-2024

STUDENT TRANSPORTATION  
Old Capitol Building  
PO BOX 47200  
Olympia, WA 98504-7200  
(360) 725-6120 TTY (360) 664-3631

**VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION**  
**TYPE C77— BID AS 71 PASSENGER (GAS)**

VENDOR'S COMPANY NAME BRYSON SALE S& SERVICE OF WASHINGTON, INC.		REPRESENTATIVE'S NAME BRANDON BRYSON	TELEPHONE NUMBER 425-953-2820
ADDRESS 2407 GIBSON RD. EVERETT, WA 98204		Estimated delivery date to school district from time purchase order is received: <u>150-210</u>	
		Firm where engine and chassis can be serviced or repaired, and parts obtained: <u>BRYSON</u>	
		Firm where body can be serviced or repaired, and parts obtained: <u>BRYSON</u>	

**BODY**

MAKE BLUE BIRD	Warranty: Years <u>1</u> Miles <u>12,000</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>356"</u> w/lift <u>356"</u>	Equipped seating capacity: w/o lift <u>71</u> w/lift <u>61</u>
MODEL BBCV 3303	YEAR 2024	Seat color: <u>BROWN</u> Floor color: <u>BLACK</u>	Overall vehicle length (inches): w/o lift <u>470.29</u> w/lift <u>470.29</u>

**CHASSIS**

**ENGINE**

MAKE BLUE BIRD	Warranty: Years <u>1</u> Miles <u>12,000</u>	MANUFACTURER FORD	Torque: <u>468</u> @ <u>3750</u> RPM H.P.: <u>335</u> @ <u>3750</u> RPM
MODEL BBCV 3303	YEAR 2024	Wheelbase: <u>273"</u>	MODEL 6R140
TRANSMISSION		Warranty: Years <u>5</u> Miles <u>UNLIMITED</u>	YEAR 2024
MANUFACTURER FORD	Speeds forward: <u>6</u>	C.I.D. or Liters: <u>7.3L</u> Fuel type: <u>GAS</u>	
MODEL 6R140	Warranty: Years <u>5</u> Miles <u>UNLIM</u>	Battery type/grp: <u>31</u> <u>31</u> Number batteries: <u>3</u> <u>3</u> Total CCA: <u>2100</u> <u>2100</u>	
		Number of cylinders: <u>8</u> Inline _____ V-type <u>X</u>	

**QUOTED PRICE**

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Gas Bid—w/o lift \$ 175,518.00

Gas Bid—w/lift \$ 189,107.00

VENDOR REPRESENTATIVE'S SIGNATURE  
Brandon Bryson

DATE  
08/07/2023



Washington Office of Superintendent of  
**PUBLIC INSTRUCTION**  
2023-2024

STUDENT TRANSPORTATION  
Old Capitol Building  
PO BOX 47200  
Olympia, WA 98504-7200  
(360) 725-6120 TTY (360) 664-3631

## VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE C77—BID AS 71 PASSENGER (PROPANE)

VENDOR'S COMPANY NAME <b>BRYSON SALES &amp; SERVICE OF WASHINGTON, INC.</b> ADDRESS 2407 GIBSON RD. EVERETT, WA 98204	REPRESENTATIVE'S NAME <b>BRANDON BRYSON</b>  Estimated delivery date to school district from time purchase order is received: <u>150-210</u>  Firm where engine and chassis can be serviced or repaired, and parts obtained: <u>BRYSON</u>  Firm where body can be serviced or repaired, and parts obtained: <u>BRYSON</u>	TELEPHONE NUMBER <b>425-953-28280</b>
---	---	--

### BODY

MAKE <b>BLUE BIRD</b> MODEL <b>BBCV 3303</b>	YEAR <b>2024</b>	Warranty: Years <u>1</u> Miles <u>12,000</u>  Seat color: <u>BROWN</u> Floor color: <u>BLACK</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>356"</u> w/lift <u>356"</u>	Equipped seating capacity: w/o lift <u>71</u> w/lift <u>61</u>  Overall vehicle length (inches): w/o lift <u>470.29</u> w/lift <u>470.29</u>
---	---------------------	--	---	--

### CHASSIS

MAKE <b>BLUE BIRD</b>  MODEL <b>BBCV 3303</b>	YEAR <b>2024</b>
Warranty: Years <u>1</u> Miles <u>12,000</u>	
Wheelbase: <u>273"</u>	

### ENGINE

MANUFACTURER <b>FORD</b>  MODEL <b>7.3L V8</b>	YEAR <b>2024</b>	Torque: <u>468</u> @ <u>3750</u> RPM H.P.: <u>335</u> @ <u>3750</u> RPM  C.I.D. or Liters: <u>7.3L</u> Fuel type: <u>PROPANE</u>
--	---------------------	--

### TRANSMISSION

MANUFACTURER <b>FORD</b>  MODEL <b>6R140</b>	Warranty: Years <u>5</u> Miles <u>UNLIM</u>
Speeds forward: <u>6</u>	

Warranty: Years <u>5</u> Miles <u>UNLIMITED</u>  Number of cylinders: <u>8</u> Inline _____ V-type <u>X</u>	Battery type/grp: <u>31</u> <u>31</u> Number batteries: <u>3</u> <u>3</u> Total CCA: <u>2100</u> <u>2100</u>
---	--

### QUOTED PRICE

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Propane Bid—w/o lift \$ 184,784.00                      Propane Bid—w/lift \$ 195,950.00

VENDOR REPRESENTATIVE'S SIGNATURE <u>Brandon Bryson</u>	DATE <u>08/07/2023</u>
--	---------------------------



State Price Quote Specification  
**DISTRICT-SUPPORTED OPTIONS**

Vendor: BRYSON

C60    C77    D60    D84

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Activity Securement Seating	2-passenger position seats with lap-shoulder belts in all passenger positions.	Passenger Capacity <u>40</u> Cost \$ <u>13,938.00</u>	
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. <u>MCC AC-12IW1IW122</u> Cost \$ <u>10,926.00</u>	
Alternate Fuel	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications manual. Must comply with all of the requirements of FMVSS No. 305.	Mfr. <u>N/A</u>	
<input type="checkbox"/> Electric		<input type="checkbox"/> Cost \$ <u>N/A</u> <input type="checkbox"/> Electric Cost \$ <u>SEE 1394-5 TYPE C ELECTRIC</u>	
Alternator	Available options.	Cost \$ <u>INCLUDED</u>	Capacity <u>240 AMP</u>
		Cost \$ <u>506.00</u>	Capacity <u>280 AMP</u>
		Cost \$ <u>721.00</u>	Capacity <u>325 AMP</u>
Anti-spray Device	Rubber fender extenders.	Type C: Cost \$ <u>215.00</u> Type D: Cost \$ <u>N/A</u>	
Back-up Alarm	Must meet state specification.	Mfr. <u>ECCO VARIABLE DB</u> Cost \$ <u>230.00</u>	
Brakes	4-wheel hydraulic disk brake.	Cost \$ <u>0.00</u>	Deduct \$ <u>1,058.00</u>
Brakes	Air, Drum or Disc. Refer to Washington State School Bus Specifications manual.	Disc Cost \$ <u>3,888.00</u> Drum Cost \$ <u>INCLUDED</u>	Disc Deduct \$ <u>N/A</u> Drum Deduct \$ <u>N/A</u>
Color	Exterior white roof.	Cost \$ <u>INCLUDED</u>	
Door Locks	Vandal lock system on all exterior doors.	Cost \$ <u>559.00</u>	
Driver's Seat	Suspension type, 6-way adjustable, with lumbar adjustment. Cloth panel covers.	<b>Non-Air</b>	<b>Air</b>
		Mfr. <u>NATIONAL</u> Cost \$ <u>INCLUDED</u>	Mfr. <u>NATIONAL</u> Cost \$ <u>299.00</u>
Fire Suppression System	Jomarr VT-6-E-NAF, or equal engine compartment fire suppression system of appropriate size to be installed according to manufacturer recommendation.	Mfr. <u>AMEREX VH25 ABS FOUR NOZZLE</u> Cost \$ <u>5,967.00</u>	
Floor Color	Nonstandard color.	Cost \$ <u>459.00</u>	

State Price Quote Specification  
**DISTRICT-SUPPORTED OPTIONS**

C60    C77    D60    D84

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Fuel Tank	Larger fuel capacity (Diesel only).	Size: <u>N/A</u>	Cost \$ <u>N/A</u>
Fuel Tank	Larger fuel capacity (Propane only).	Size: <u>98 GALLON</u>	Cost \$ <u>2,500.00</u>
Headlights	Halogen.	Cost \$ <u>INCLUDED</u>	
Headlights	L.E.D.	Cost \$ <u>N/A</u>	
Heater (Auxiliary water)	Auxiliary fuel-fired heating systems. Refer to Washington State School Bus Specifications Manual, page 27.	Brand: <u>ESPAR</u>	Model: <u>TTC 17,000 BTU</u>
		Cost \$ <u>2,067.00</u>	
Noise Reduction	Exceeding minimum specifications.	Driver compartment	Cost \$ <u>N/A</u>
		Engine compartment	Cost \$ <u>N/A</u>
		Full acoustical headliner	Cost \$ <u>936.00</u>
Retarder	Manufacturer's standard.	Driveline <input checked="" type="checkbox"/>	Cost \$ <u>17,000.00</u>
		Exhaust <input checked="" type="checkbox"/>	Cost \$ <u>110.00</u>
		Transmission <input type="checkbox"/>	Cost \$ <u>N/A</u>
Seat Belt Ready Seat	3-passenger position seat with securement belts.	Cost \$ <u>689.00 PER SEAT</u>	
Seating System	Identical, non-lift bus with lap-shoulder seat belt system installed in all positions.	2 by 2 Cost \$ <u>18,814.00</u>	
		Capacity <u>46</u>	
		3 by 2 Cost \$ <u>21,897.00</u>	
		Capacity <u>60</u>	
		3 by 3 Cost \$ <u>23,461.00</u>	
		Capacity <u>71</u>	

Vendor: BRYSON

State Price Quote Specification  
**DISTRICT-SUPPORTED OPTIONS**

C60    C77    D60    D84

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Storage Compartments	Largest available for unit bid.	Left-side <u>16</u> cubic feet. Cost \$ <u>1,074.00</u>	Right-side <u>28.4</u> cubic feet. Cost \$ <u>1,687.00</u>
		Push-thru <u>N/A</u> cubic feet. Cost \$ <u>N/A</u>	
Strobe Light	Exterior roof mounted white strobe light.	Mfr. <u>ECCO</u> Model No. <u>7460 LED CLEAR LENS</u> Cost \$ <u>223.00</u>	
Student Protection System—Installed	Electronic system to insure driver post-trip inspection of passenger compartment.	Mfr. <u>BLUE BIRD</u> Model No. <u>DA01</u> Cost \$ <u>284.00</u>	
Suspension	Air ride (Air brake system only).	<b>Front</b>	<b>Rear</b>
		Cost \$ <u>982.00</u>	Cost \$ <u>1,649.00</u>
Toolbox	Interior, manufacturer standard.	Cost \$ <u>84.00</u>	Deduct \$ <u>N/A</u>
Traction Device	Automatic chains.	Mfr. <u>ON SPOT</u> Cost \$ <u>4,899.00</u>	
Traction Device	Sanders.	Capacity <u>100 LBS.</u> Cost \$ <u>2,909.00</u>	
Transmission	Automatic—Allison, PTS 3000 or equal.	Mfr. <u>ALLISON</u> Model No. <u>3000 PTS</u> Cost \$ <u>6,573.00</u>	
Vehicle Securement System	Must meet state specification.	Mfr. <u>BLUE BIRD</u>	Cost \$ <u>794.00</u>
Video Camera Systems—Installed	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. <u>REI</u> Model No. <u>REI-HD6-600W-4-500GB</u> Cost \$ <u>2,609.00</u> How many cameras <u>4</u>	

Vendor: BRYSON

State Price Quote Specification  
**DISTRICT-SUPPORTED OPTIONS**

C60    C77    D60    D84

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	<b>VENDOR SPECIFICALLY IDENTIFY ITEM BID</b> Price of items bid will establish the district cost.	
Video Camera Systems—Stop Sign Camera—Installed	Must meet state specification.	<b><i>Stand Alone System</i></b>	<b><i>Added to Interior System</i></b>
		Mfr. <u>REI</u>	Mfr. <u>REI</u>
		Model No. <u>HD6-600W-2-500GB</u>	Model No. <u>STD INTERIOR CAMERA</u>
		Cost \$ <u>2,487.00</u>	Cost \$ <u>315.00</u>
		How many cameras <u>2</u>	How many cameras <u>1</u>
Warning Light Monitor	16 light monitoring system.	<b><i>Incandescent</i></b>	<b><i>LED Lights</i></b>
		Cost \$ <u>284.00</u>	Cost \$ <u>284.00</u>
Additional Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q-STRAINT</u>	
		Model No. <u>Q-8106-L2</u>	
		Cost per station \$ <u>598.00</u>	
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ <u>3,514.00</u>	
		Rear Cost \$ <u>1,490.00</u>	
		Both Cost \$ <u>5,004.00</u>	
Windows	Tinted.	Cost \$ <u>INCLUDED</u>	
Windows	Thermal pane, left of driver and service door.	Cost \$ <u>601.00</u>	