

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

2. Percentage of schools that require health education for students in any of grades 6 through 12.

	N	Percent	95% Confidence Interval
Senior High School	105	93	90 - 97
Middle School	118	94	91 - 97
Junior/Senior High School Combined	43	89	81 - 97
Overall	266	93	90 - 95

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

3. Percentage of schools that require health education be taught in each of the following ways to students.*

	N	Percent	95% Confidence Interval
a. In a combined health education and physical education course			
Senior High School	91	59	51 - 68
Middle School	101	75	67 - 82
Junior/Senior High School Combined	34	71	57 - 85
Overall	226	68	63 - 73
b. In a course mainly about another subject other than health education such as science, social studies, or English			
Senior High School	82	18	12 - 25
Middle School	75	37	28 - 46
Junior/Senior High School Combined	25	30	17 - 43
Overall	182	28	22 - 33

*Among those schools that require health education for students in any of grades 6 through 12.
N=Unweighted number of observations

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

4. Percentage of schools that require students to take the following number of required health education courses.*

	N	Percent	95% Confidence Interval
a. 0 courses			
Senior High School	92	0	0 - 0
Middle School	102	11	6 - 17
Junior/Senior High School Combined	35	8	0 - 15
Overall	229	6	4 - 9
b. 1 course			
Senior High School	92	78	71 - 84
Middle School	102	19	11 - 26
Junior/Senior High School Combined	35	52	39 - 66
Overall	229	47	42 - 52
c. 2 courses			
Senior High School	92	16	10 - 22
Middle School	102	22	15 - 28
Junior/Senior High School Combined	35	19	7 - 30
Overall	229	19	15 - 23
d. 3 courses			
Senior High School	92	2	0 - 4
Middle School	102	43	35 - 51
Junior/Senior High School Combined	35	13	3 - 24
Overall	229	22	18 - 26
e. 4 or more courses			
Senior High School	92	4	1 - 8
Middle School	102	6	2 - 9
Junior/Senior High School Combined	35	8	0 - 16
Overall	229	5	3 - 8

*Among those schools that require health education for students in any of grades 6 through 12.
N=Unweighted number of observations

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

4N. Percentage of schools that require students to take two or more health education courses.* **

	N	Percent	95% Confidence Interval
Senior High School	92	22	16 - 29
Middle School	102	70	61 - 79
Junior/Senior High School Combined	35	40	25 - 55
Overall	229	47	41 - 52

*Among those schools that require health education for students in any of grades 6 through 12.

**Response to question 4 is c, d, or e.

N=Unweighted number of observations

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

5. Percentage of schools that taught a required health education course in each of the following grades.*

	N	Percent	95% Confidence Interval
a. Sixth grade			
Senior High School	NA	NA	NA
Middle School	69	82	75 - 90
Junior/Senior High School Combined	18	23	4 - 41
Overall	88	69	61 - 77
b. Seventh grade			
Senior High School	NA	NA	NA
Middle School	87	81	74 - 88
Junior/Senior High School Combined	26	45	29 - 61
Overall	115	72	66 - 79
c. Eighth grade			
Senior High School	NA	NA	NA
Middle School	82	94	90 - 98
Junior/Senior High School Combined	27	46	31 - 61
Overall	111	81	76 - 87
d. Ninth grade			
Senior High School	80	78	70 - 86
Middle School	12	34	10 - 59
Junior/Senior High School Combined	32	73	60 - 87
Overall	124	72	65 - 79
e. Tenth grade			
Senior High School	82	51	41 - 60
Middle School	NA	NA	NA
Junior/Senior High School Combined	26	58	43 - 74
Overall	110	52	43 - 60
f. Eleventh grade			
Senior High School	75	31	22 - 40
Middle School	NA	NA	NA
Junior/Senior High School Combined	25	26	10 - 42
Overall	102	29	21 - 37
g. Twelfth grade			
Senior High School	76	28	19 - 37
Middle School	NA	NA	NA
Junior/Senior High School Combined	24	28	11 - 45
Overall	102	28	20 - 35

*Among those schools that require health education for students and students take one or more required health education courses in any of grades 6 through 12.

N=Unweighted number of observations

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

6. Percentage of schools that require students who fail a required health education course to repeat it.*

	N	Percent	95% Confidence Interval
Senior High School	91	96	93 - 100
Middle School	88	8	5 - 11
Junior/Senior High School Combined	30	90	82 - 99
Overall	209	58	54 - 61

*Among those schools that require health education for students and students take one or more required health education courses in any of grades 6 through 12.

N=Unweighted number of observations

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

7. Percentage of schools that have the following person coordinate health education.

	N	Percent	95% Confidence Interval
a. No one coordinates health education			
Senior High School	98	6	2 - 10
Middle School	110	7	3 - 10
Junior/Senior High School Combined	41	10	2 - 19
Overall	249	7	5 - 10
b. District administrator			
Senior High School	98	12	6 - 17
Middle School	110	5	1 - 8
Junior/Senior High School Combined	41	17	8 - 26
Overall	249	9	6 - 12
c. District health education or curriculum coordinator			
Senior High School	98	18	11 - 26
Middle School	110	13	9 - 18
Junior/Senior High School Combined	41	8	5 - 11
Overall	249	14	11 - 18
d. School administrator			
Senior High School	98	17	10 - 24
Middle School	110	8	4 - 12
Junior/Senior High School Combined	41	21	11 - 31
Overall	249	14	10 - 17
e. Health education teacher			
Senior High School	98	45	36 - 53
Middle School	110	57	49 - 64
Junior/Senior High School Combined	41	31	21 - 40
Overall	249	48	43 - 52
f. School nurse			
Senior High School	98	0	0 - 0
Middle School	110	5	2 - 9
Junior/Senior High School Combined	41	5	0 - 10
Overall	249	3	1 - 5
g. Someone else			
Senior High School	98	2	0 - 5
Middle School	110	5	1 - 9
Junior/Senior High School Combined	41	8	1 - 15
Overall	249	5	2 - 7

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

7N. Percentage of schools that have a district administrator or district health education or curriculum coordinator coordinate health education.*

	N	Percent	95% Confidence Interval
Senior High School	92	32	24 - 40
Middle School	102	20	14 - 25
Junior/Senior High School Combined	37	28	17 - 39
Overall	231	26	21 - 30

*Response to question 7 is b or c.
N=Unweighted number of observations

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

8. Percentage of schools that require newly hired staff who teach health topics to be certified, licensed, or endorsed by the state in health education.

	N	Percent	95% Confidence Interval
a. Yes			
Senior High School	104	84	78 - 89
Middle School	116	49	42 - 57
Junior/Senior High School Combined	44	56	46 - 67
Overall	264	64	60 - 68
b. No			
Senior High School	104	11	7 - 16
Middle School	116	44	36 - 51
Junior/Senior High School Combined	44	27	17 - 38
Overall	264	28	24 - 33
c. Not applicable			
Senior High School	104	5	1 - 8
Middle School	116	7	4 - 10
Junior/Senior High School Combined	44	16	8 - 24
Overall	264	8	5 - 10

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

9. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.

	N	Percent	95% Confidence Interval
Senior High School	103	57	49 - 65
Middle School	117	51	43 - 59
Junior/Senior High School Combined	45	39	26 - 51
Overall	265	51	46 - 57

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

10. Percentage of schools that require physical education for students in any of grades 6 through 12.

	N	Percent	95% Confidence Interval
Senior High School	105	95	92 - 98
Middle School	118	99	98 - 100
Junior/Senior High School Combined	45	91	84 - 98
Overall	268	96	95 - 98

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

11. Percentage of schools that require students to take the following number of required physical education courses.*

	N	Percent	95% Confidence Interval
a. 0 courses			
Senior High School	97	0	0 - 0
Middle School	114	2	0 - 4
Junior/Senior High School Combined	38	2	0 - 6
Overall	249	1	0 - 2
b. 1 course			
Senior High School	97	5	1 - 9
Middle School	114	8	4 - 12
Junior/Senior High School Combined	38	6	0 - 13
Overall	249	6	4 - 9
c. 2-3 courses			
Senior High School	97	57	47 - 66
Middle School	114	72	66 - 78
Junior/Senior High School Combined	38	20	9 - 31
Overall	249	58	53 - 63
d. 4-5 courses			
Senior High School	97	32	23 - 41
Middle School	114	11	6 - 16
Junior/Senior High School Combined	38	64	49 - 78
Overall	249	27	22 - 32
e. 6-7 courses			
Senior High School	97	5	1 - 9
Middle School	114	3	2 - 5
Junior/Senior High School Combined	38	8	0 - 16
Overall	249	5	3 - 7
f. 8 or more courses			
Senior High School	97	1	0 - 2
Middle School	114	4	1 - 7
Junior/Senior High School Combined	38	0	0 - 0
Overall	249	2	1 - 4

*Among those schools that require physical education for students in any of grades 6 through 12.
N=Unweighted number of observations

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

11N. Percentage of schools that require students to take two or more physical education courses.* **

	N	Percent	95% Confidence Interval
Senior High School	97	95	91 - 99
Middle School	114	90	86 - 95
Junior/Senior High School Combined	38	92	85 - 100
Overall	249	92	90 - 95

*Among those schools that require physical education for students in any of grades 6 through 12.

**Response to question 11 is c, d, e, or f.

N=Unweighted number of observations

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

12. Percentage of schools that taught a required physical education course in each of the following grades.*

	N	Percent	95% Confidence Interval
a. Sixth grade			
Senior High School	NA	NA	NA
Middle School	87	99	98 - 100
Junior/Senior High School Combined	24	92	83 - 100
Overall	113	98	95 - 100
b. Seventh grade			
Senior High School	NA	NA	NA
Middle School	109	100	100 - 100
Junior/Senior High School Combined	35	94	88 - 100
Overall	146	99	97 - 100
c. Eighth grade			
Senior High School	NA	NA	NA
Middle School	107	99	98 - 100
Junior/Senior High School Combined	37	91	82 - 100
Overall	146	97	95 - 100
d. Ninth grade			
Senior High School	86	88	83 - 93
Middle School	15	60	39 - 81
Junior/Senior High School Combined	37	98	94 - 100
Overall	138	87	83 - 92
e. Tenth grade			
Senior High School	94	81	75 - 87
Middle School	NA	NA	NA
Junior/Senior High School Combined	37	84	74 - 95
Overall	131	82	77 - 87
f. Eleventh grade			
Senior High School	89	58	49 - 67
Middle School	NA	NA	NA
Junior/Senior High School Combined	30	34	19 - 49
Overall	119	52	45 - 60
g. Twelfth grade			
Senior High School	88	51	42 - 60
Middle School	NA	NA	NA
Junior/Senior High School Combined	30	31	16 - 45
Overall	118	46	39 - 54

*Among those schools that require physical education for students and students take one or more required physical education courses in any of grades 6 through 12.

N=Unweighted number of observations

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

13. Percentage of schools in which students can be exempted from taking a required physical education course for one grading period or longer for any of the following reasons.*

	N	Percent	95% Confidence Interval
a. Enrollment in other courses			
Senior High School	95	42	33 - 50
Middle School	109	31	24 - 39
Junior/Senior High School Combined	36	24	15 - 33
Overall	240	34	29 - 39
b. Participation in school sports			
Senior High School	97	56	47 - 66
Middle School	107	11	6 - 16
Junior/Senior High School Combined	36	55	41 - 68
Overall	240	36	30 - 41
c. Participation in other school activities			
Senior High School	95	32	24 - 39
Middle School	107	16	11 - 22
Junior/Senior High School Combined	36	6	0 - 13
Overall	238	21	17 - 25
d. Participation in community sports			
Senior High School	97	22	15 - 29
Middle School	107	14	8 - 19
Junior/Senior High School Combined	36	9	1 - 16
Overall	240	16	12 - 20
e. Religious reasons			
Senior High School	95	59	51 - 67
Middle School	109	67	60 - 75
Junior/Senior High School Combined	35	50	38 - 61
Overall	239	61	56 - 66
f. Long-term physical or medical disability			
Senior High School	95	91	87 - 96
Middle School	110	90	85 - 94
Junior/Senior High School Combined	36	85	75 - 96
Overall	241	90	87 - 93
g. Cognitive disability			
Senior High School	94	41	32 - 51
Middle School	107	32	25 - 39
Junior/Senior High School Combined	36	38	23 - 53
Overall	237	37	31 - 42

*Among those schools that require physical education for students and students take one or more required physical education courses in any of grades 6 through 12.

N=Unweighted number of observations

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

13. Percentage of schools in which students can be exempted from taking a required physical education course for one grading period or longer for any of the following reasons.*

	N	Percent	95% Confidence Interval
h. High physical fitness competency test score			
Senior High School	95	2	0 - 5
Middle School	107	0	0 - 0
Junior/Senior High School Combined	36	8	0 - 15
Overall	238	2	1 - 3
i. Participation in vocational training			
Senior High School	95	8	3 - 13
Middle School	107	2	0 - 4
Junior/Senior High School Combined	36	2	0 - 6
Overall	238	4	2 - 6
j. Participation in community service activities			
Senior High School	95	1	0 - 3
Middle School	107	1	0 - 2
Junior/Senior High School Combined	36	0	0 - 0
Overall	238	1	0 - 2

*Among those schools that require physical education for students and students take one or more required physical education courses in any of grades 6 through 12.
N=Unweighted number of observations

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

13N. Percentage of schools in which students cannot be exempted from taking a required physical education course for one grading period or longer for an unacceptable reason.*

	N	Percent	95% Confidence Interval
Senior High School	95	21	14 - 29
Middle School	106	52	45 - 59
Junior/Senior High School Combined	36	31	20 - 43
Overall	237	37	32 - 42

*Responses to questions 13 a, b, c, d, h, i, and j all are "no."
N=Unweighted number of observations

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

14. Percentage of schools that require students who fail a required physical education course to repeat it.*

	N	Percent	95% Confidence Interval
Senior High School	97	93	89 - 97
Middle School	111	10	6 - 15
Junior/Senior High School Combined	35	100	100 - 100
Overall	243	56	53 - 59

*Among those schools that require physical education for students and students take one or more required physical education courses in any of grades 6 through 12.
N=Unweighted number of observations

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

15. Percentage of schools that require newly hired staff who teach physical education to be certified, licensed, or endorsed by the state in physical education.

	N	Percent	95% Confidence Interval
a. Yes			
Senior High School	106	91	86 - 95
Middle School	118	83	78 - 88
Junior/Senior High School Combined	43	90	82 - 97
Overall	267	87	84 - 90
b. No			
Senior High School	106	6	3 - 9
Middle School	118	16	11 - 21
Junior/Senior High School Combined	43	4	0 - 8
Overall	267	10	7 - 13
c. Not Applicable			
Senior High School	106	4	1 - 7
Middle School	118	1	0 - 2
Junior/Senior High School Combined	43	6	0 - 12
Overall	267	3	1 - 4

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

16. Percentage of schools that offer students opportunities to participate in intramural activities or physical activity clubs.

	N	Percent	95% Confidence Interval
Senior High School	106	60	52 - 68
Middle School	117	79	73 - 85
Junior/Senior High School Combined	44	40	26 - 53
Overall	267	65	60 - 70

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

17. Percentage of schools that provide transportation home for students who participate in after-school intramural activities or physical activity clubs.*

	N	Percent	95% Confidence Interval
Senior High School	62	42	32 - 52
Middle School	92	56	48 - 64
Junior/Senior High School Combined	16	26	8 - 44
Overall	170	48	42 - 54

*Among those schools that offer students opportunities to participate in intramural activities or physical activity clubs.
N=Unweighted number of observations

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

18. Percentage of schools in which, outside of school hours or when school is not in session, children or adolescents use the school's physical activity or athletic facilities for community-sponsored sports teams, classes, or lessons.

	N	Percent	95% Confidence Interval
Senior High School	106	86	81 - 91
Middle School	118	99	97 - 100
Junior/Senior High School Combined	41	78	67 - 90
Overall	265	91	88 - 93

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

19. Percentage of schools that support or promote walking or biking to and from school (e.g., through promotional activities, designating safe routes or preferred routes, or having storage facilities for bicycles and helmets).

	N	Percent	95% Confidence Interval
Senior High School	105	41	34 - 49
Middle School	118	63	56 - 70
Junior/Senior High School Combined	41	38	25 - 51
Overall	264	51	46 - 56

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

20. Percentage of schools that have adopted a policy prohibiting tobacco use.

	N	Percent	95% Confidence Interval
Senior High School	106	100	100 - 100
Middle School	118	100	100 - 100
Junior/Senior High School Combined	44	94	88 - 100
Overall	268	99	98 - 100

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

21 (Students). Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.*

	N	Percent	95% Confidence Interval
a. Cigarettes			
Senior High School	106	100	100 - 100
Middle School	118	99	98 - 100
Junior/Senior High School Combined	41	97	91 - 100
Overall	265	99	98 - 100
b. Smokeless tobacco			
Senior High School	105	100	100 - 100
Middle School	118	99	97 - 100
Junior/Senior High School Combined	41	97	91 - 100
Overall	264	99	98 - 100
c. Cigars			
Senior High School	104	99	98 - 100
Middle School	118	98	96 - 100
Junior/Senior High School Combined	40	97	91 - 100
Overall	262	98	97 - 100
d. Pipes			
Senior High School	104	99	98 - 100
Middle School	118	98	96 - 100
Junior/Senior High School Combined	40	97	91 - 100
Overall	262	98	97 - 100

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

21 (Faculty/Staff). Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.*

	N	Percent	95% Confidence Interval
a. Cigarettes			
Senior High School	106	100	100 - 100
Middle School	117	99	98 - 100
Junior/Senior High School Combined	41	93	86 - 100
Overall	264	99	97 - 100
b. Smokeless tobacco			
Senior High School	104	99	98 - 100
Middle School	117	99	97 - 100
Junior/Senior High School Combined	41	95	88 - 100
Overall	262	98	97 - 100
c. Cigars			
Senior High School	103	100	100 - 100
Middle School	117	98	96 - 100
Junior/Senior High School Combined	40	97	91 - 100
Overall	260	98	97 - 100
d. Pipes			
Senior High School	103	100	100 - 100
Middle School	117	98	96 - 100
Junior/Senior High School Combined	40	97	91 - 100
Overall	260	98	97 - 100

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

21 (Visitors). Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.*

	N	Percent	95% Confidence Interval
a. Cigarettes			
Senior High School	106	99	97 - 100
Middle School	116	99	98 - 100
Junior/Senior High School Combined	41	97	91 - 100
Overall	263	99	98 - 100
b. Smokeless tobacco			
Senior High School	104	96	93 - 99
Middle School	116	98	97 - 100
Junior/Senior High School Combined	41	93	86 - 100
Overall	261	97	95 - 99
c. Cigars			
Senior High School	103	99	97 - 100
Middle School	115	98	96 - 100
Junior/Senior High School Combined	41	97	91 - 100
Overall	259	98	97 - 99
d. Pipes			
Senior High School	102	100	100 - 100
Middle School	115	98	96 - 100
Junior/Senior High School Combined	41	97	91 - 100
Overall	258	98	97 - 100

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

22 (Students). Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.*

	N	Percent	95% Confidence Interval
a. During school hours			
Senior High School	106	100	100 - 100
Middle School	117	99	98 - 100
Junior/Senior High School Combined	41	100	100 - 100
Overall	264	100	99 - 100
b. During non-school hours			
Senior High School	104	89	84 - 94
Middle School	117	91	86 - 95
Junior/Senior High School Combined	41	83	73 - 93
Overall	262	89	86 - 92

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

22 (Faculty/Staff). Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.*

	N	Percent	95% Confidence Interval
a. During school hours			
Senior High School	106	100	100 - 100
Middle School	115	99	97 - 100
Junior/Senior High School Combined	40	97	91 - 100
Overall	261	99	98 - 100
b. During non-school hours			
Senior High School	104	82	76 - 88
Middle School	115	86	81 - 92
Junior/Senior High School Combined	39	72	61 - 84
Overall	258	83	79 - 86

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

22 (Visitors). Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.*

	N	Percent	95% Confidence Interval
a. During school hours			
Senior High School	105	99	97 - 100
Middle School	114	99	97 - 100
Junior/Senior High School Combined	40	97	93 - 100
Overall	259	99	97 - 100
b. During non-school hours			
Senior High School	104	80	73 - 87
Middle School	114	86	81 - 92
Junior/Senior High School Combined	39	70	57 - 82
Overall	257	81	77 - 85

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

23 (Students). Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.*

	N	Percent	95% Confidence Interval
a. In school buildings			
Senior High School	106	100	100 - 100
Middle School	118	99	98 - 100
Junior/Senior High School Combined	40	100	100 - 100
Overall	264	100	99 - 100
b. Outside on school grounds, including parking lots and playing fields			
Senior High School	106	100	100 - 100
Middle School	117	98	96 - 100
Junior/Senior High School Combined	40	100	100 - 100
Overall	263	99	98 - 100
c. On school buses or other vehicles used to transport students			
Senior High School	106	100	100 - 100
Middle School	117	98	96 - 100
Junior/Senior High School Combined	40	100	100 - 100
Overall	263	99	98 - 100
d. At off-campus, school-sponsored events			
Senior High School	106	99	97 - 100
Middle School	116	94	91 - 98
Junior/Senior High School Combined	40	98	94 - 100
Overall	262	97	95 - 99

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

23 (Faculty/Staff). Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.*

	N	Percent	95% Confidence Interval
a. In school buildings			
Senior High School	106	100	100 - 100
Middle School	117	99	98 - 100
Junior/Senior High School Combined	40	100	100 - 100
Overall	263	100	99 - 100
b. Outside on school grounds, including parking lots and playing fields			
Senior High School	106	100	100 - 100
Middle School	117	97	95 - 100
Junior/Senior High School Combined	40	100	100 - 100
Overall	263	99	98 - 100
c. On school buses or other vehicles used to transport students			
Senior High School	106	100	100 - 100
Middle School	117	98	96 - 100
Junior/Senior High School Combined	40	100	100 - 100
Overall	263	99	98 - 100
d. At off-campus, school-sponsored events			
Senior High School	106	95	91 - 99
Middle School	115	91	86 - 96
Junior/Senior High School Combined	40	95	89 - 100
Overall	261	93	90 - 96

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

23 (Visitors). Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.*

	N	Percent	95% Confidence Interval
a. In school buildings			
Senior High School	105	100	100 - 100
Middle School	116	99	98 - 100
Junior/Senior High School Combined	40	100	100 - 100
Overall	261	100	99 - 100
b. Outside on school grounds, including parking lots and playing fields			
Senior High School	105	99	97 - 100
Middle School	116	97	95 - 100
Junior/Senior High School Combined	40	95	90 - 100
Overall	261	98	96 - 99
c. On school buses or other vehicles used to transport students			
Senior High School	105	98	96 - 100
Middle School	116	98	96 - 100
Junior/Senior High School Combined	40	100	100 - 100
Overall	261	98	97 - 100
d. At off-campus, school-sponsored events			
Senior High School	105	82	75 - 88
Middle School	114	81	75 - 87
Junior/Senior High School Combined	39	86	80 - 93
Overall	258	82	78 - 86

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

23N. Percentage of schools that have an "ideal" tobacco-use prevention policy, which means that the school has a tobacco-use prevention policy that specifically prohibits cigarettes, smokeless tobacco, cigars, and pipes by students, faculty/staff, and visitors; during school hours and during non-school hours; in school buildings, outside on school grounds, on school buses or other vehicles used to transport students, and at off-campus, school-sponsored events.*

	N	Percent	95% Confidence Interval
Senior High School	100	68	60 - 76
Middle School	110	69	62 - 77
Junior/Senior High School Combined	37	56	41 - 71
Overall	247	67	62 - 72

*Responses to question 21 (a, b, c, and d), question 22 (a and b), and question 23 (a, b, c, and d) are all "yes."
N=Unweighted number of observations

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

24. Percentage of schools that have procedures to inform each of the following groups about the tobacco-use prevention policy that prohibits their use of tobacco.*

	N	Percent	95% Confidence Interval
a. Students			
Senior High School	106	100	100 - 100
Middle School	118	98	96 - 100
Junior/Senior High School Combined	41	100	100 - 100
Overall	265	99	98 - 100
b. Faculty and staff			
Senior High School	106	96	93 - 99
Middle School	117	98	95 - 100
Junior/Senior High School Combined	41	89	80 - 98
Overall	264	96	93 - 98
c. Visitors			
Senior High School	105	87	82 - 93
Middle School	117	93	89 - 97
Junior/Senior High School Combined	40	87	79 - 96
Overall	262	90	87 - 93

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

25. Percentage of schools that have procedures to inform students' families about rules related to tobacco use by students.*

	N	Percent	95% Confidence Interval
a. Yes			
Senior High School	106	100	100 - 100
Middle School	115	97	95 - 100
Junior/Senior High School Combined	41	100	100 - 100
Overall	262	99	98 - 100
b. No			
Senior High School	106	0	0 - 0
Middle School	115	3	0 - 5
Junior/Senior High School Combined	41	0	0 - 0
Overall	262	1	0 - 2

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

26 (Never). Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.*

	N	Percent	95% Confidence Interval
a. Parents or guardians are informed			
Senior High School	106	1	0 - 3
Middle School	113	1	0 - 2
Junior/Senior High School Combined	39	0	0 - 0
Overall	258	1	0 - 2
b. Referred to a school counselor			
Senior High School	106	6	2 - 10
Middle School	110	2	0 - 4
Junior/Senior High School Combined	39	2	0 - 5
Overall	255	4	2 - 5
c. Referred to a school administrator			
Senior High School	106	0	0 - 0
Middle School	114	1	0 - 2
Junior/Senior High School Combined	40	0	0 - 0
Overall	260	0	0 - 1
d. Encouraged, but not required, to participate in an assistance, education, or cessation program			
Senior High School	105	8	4 - 12
Middle School	109	12	7 - 17
Junior/Senior High School Combined	39	11	5 - 18
Overall	253	10	7 - 13
e. Required to participate in an assistance, education, or cessation program			
Senior High School	105	22	15 - 29
Middle School	109	21	14 - 28
Junior/Senior High School Combined	39	28	16 - 41
Overall	253	23	18 - 27
f. Referred to legal authorities			
Senior High School	105	24	17 - 31
Middle School	113	22	15 - 29
Junior/Senior High School Combined	39	30	17 - 42
Overall	257	24	19 - 28
g. Placed in detention			
Senior High School	101	27	20 - 34
Middle School	110	26	19 - 33
Junior/Senior High School Combined	38	28	17 - 39
Overall	249	27	22 - 31

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

26 (Never). Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.*

	N	Percent	95% Confidence Interval
h. Not allowed to participate in extra-curricular activities or interscholastic sports			
Senior High School	104	11	6 - 16
Middle School	107	5	2 - 9
Junior/Senior High School Combined	36	8	1 - 16
Overall	247	8	5 - 11
i. Given in-school suspension			
Senior High School	104	27	20 - 34
Middle School	110	21	15 - 27
Junior/Senior High School Combined	38	27	13 - 40
Overall	252	24	20 - 29
j. Suspended from school			
Senior High School	105	4	1 - 8
Middle School	109	4	1 - 6
Junior/Senior High School Combined	39	9	1 - 17
Overall	253	5	3 - 7
k. Expelled from school			
Senior High School	104	59	51 - 66
Middle School	110	55	47 - 63
Junior/Senior High School Combined	40	44	33 - 55
Overall	254	55	50 - 60
l. Reassigned to an alternative school			
Senior High School	102	69	62 - 75
Middle School	110	74	67 - 82
Junior/Senior High School Combined	38	76	65 - 87
Overall	250	72	68 - 77

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

26 (Rarely). Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.*

	N	Percent	95% Confidence Interval
a. Parents or guardians are informed			
Senior High School	106	1	0 - 3
Middle School	113	0	0 - 0
Junior/Senior High School Combined	39	0	0 - 0
Overall	258	0	0 - 1
b. Referred to a school counselor			
Senior High School	106	11	6 - 16
Middle School	110	8	4 - 12
Junior/Senior High School Combined	39	15	5 - 25
Overall	255	10	7 - 13
c. Referred to a school administrator			
Senior High School	106	0	0 - 0
Middle School	114	0	0 - 0
Junior/Senior High School Combined	40	0	0 - 0
Overall	260	0	0 - 0
d. Encouraged, but not required, to participate in an assistance, education, or cessation program			
Senior High School	105	9	4 - 14
Middle School	109	16	10 - 23
Junior/Senior High School Combined	39	14	4 - 23
Overall	253	13	9 - 17
e. Required to participate in an assistance, education, or cessation program			
Senior High School	105	17	11 - 23
Middle School	109	20	13 - 27
Junior/Senior High School Combined	39	20	10 - 30
Overall	253	19	14 - 23
f. Referred to legal authorities			
Senior High School	105	25	18 - 33
Middle School	113	28	21 - 36
Junior/Senior High School Combined	39	28	15 - 40
Overall	257	27	22 - 32
g. Placed in detention			
Senior High School	101	15	10 - 21
Middle School	110	13	7 - 18
Junior/Senior High School Combined	38	11	3 - 19
Overall	249	13	10 - 17

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

26 (Rarely). Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.*

	N	Percent	95% Confidence Interval
h. Not allowed to participate in extra-curricular activities or interscholastic sports			
Senior High School	104	7	3 - 11
Middle School	107	5	2 - 9
Junior/Senior High School Combined	36	5	0 - 11
Overall	247	6	3 - 8
i. Given in-school suspension			
Senior High School	104	15	9 - 21
Middle School	110	12	7 - 17
Junior/Senior High School Combined	38	18	7 - 29
Overall	252	14	10 - 18
j. Suspended from school			
Senior High School	105	14	8 - 20
Middle School	109	5	2 - 8
Junior/Senior High School Combined	39	5	0 - 10
Overall	253	8	5 - 11
k. Expelled from school			
Senior High School	104	29	22 - 36
Middle School	110	37	30 - 45
Junior/Senior High School Combined	40	37	25 - 48
Overall	254	34	29 - 39
l. Reassigned to an alternative school			
Senior High School	102	23	17 - 29
Middle School	110	21	14 - 28
Junior/Senior High School Combined	38	16	6 - 26
Overall	250	21	17 - 25

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

26 (Sometimes). Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.*

	N	Percent	95% Confidence Interval
a. Parents or guardians are informed			
Senior High School	106	13	7 - 18
Middle School	113	0	0 - 0
Junior/Senior High School Combined	39	8	0 - 16
Overall	258	6	4 - 9
b. Referred to a school counselor			
Senior High School	106	47	39 - 55
Middle School	110	42	34 - 50
Junior/Senior High School Combined	39	37	25 - 50
Overall	255	43	38 - 49
c. Referred to a school administrator			
Senior High School	106	11	6 - 16
Middle School	114	2	0 - 4
Junior/Senior High School Combined	40	5	0 - 11
Overall	260	6	4 - 8
d. Encouraged, but not required, to participate in an assistance, education, or cessation program			
Senior High School	105	37	29 - 44
Middle School	109	34	26 - 41
Junior/Senior High School Combined	39	34	20 - 47
Overall	253	35	30 - 40
e. Required to participate in an assistance, education, or cessation program			
Senior High School	105	36	28 - 44
Middle School	109	32	25 - 40
Junior/Senior High School Combined	39	36	23 - 49
Overall	253	34	30 - 39
f. Referred to legal authorities			
Senior High School	105	38	30 - 46
Middle School	113	30	22 - 37
Junior/Senior High School Combined	39	26	15 - 36
Overall	257	32	27 - 37
g. Placed in detention			
Senior High School	101	40	32 - 49
Middle School	110	27	21 - 34
Junior/Senior High School Combined	38	31	18 - 43
Overall	249	33	28 - 38

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

26 (Sometimes). Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.*

	N	Percent	95% Confidence Interval
h. Not allowed to participate in extra-curricular activities or interscholastic sports			
Senior High School	104	24	17 - 32
Middle School	107	34	26 - 42
Junior/Senior High School Combined	36	16	6 - 26
Overall	247	27	23 - 32
i. Given in-school suspension			
Senior High School	104	49	40 - 58
Middle School	110	48	41 - 55
Junior/Senior High School Combined	38	49	34 - 64
Overall	252	49	43 - 54
j. Suspended from school			
Senior High School	105	51	43 - 59
Middle School	109	44	37 - 52
Junior/Senior High School Combined	39	34	21 - 47
Overall	253	45	40 - 50
k. Expelled from school			
Senior High School	104	12	6 - 17
Middle School	110	7	4 - 10
Junior/Senior High School Combined	40	15	6 - 24
Overall	254	10	7 - 13
l. Reassigned to an alternative school			
Senior High School	102	8	4 - 12
Middle School	110	4	2 - 7
Junior/Senior High School Combined	38	8	0 - 16
Overall	250	7	4 - 9

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

26 (Always). Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.*

	N	Percent	95% Confidence Interval
a. Parents or guardians are informed			
Senior High School	106	85	80 - 90
Middle School	113	99	98 - 100
Junior/Senior High School Combined	39	92	84 - 100
Overall	258	92	90 - 95
b. Referred to a school counselor			
Senior High School	106	36	28 - 44
Middle School	110	49	41 - 56
Junior/Senior High School Combined	39	45	32 - 58
Overall	255	43	38 - 48
c. Referred to a school administrator			
Senior High School	106	89	84 - 94
Middle School	114	97	95 - 100
Junior/Senior High School Combined	40	95	89 - 100
Overall	260	94	91 - 96
d. Encouraged, but not required, to participate in an assistance, education, or cessation program			
Senior High School	105	47	39 - 55
Middle School	109	38	30 - 46
Junior/Senior High School Combined	39	41	28 - 55
Overall	253	42	37 - 47
e. Required to participate in an assistance, education, or cessation program			
Senior High School	105	25	18 - 32
Middle School	109	27	20 - 34
Junior/Senior High School Combined	39	16	6 - 26
Overall	253	24	20 - 29
f. Referred to legal authorities			
Senior High School	105	13	7 - 18
Middle School	113	20	14 - 27
Junior/Senior High School Combined	39	17	6 - 28
Overall	257	17	13 - 21
g. Placed in detention			
Senior High School	101	17	11 - 23
Middle School	110	34	26 - 41
Junior/Senior High School Combined	38	30	19 - 42
Overall	249	27	22 - 31

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

26 (Always). Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.*

	N	Percent	95% Confidence Interval
h. Not allowed to participate in extra-curricular activities or interscholastic sports			
Senior High School	104	58	49 - 67
Middle School	107	55	47 - 63
Junior/Senior High School Combined	36	71	58 - 83
Overall	247	59	53 - 64
i. Given in-school suspension			
Senior High School	104	8	4 - 13
Middle School	110	19	13 - 25
Junior/Senior High School Combined	38	6	0 - 12
Overall	252	13	9 - 16
j. Suspended from school			
Senior High School	105	31	23 - 39
Middle School	109	47	40 - 55
Junior/Senior High School Combined	39	52	37 - 67
Overall	253	41	36 - 47
k. Expelled from school			
Senior High School	104	0	0 - 0
Middle School	110	1	0 - 2
Junior/Senior High School Combined	40	5	0 - 10
Overall	254	1	0 - 2
l. Reassigned to an alternative school			
Senior High School	102	0	0 - 0
Middle School	110	0	0 - 0
Junior/Senior High School Combined	38	0	0 - 0
Overall	250	0	0 - 0

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

27. Percentage of schools that provide referrals to tobacco cessation programs for each of the following groups.

	N	Percent	95% Confidence Interval
a. Faculty and staff			
Senior High School	106	36	28 - 43
Middle School	114	29	23 - 36
Junior/Senior High School Combined	43	11	3 - 20
Overall	263	29	25 - 33
b. Students			
Senior High School	106	82	75 - 89
Middle School	114	70	63 - 78
Junior/Senior High School Combined	44	67	56 - 78
Overall	264	74	70 - 79

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

28. Percentage of schools that prohibit tobacco advertising in each of the following locations.

	N	Percent	95% Confidence Interval
a. In the school building			
Senior High School	106	98	96 - 100
Middle School	116	98	96 - 100
Junior/Senior High School Combined	44	100	100 - 100
Overall	266	98	97 - 100
b. On school grounds including on the outside of the building, on playing fields, or other areas of the campus			
Senior High School	106	97	95 - 100
Middle School	116	97	95 - 100
Junior/Senior High School Combined	44	100	100 - 100
Overall	266	98	96 - 99
c. On school buses or other vehicles used to transport students			
Senior High School	106	96	92 - 99
Middle School	116	96	93 - 99
Junior/Senior High School Combined	44	98	94 - 100
Overall	266	96	94 - 98
d. In school publications			
Senior High School	106	94	91 - 98
Middle School	116	96	93 - 99
Junior/Senior High School Combined	44	96	92 - 100
Overall	266	95	93 - 98

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

29. Percentage of schools that prohibit tobacco advertising through sponsorship of school events.

	N	Percent	95% Confidence Interval
Senior High School	106	95	91 - 99
Middle School	117	92	88 - 96
Junior/Senior High School Combined	44	97	93 - 100
Overall	267	94	92 - 96

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

30. Percentage of schools that prohibit students from wearing tobacco brand-name apparel or carrying merchandise with tobacco company names, logos, or cartoon characters on it.

	N	Percent	95% Confidence Interval
Senior High School	106	91	87 - 96
Middle School	117	97	94 - 100
Junior/Senior High School Combined	44	93	87 - 100
Overall	267	94	92 - 97

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

30N. Percentage of schools that prohibit tobacco advertising in all locations and through sponsorship of school events, and on student apparel or merchandise.*

	N	Percent	95% Confidence Interval
Senior High School	106	84	78 - 90
Middle School	116	85	79 - 91
Junior/Senior High School Combined	44	87	79 - 95
Overall	266	85	81 - 89

*Responses to question 28 (a, b, c, and d), question 29, and question 30 are all "yes."
N=Unweighted number of observations

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

31. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.

	N	Percent	95% Confidence Interval
Senior High School	106	89	83 - 94
Middle School	117	87	83 - 92
Junior/Senior High School Combined	44	90	83 - 98
Overall	267	88	85 - 92

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

32N. Percentage of schools that usually give students the following amount of time to eat lunch once they are seated.*

	N	Percent	95% Confidence Interval
a. Less than 20 minutes			
Senior High School	100	6	2 - 9
Middle School	117	21	15 - 27
Junior/Senior High School Combined	41	9	1 - 16
Overall	258	13	10 - 17
b. 20 minutes or more			
Senior High School	100	94	91 - 98
Middle School	117	79	73 - 85
Junior/Senior High School Combined	41	91	84 - 99
Overall	258	87	83 - 90

*Among schools that serve lunch to students.
N=Unweighted number of observations

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

33. Percentage of schools that have adopted a policy stating that, if food is served at student parties, after-school or extended day programs, or concession stands, fruits and vegetables will be among the foods offered.

	N	Percent	95% Confidence Interval
Senior High School	105	30	22 - 38
Middle School	115	24	18 - 31
Junior/Senior High School Combined	43	31	20 - 43
Overall	263	28	23 - 32

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

34. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

	N	Percent	95% Confidence Interval
Senior High School	106	91	86 - 96
Middle School	116	90	86 - 95
Junior/Senior High School Combined	44	75	64 - 87
Overall	266	88	85 - 91

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

35. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.*

	N	Percent	95% Confidence Interval
a. Chocolate candy			
Senior High School	96	59	52 - 67
Middle School	104	26	19 - 33
Junior/Senior High School Combined	33	62	50 - 73
Overall	233	45	40 - 50
b. Other kinds of candy			
Senior High School	96	69	62 - 77
Middle School	104	33	25 - 42
Junior/Senior High School Combined	33	68	55 - 80
Overall	233	53	48 - 58
c. Salty snacks that are not low in fat, such as regular potato chips			
Senior High School	97	58	51 - 65
Middle School	104	33	25 - 41
Junior/Senior High School Combined	33	45	33 - 57
Overall	234	45	40 - 50
d. Salty snacks that are low in fat, such as pretzels, baked chips, or other low fat chips			
Senior High School	97	90	84 - 95
Middle School	104	59	51 - 67
Junior/Senior High School Combined	33	59	47 - 70
Overall	234	71	67 - 76
e. Fruits or vegetables, not juice			
Senior High School	97	49	41 - 58
Middle School	104	31	23 - 39
Junior/Senior High School Combined	31	30	16 - 43
Overall	232	39	33 - 44
f. Low-fat cookies, crackers, cakes, pastries, or other low-fat baked goods			
Senior High School	95	83	77 - 89
Middle School	103	53	45 - 61
Junior/Senior High School Combined	33	57	42 - 71
Overall	231	66	61 - 71

*Among those schools where students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

N=Unweighted number of observations

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

35. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.*

	N	Percent	95% Confidence Interval
g. Soda pop or fruit drinks that are not 100% juice			
Senior High School	96	70	63 - 77
Middle School	103	55	47 - 63
Junior/Senior High School Combined	31	89	80 - 99
Overall	230	66	61 - 71
h. Sports drinks			
Senior High School	97	93	88 - 97
Middle School	104	80	74 - 86
Junior/Senior High School Combined	33	80	68 - 92
Overall	234	85	81 - 89
i. 100% fruit juice or vegetable juice			
Senior High School	96	91	86 - 96
Middle School	104	80	75 - 86
Junior/Senior High School Combined	32	72	58 - 87
Overall	232	84	80 - 88
j. Bottled water			
Senior High School	96	99	97 - 100
Middle School	104	95	91 - 98
Junior/Senior High School Combined	33	96	89 - 100
Overall	233	97	95 - 99
k. 1% or skim milk			
Senior High School	96	58	49 - 67
Middle School	104	34	26 - 42
Junior/Senior High School Combined	33	13	4 - 23
Overall	233	41	36 - 46
l. 2% or whole milk (plain or flavored)			
Senior High School	96	57	48 - 67
Middle School	103	45	37 - 53
Junior/Senior High School Combined	33	20	9 - 31
Overall	232	47	41 - 52

*Among those schools where students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

N=Unweighted number of observations

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

36. Percentage of schools in which students can purchase candy; snacks that are not low in fat; soda pop, sports drinks, or fruit drinks that are not 100% fruit juice; or 2% or whole milk during the following times.*

	N	Percent	95% Confidence Interval
a. Before classes begin in the morning			
Senior High School	97	60	52 - 68
Middle School	104	33	25 - 40
Junior/Senior High School Combined	33	71	56 - 85
Overall	234	49	44 - 54
b. During any school hours when meals are not being served			
Senior High School	97	47	39 - 54
Middle School	104	24	17 - 31
Junior/Senior High School Combined	33	55	41 - 68
Overall	234	38	33 - 42
c. During school lunch periods			
Senior High School	97	51	41 - 60
Middle School	104	43	35 - 51
Junior/Senior High School Combined	33	69	56 - 82
Overall	234	50	44 - 55

*Among those schools where students can purchase snack foods or beverages from vending machines at the school or at the school store, canteen, or snack bar.
N=Unweighted number of observations

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

37. Percentage of schools that have used the School Health Index from the Centers for Disease Control and Prevention to assess health and safety policies and programs.

	N	Percent	95% Confidence Interval
Senior High School	99	21	14 - 28
Middle School	110	19	12 - 25
Junior/Senior High School Combined	43	8	0 - 15
Overall	252	18	13 - 22

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

38. Percentage of schools that have implemented each of the following safety and security measures.

	N	Percent	95% Confidence Interval
a. Require visitors to report to the main office or reception area upon arrival			
Senior High School	105	100	100 - 100
Middle School	116	100	100 - 100
Junior/Senior High School Combined	44	98	95 - 100
Overall	265	100	99 - 100
b. Maintain a "closed campus" where students are not allowed to leave school during the school day, including during lunchtime			
Senior High School	105	49	40 - 58
Middle School	116	99	98 - 100
Junior/Senior High School Combined	44	54	42 - 65
Overall	265	72	68 - 76
c. Use staff or adult volunteers to monitor school halls during and between classes			
Senior High School	105	86	80 - 92
Middle School	116	92	88 - 96
Junior/Senior High School Combined	44	80	71 - 89
Overall	265	88	85 - 91
d. Routinely conduct locker searches			
Senior High School	104	25	19 - 32
Middle School	113	26	19 - 32
Junior/Senior High School Combined	43	31	18 - 44
Overall	260	27	22 - 31
e. Require students to wear school uniforms			
Senior High School	104	1	0 - 2
Middle School	116	5	2 - 9
Junior/Senior High School Combined	44	5	0 - 11
Overall	264	4	2 - 5
f. Require students to wear identification badges			
Senior High School	105	5	1 - 8
Middle School	116	3	0 - 5
Junior/Senior High School Combined	44	2	0 - 6
Overall	265	3	2 - 5

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

38. Percentage of schools that have implemented each of the following safety and security measures.

	N	Percent	95% Confidence Interval
g. Use metal detectors, including wands			
Senior High School	105	4	1 - 7
Middle School	116	3	0 - 5
Junior/Senior High School Combined	44	3	0 - 7
Overall	265	3	1 - 5
h. Use security or surveillance cameras, either inside or outside of the building			
Senior High School	105	61	53 - 69
Middle School	116	31	24 - 37
Junior/Senior High School Combined	44	39	27 - 51
Overall	265	44	39 - 49
i. Use police, school resource officers, or security guards during the regular school day			
Senior High School	105	63	57 - 70
Middle School	116	54	47 - 61
Junior/Senior High School Combined	43	23	12 - 34
Overall	264	53	48 - 57

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

39. Percentage of schools that have or participate in each of the following programs.

	N	Percent	95% Confidence Interval
a. A peer mediation program			
Senior High School	104	33	26 - 40
Middle School	116	34	26 - 41
Junior/Senior High School Combined	44	26	15 - 37
Overall	264	32	27 - 37
b. A safe-passages to school program			
Senior High School	102	4	0 - 7
Middle School	115	7	3 - 11
Junior/Senior High School Combined	44	3	0 - 8
Overall	261	5	3 - 7
c. A program to prevent gang violence			
Senior High School	104	27	19 - 34
Middle School	115	20	14 - 27
Junior/Senior High School Combined	44	27	14 - 40
Overall	263	24	19 - 28
d. A program to prevent bullying			
Senior High School	104	54	46 - 62
Middle School	116	87	81 - 93
Junior/Senior High School Combined	42	66	55 - 76
Overall	262	71	66 - 75

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

40. Percentage of schools that have a comprehensive plan to address crisis preparedness, response, and recovery in the event of a natural disaster or other emergency or crisis situation.

	N	Percent	95% Confidence Interval
Senior High School	103	100	100 - 100
Middle School	113	99	97 - 100
Junior/Senior High School Combined	43	95	89 - 100
Overall	259	99	97 - 100

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

41. Percentage of schools that have a school nurse who provides standard health services to students.

	N	Percent	95% Confidence Interval
Senior High School	106	94	90 - 98
Middle School	116	91	87 - 96
Junior/Senior High School Combined	44	96	91 - 100
Overall	266	93	90 - 96

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

42. Percentage of schools in which students are permitted to carry and self-administer each of the following medications.

	N	Percent	95% Confidence Interval
a. A prescription quick-relief inhaler			
Senior High School	104	82	77 - 86
Middle School	117	83	77 - 88
Junior/Senior High School Combined	43	79	71 - 88
Overall	264	82	78 - 85
b. An epinephrine auto-injector (e.g., EpiPen®)			
Senior High School	102	54	46 - 62
Middle School	117	45	38 - 52
Junior/Senior High School Combined	43	39	28 - 51
Overall	262	48	43 - 52
c. Insulin or other injected medications			
Senior High School	102	42	34 - 49
Middle School	118	33	26 - 41
Junior/Senior High School Combined	43	34	22 - 46
Overall	263	37	32 - 41
d. Any other prescribed medications			
Senior High School	102	18	11 - 25
Middle School	117	13	7 - 19
Junior/Senior High School Combined	43	19	9 - 29
Overall	262	16	12 - 20
e. Any over-the-counter medications			
Senior High School	103	26	18 - 33
Middle School	117	17	11 - 23
Junior/Senior High School Combined	42	19	8 - 30
Overall	262	21	16 - 25

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

42N. Percentage of schools in which students are permitted to carry and self-administer a prescription quick-relief inhaler, an epinephrine auto-injector, and insulin or other injected medications.*

	N	Percent	95% Confidence Interval
Senior High School	102	38	30 - 46
Middle School	117	23	17 - 30
Junior/Senior High School Combined	43	23	13 - 34
Overall	262	29	24 - 33

*Responses to questions 42a, b, and c all are "yes."
N=Unweighted number of observations

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

43. Percentage of schools that provide each of the following health services to students.

	N	Percent	95% Confidence Interval
a. Identification or school-based management of chronic health conditions, such as asthma or diabetes			
Senior High School	104	86	81 - 92
Middle School	117	85	80 - 90
Junior/Senior High School Combined	43	75	65 - 86
Overall	264	84	80 - 88
b. Identification or school-based management of acute illnesses			
Senior High School	103	84	79 - 90
Middle School	117	75	68 - 82
Junior/Senior High School Combined	43	67	56 - 79
Overall	263	77	73 - 81
c. An Asthma Action Plan (or Individualized Health Plan) for all students with asthma			
Senior High School	103	82	76 - 87
Middle School	117	86	81 - 91
Junior/Senior High School Combined	43	66	55 - 76
Overall	263	81	78 - 85
d. Immunizations			
Senior High School	104	59	50 - 68
Middle School	117	38	31 - 46
Junior/Senior High School Combined	42	50	36 - 63
Overall	263	48	43 - 53
e. Assistance with enrolling in Medicaid or SCHIP (State Children's Health Insurance Program)			
Senior High School	104	83	77 - 89
Middle School	117	77	71 - 83
Junior/Senior High School Combined	43	73	60 - 85
Overall	264	79	75 - 83

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

44. Percentage of schools that have adopted a policy on students and/or staff who have HIV infection or AIDS.

	N	Percent	95% Confidence Interval
Senior High School	104	48	41 - 55
Middle School	111	47	40 - 54
Junior/Senior High School Combined	42	35	23 - 48
Overall	257	45	41 - 50

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

45. Percentage of schools with a policy that addresses each of the following issues for students and/or staff with HIV infection or AIDS.*

	N	Percent	95% Confidence Interval
a. Attendance of students with HIV infection			
Senior High School	47	95	89 - 100
Middle School	50	96	91 - 100
Junior/Senior High School Combined	13	92	78 - 100
Overall	110	95	91 - 99
b. Procedures to protect HIV-infected students and staff from discrimination			
Senior High School	47	97	93 - 100
Middle School	51	100	100 - 100
Junior/Senior High School Combined	13	92	78 - 100
Overall	111	98	95 - 100
c. Maintaining confidentiality of HIV-infected students and staff			
Senior High School	48	97	93 - 100
Middle School	51	100	100 - 100
Junior/Senior High School Combined	13	92	78 - 100
Overall	112	98	96 - 100
d. Worksite safety			
Senior High School	48	97	93 - 100
Middle School	51	100	100 - 100
Junior/Senior High School Combined	13	100	100 - 100
Overall	112	99	97 - 100
e. Confidential counseling for HIV-infected students			
Senior High School	46	82	73 - 92
Middle School	51	70	59 - 82
Junior/Senior High School Combined	13	72	51 - 93
Overall	110	76	69 - 82
f. Communication of the policy to students, school staff, and parents			
Senior High School	46	82	72 - 92
Middle School	49	98	95 - 100
Junior/Senior High School Combined	13	92	78 - 100
Overall	108	90	85 - 95

*Among schools that have adopted a policy on students and/or staff who have HIV infection or AIDS.
N=Unweighted number of observations

**Washington State Education Department
2006 School Health Profiles Report
Weighted Principal Survey Results**

45. Percentage of schools with a policy that addresses each of the following issues for students and/or staff with HIV infection or AIDS.*

	N	Percent	95% Confidence Interval
g. Adequate training about HIV infection for school staff			
Senior High School	48	91	84 - 98
Middle School	51	98	95 - 100
Junior/Senior High School Combined	13	100	100 - 100
Overall	112	95	92 - 99
h. Procedures for implementing the policy			
Senior High School	47	93	87 - 99
Middle School	49	98	95 - 100
Junior/Senior High School Combined	13	100	100 - 100
Overall	109	96	93 - 99

*Among schools that have adopted a policy on students and/or staff who have HIV infection or AIDS.
N=Unweighted number of observations