


Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results


2. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.



NA=Not available

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**


**3. Percentage of schools that have a copy of district's wellness policy.**



NA=Not available

Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results


4. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.



NA=Not available

Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results


5. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.



NA=Not available

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**


**6. Percentage of schools that have the following groups represented on any school health council, committee, or team.\***



\*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.  
NA=Not available

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**


**6. Percentage of schools that have the following groups represented on any school health council, committee, or team.\***



\*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.  
NA=Not available

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**


**6. Percentage of schools that have the following groups represented on any school health council, committee, or team.\***



\*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.  
NA=Not available

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**


**6. Percentage of schools that have the following groups represented on any school health council, committee, or team.\***



\*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.  
NA=Not available

Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results


7. Percentage of schools that require school staff to receive professional development on HIV, STD, or pregnancy prevention issues and resources for the following groups.



NA=Not available

Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results


8. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.



NA=Not available

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**


**9. Percentage of schools that have adopted a policy that addresses each of the following issues for students or staff with HIV infection or AIDS.**



NA=Not available

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**


**9. Percentage of schools that have adopted a policy that addresses each of the following issues for students or staff with HIV infection or AIDS.**



NA=Not available

Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results


10. Percentage of schools that require all staff who teach health education topics to be certified, licensed, or endorsed by the state in health education.



NA=Not available

Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results


11. Percentage of schools that require physical education for students in any of grades 6 through 12.



NA=Not available

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**


**12. Percentage of all schools that taught a required physical education course in each of the following grades.\***



\*Among schools with students in that grade.  
NA=Not available

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**


**12. Percentage of all schools that taught a required physical education course in each of the following grades.\***



\*Among schools with students in that grade.  
NA=Not available

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**


**13. Percentage of schools in which students can be exempted from taking a required physical education course for one grading period or longer for any of the following reasons.\***



\*Among those schools that require physical education for students in any of grades 6 through 12.  
NA=Not available

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**


**13. Percentage of schools in which students can be exempted from taking a required physical education course for one grading period or longer for any of the following reasons.\***



\*Among those schools that require physical education for students in any of grades 6 through 12.  
NA=Not available

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**


**14. Percentage of schools in which all staff who teach physical education are certified, licensed, or endorsed by the state in physical education.**



NA=Not available

Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results


15. Percentage of schools in which physical education teachers or specialists received professional development on physical education during the past two years.



NA=Not available

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**


**16. Percentage of schools that provide those who teach physical education with the following materials.**



NA=Not available

Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results


17. Percentage of schools that offer opportunities for all students to participate in intramural activities or physical activity clubs.



NA=Not available

Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results


18. Percentage of schools that have adopted a policy prohibiting tobacco use.



NA=Not available

Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results


19 (Students). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.



NA=Not available

Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results


19 (Faculty/Staff). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.



NA=Not available

Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results


19 (Visitors). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.



NA=Not available

Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results


20 (Students). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.



NA=Not available

Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results


20 (Faculty/Staff). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.



NA=Not available

Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results


20 (Visitors). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.



NA=Not available

Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results


21 (Students). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.



NA=Not available

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**


**21 (Faculty/Staff). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.**



NA=Not available

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**


**21 (Visitors). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.**



NA=Not available

Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results


**21N. Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits use of cigarettes, smokeless tobacco, cigars, and pipes by students, faculty/staff, and visitors; during school hours and during non-school hours; in school buildings, outside on school grounds, on school buses or other vehicles used to transport students, and at off-campus, school-sponsored events.\***



\*Responses to question 19 (a, b, c, and d), question 20 (a and b), and question 21 (a, b, c, and d) are all "yes."  
NA=Not available

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**


**22. Percentage of schools that have procedures to inform each of the following groups about the tobacco-use prevention policy that prohibits their use of tobacco.\***



\*Among those schools that have adopted a policy prohibiting tobacco use.  
NA=Not available

Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results


23. Percentage of schools that have a tobacco-use prevention policy that includes guidelines on what actions the school should take when students are caught smoking cigarettes.\*



\*Among those schools that have adopted a policy prohibiting tobacco use.  
NA=Not available

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**


**24. Percentage of schools in which the following person is responsible for enforcing the tobacco-use prevention policy.\***



\*Among those schools that have adopted a policy prohibiting tobacco use.  
NA=Not available

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**


**25. Percentage of schools in which the following help determine what actions are taken when students are caught smoking cigarettes.**



NA=Not available

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**


**26 (Never). Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.**



NA=Not available

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**


**26 (Never). Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.**



NA=Not available

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**


**26 (Never). Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.**



NA=Not available

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**


**26 (Rarely). Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.**



NA=Not available

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**


**26 (Rarely). Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.**



NA=Not available

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**


**26 (Rarely). Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.**



NA=Not available

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**


**26 (Sometimes). Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.**



NA=Not available

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**


**26 (Sometimes). Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.**



NA=Not available

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**


**26 (Sometimes). Percentage of schools that **SOMETIMES** take the following actions when students are caught smoking cigarettes.**



NA=Not available

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**


**26 (Always). Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.**



NA=Not available

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**


**26 (Always). Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.**



NA=Not available

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**


**26 (Always). Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.**



NA=Not available

Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results


27. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.



NA=Not available

Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results


28. Percentage of schools that did the following activities during the past two years.



NA=Not available

Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results


29. Percentage of schools that provide tobacco cessation services for each of the following groups.



NA=Not available

Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results


30. Percentage of schools that have arrangements with any organization or health care professionals not on school property to provide tobacco cessation services for each of the following groups.



NA=Not available

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**


**31. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruit or non-fried vegetables at school celebrations when foods or beverages are offered.**



NA=Not available

Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results


32. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.



NA=Not available

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**


**33. Percentage of all schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.**



NA=Not available

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**


**33. Percentage of all schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.**



NA=Not available

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**


**33. Percentage of all schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.**



NA=Not available

Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results


34. Percentage of all schools that limit the package or serving size of any individual food and beverage items sold in vending machines or at the school store, canteen, or snack bar.



NA=Not available

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**


**35. Percentage of schools that have done any of the following activities during this school year.**



NA=Not available

Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results


36. Percentage of schools that promote candy, meals from fast food restaurants, or soft drinks to students through the distribution of products, such as t-shirts, hats, and book covers.



NA=Not available

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**


**37. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.**



NA=Not available

Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results


38. Percentage of schools that have a full-time registered nurse who provides health services to students.



NA=Not available

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**


**39. Percentage of schools in which each of the following sources of school health information are used to identify students diagnosed with chronic health conditions such as asthma.**



NA=Not available

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**


**39. Percentage of schools in which each of the following sources of school health information are used to identify students diagnosed with chronic health conditions such as asthma.**



NA=Not available

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**


**40. Percentage of schools that have an asthma action plan on file for all, most, some, or no students with known asthma.**



NA=Not available

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**


**41. Percentage of schools that use each of the following types of information to identify students with poorly controlled asthma.**



NA=Not available

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**


**41. Percentage of schools that use each of the following types of information to identify students with poorly controlled asthma.**



NA=Not available

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**


**42. Percentage of schools that provide each of the following services for students with poorly controlled asthma.**



NA=Not available

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**


**42. Percentage of schools that provide each of the following services for students with poorly controlled asthma.**



NA=Not available

Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results


43. Percentage of schools that have a designated and secure storage location for medications, including quick-relief asthma medications.



NA=Not available

Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results


44. Percentage of schools with a designated and secure storage location for medications that is accessible at all times by the school nurse or her designee.



NA=Not available

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**


**45. Percentage of schools in which school staff members are required to receive training on recognizing and responding to severe asthma symptoms more than once per year, once per year, or less than once per year.**



NA=Not available

Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results


46. Percentage of schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.



NA=Not available

Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results


47. Percentage of schools that have procedures to inform each of the following groups about the policy permitting students to carry and self-administer asthma medications.\*



\*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.  
NA=Not available

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**


**48. Percentage of schools that have the following person responsible for implementing the policy permitting students to carry and self-administer asthma medication.\***



\*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.  
NA=Not available

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**


**49. Percentage of schools in which students' families helped develop or implement policies and programs related to the following topics during the past two years.**



NA=Not available

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**50. Percentage of schools in which community members helped develop or implement policies and programs related to the following topics during the past two years.**



NA=Not available