

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**2. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Physical activity</b>			
High Schools	123	32	25 - 39
Middle Schools	132	32	25 - 40
Junior/Senior High Schools	37	14	7 - 26
<b>All Schools</b>	<b>292</b>	<b>29</b>	<b>25 - 34</b>
<b>b. Nutrition</b>			
High Schools	124	35	29 - 42
Middle Schools	131	34	27 - 41
Junior/Senior High Schools	37	19	11 - 30
<b>All Schools</b>	<b>292</b>	<b>32</b>	<b>28 - 37</b>
<b>c. Tobacco-use prevention</b>			
High Schools	125	39	33 - 46
Middle Schools	132	38	30 - 46
Junior/Senior High Schools	37	16	10 - 26
<b>All Schools</b>	<b>294</b>	<b>36</b>	<b>31 - 40</b>
<b>d. Asthma</b>			
High Schools	121	23	17 - 30
Middle Schools	125	14	10 - 20
Junior/Senior High Schools	37	5	2 - 15
<b>All Schools</b>	<b>283</b>	<b>17</b>	<b>14 - 21</b>

NA=Not available

N=Unweighted number of observations

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**3. Percentage of schools that have a copy of district's wellness policy.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>Yes</b>			
High Schools	125	77	70 - 83
Middle Schools	134	66	60 - 72
Junior/Senior High Schools	37	81	68 - 90
<b>All Schools</b>	<b>296</b>	<b>73</b>	<b>68 - 77</b>
<b>No</b>			
High Schools	125	21	15 - 28
Middle Schools	134	31	25 - 37
Junior/Senior High Schools	37	19	10 - 32
<b>All Schools</b>	<b>296</b>	<b>25</b>	<b>21 - 30</b>
<b>District does not have wellness policy</b>			
High Schools	125	2	1 - 5
Middle Schools	134	3	1 - 7
Junior/Senior High Schools	37	0	NA
<b>All Schools</b>	<b>296</b>	<b>2</b>	<b>1 - 4</b>

NA=Not available

N=Unweighted number of observations

**Washington**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**4. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	131	87	81 - 91
Middle Schools	140	86	80 - 90
Junior/Senior High Schools	38	82	69 - 90
<b>All Schools</b>	<b>309</b>	<b>86</b>	<b>82 - 89</b>

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**5. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	128	51	44 - 58
Middle Schools	139	48	41 - 54
Junior/Senior High Schools	38	39	27 - 53
<b>All Schools</b>	<b>305</b>	<b>48</b>	<b>44 - 53</b>

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**6. Percentage of schools that have the following groups represented on any school health council, committee, or team.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. School administration</b>			
High Schools	61	92	85 - 96
Middle Schools	60	87	79 - 92
Junior/Senior High Schools	14	100	NA
<b>All Schools</b>	<b>135</b>	<b>90</b>	<b>86 - 93</b>
<b>b. Health education teachers</b>			
High Schools	60	90	84 - 94
Middle Schools	60	83	74 - 90
Junior/Senior High Schools	14	86	63 - 96
<b>All Schools</b>	<b>134</b>	<b>87</b>	<b>81 - 91</b>
<b>c. Physical education teachers</b>			
High Schools	57	83	73 - 90
Middle Schools	60	90	82 - 95
Junior/Senior High Schools	13	77	52 - 91
<b>All Schools</b>	<b>130</b>	<b>86</b>	<b>80 - 90</b>
<b>d. Mental health or social services staff</b>			
High Schools	58	58	48 - 68
Middle Schools	59	47	37 - 58
Junior/Senior High Schools	13	23	10 - 46
<b>All Schools</b>	<b>130</b>	<b>50</b>	<b>43 - 57</b>
<b>e. Nutrition or food service staff</b>			
High Schools	55	69	58 - 79
Middle Schools	58	45	35 - 55
Junior/Senior High Schools	13	61	37 - 81
<b>All Schools</b>	<b>126</b>	<b>57</b>	<b>50 - 64</b>
<b>f. Health services staff (e.g., school nurse)</b>			
High Schools	58	88	79 - 94
Middle Schools	59	64	54 - 73
Junior/Senior High Schools	14	57	34 - 76
<b>All Schools</b>	<b>131</b>	<b>74</b>	<b>67 - 79</b>

\*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

NA=Not available

N=Unweighted number of observations

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**6. Percentage of schools that have the following groups represented on any school health council, committee, or team.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>g. Maintenance and transportation staff</b>			
High Schools	49	16	9 - 28
Middle Schools	60	20	13 - 29
Junior/Senior High Schools	13	31	14 - 55
<b>All Schools</b>	<b>122</b>	<b>20</b>	<b>14 - 26</b>
<b>h. Student body</b>			
High Schools	53	44	33 - 55
Middle Schools	60	22	14 - 31
Junior/Senior High Schools	13	45	24 - 68
<b>All Schools</b>	<b>126</b>	<b>33</b>	<b>27 - 40</b>
<b>i. Parents or families of students</b>			
High Schools	53	61	50 - 72
Middle Schools	60	37	29 - 45
Junior/Senior High Schools	13	53	31 - 74
<b>All Schools</b>	<b>126</b>	<b>48</b>	<b>42 - 55</b>
<b>j. Community</b>			
High Schools	52	43	32 - 55
Middle Schools	60	27	18 - 37
Junior/Senior High Schools	13	61	37 - 81
<b>All Schools</b>	<b>125</b>	<b>37</b>	<b>30 - 44</b>
<b>k. Local health departments, agencies, or organizations</b>			
High Schools	54	35	26 - 46
Middle Schools	58	19	12 - 29
Junior/Senior High Schools	13	23	9 - 45
<b>All Schools</b>	<b>125</b>	<b>26</b>	<b>21 - 33</b>
<b>l. Faith-based organizations</b>			
High Schools	51	8	4 - 17
Middle Schools	57	3	1 - 10
Junior/Senior High Schools	13	7	1 - 29
<b>All Schools</b>	<b>121</b>	<b>6</b>	<b>3 - 10</b>

\*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

NA=Not available

N=Unweighted number of observations

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**6. Percentage of schools that have the following groups represented on any school health council, committee, or team.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>m. Businesses</b>			
High Schools	50	14	8 - 24
Middle Schools	58	5	2 - 12
Junior/Senior High Schools	13	15	5 - 36
<b>All Schools</b>	<b>121</b>	<b>10</b>	<b>6 - 15</b>
<b>n. Local government</b>			
High Schools	49	8	4 - 17
Middle Schools	57	10	5 - 19
Junior/Senior High Schools	13	7	1 - 29
<b>All Schools</b>	<b>119</b>	<b>9</b>	<b>6 - 14</b>

\*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

NA=Not available

N=Unweighted number of observations

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**7. Percentage of schools that require school staff to receive professional development on HIV, STD, or pregnancy prevention issues and resources for the following groups.**

	N	Percent	95% Confidence Interval
<b>a. Ethnic/racial minority youth at high risk</b>			
High Schools	128	38	32 - 45
Middle Schools	136	28	22 - 35
Junior/Senior High Schools	38	26	16 - 39
<b>All Schools</b>	<b>302</b>	<b>32</b>	<b>28 - 37</b>
<b>b. Youth who participate in drop-out prevention, alternative education, or GED programs</b>			
High Schools	127	45	38 - 52
Middle Schools	135	18	14 - 23
Junior/Senior High Schools	38	42	30 - 54
<b>All Schools</b>	<b>300</b>	<b>32</b>	<b>28 - 36</b>

NA=Not available

N=Unweighted number of observations

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**8. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	128	54	49 - 60
Middle Schools	131	23	18 - 29
Junior/Senior High Schools	36	9	3 - 20
<b>All Schools</b>	<b>295</b>	<b>35</b>	<b>31 - 39</b>

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**9. Percentage of schools that have adopted a policy that addresses each of the following issues for students or staff with HIV infection or AIDS.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Attendance of students with HIV infection</b>			
High Schools	118	59	52 - 66
Middle Schools	133	63	57 - 69
Junior/Senior High Schools	35	51	39 - 64
<b>All Schools</b>	<b>286</b>	<b>60</b>	<b>56 - 64</b>
<b>b. Procedures to protect HIV-infected students and staff from discrimination</b>			
High Schools	117	69	61 - 75
Middle Schools	131	71	64 - 77
Junior/Senior High Schools	35	57	43 - 70
<b>All Schools</b>	<b>283</b>	<b>68</b>	<b>64 - 72</b>
<b>c. Maintaining confidentiality of HIV-infected students and staff</b>			
High Schools	119	72	65 - 79
Middle Schools	132	80	74 - 85
Junior/Senior High Schools	35	66	50 - 78
<b>All Schools</b>	<b>286</b>	<b>75</b>	<b>71 - 79</b>
<b>d. Worksite safety</b>			
High Schools	120	79	72 - 84
Middle Schools	132	86	80 - 91
Junior/Senior High Schools	35	74	59 - 85
<b>All Schools</b>	<b>287</b>	<b>82</b>	<b>77 - 85</b>
<b>e. Confidential counseling for HIV-infected students</b>			
High Schools	117	57	49 - 64
Middle Schools	130	63	55 - 70
Junior/Senior High Schools	35	43	30 - 57
<b>All Schools</b>	<b>282</b>	<b>58</b>	<b>53 - 63</b>
<b>f. Communication of the policy to students, school staff, and parents</b>			
High Schools	116	62	53 - 69
Middle Schools	130	71	65 - 77
Junior/Senior High Schools	34	50	37 - 62
<b>All Schools</b>	<b>280</b>	<b>65</b>	<b>60 - 69</b>

NA=Not available

N=Unweighted number of observations

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**9. Percentage of schools that have adopted a policy that addresses each of the following issues for students or staff with HIV infection or AIDS.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>g. Adequate training about HIV infection for school staff</b>			
High Schools	117	73	66 - 79
Middle Schools	131	74	67 - 80
Junior/Senior High Schools	34	70	54 - 83
<b>All Schools</b>	<b>282</b>	<b>73</b>	<b>69 - 77</b>
<b>h. Procedures for implementing the policy</b>			
High Schools	116	66	58 - 73
Middle Schools	131	70	64 - 76
Junior/Senior High Schools	34	56	42 - 69
<b>All Schools</b>	<b>281</b>	<b>67</b>	<b>62 - 71</b>

NA=Not available

N=Unweighted number of observations

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**10. Percentage of schools that require all staff who teach health education topics to be certified, licensed, or endorsed by the state in health education.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Yes</b>			
High Schools	126	88	82 - 92
Middle Schools	136	67	61 - 73
Junior/Senior High Schools	38	57	46 - 68
<b>All Schools</b>	<b>300</b>	<b>74</b>	<b>71 - 78</b>
<b>b. No</b>			
High Schools	126	9	6 - 14
Middle Schools	136	26	21 - 33
Junior/Senior High Schools	38	32	24 - 42
<b>All Schools</b>	<b>300</b>	<b>20</b>	<b>17 - 24</b>
<b>c. Not applicable</b>			
High Schools	126	3	1 - 7
Middle Schools	136	6	4 - 11
Junior/Senior High Schools	38	11	5 - 22
<b>All Schools</b>	<b>300</b>	<b>6</b>	<b>4 - 8</b>

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**11. Percentage of schools that require physical education for students in any of grades 6 through 12.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	130	97	93 - 99
Middle Schools	136	98	95 - 99
Junior/Senior High Schools	38	95	85 - 98
<b>All Schools</b>	<b>304</b>	<b>97</b>	<b>95 - 98</b>

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**12. Percentage of all schools that taught a required physical education course in each of the following grades.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Sixth grade</b>			
High Schools	NA	NA	NA
Middle Schools	101	97	93 - 99
Junior/Senior High Schools	26	70	52 - 83
<b>All Schools</b>	<b>127</b>	<b>92</b>	<b>87 - 95</b>
<b>b. Seventh grade</b>			
High Schools	NA	NA	NA
Middle Schools	130	97	93 - 99
Junior/Senior High Schools	36	78	64 - 88
<b>All Schools</b>	<b>166</b>	<b>93</b>	<b>89 - 95</b>
<b>c. Eighth grade</b>			
High Schools	NA	NA	NA
Middle Schools	128	96	92 - 98
Junior/Senior High Schools	37	79	64 - 88
<b>All Schools</b>	<b>165</b>	<b>92</b>	<b>88 - 95</b>
<b>d. Ninth grade</b>			
High Schools	119	92	87 - 96
Middle Schools	15	60	41 - 76
Junior/Senior High Schools	37	89	77 - 95
<b>All Schools</b>	<b>171</b>	<b>89</b>	<b>84 - 92</b>
<b>e. Tenth grade</b>			
High Schools	118	79	72 - 85
Middle Schools	NA	NA	NA
Junior/Senior High Schools	36	76	61 - 86
<b>All Schools</b>	<b>154</b>	<b>78</b>	<b>72 - 84</b>
<b>f. Eleventh grade</b>			
High Schools	112	57	50 - 64
Middle Schools	NA	NA	NA
Junior/Senior High Schools	31	49	35 - 63
<b>All Schools</b>	<b>143</b>	<b>55</b>	<b>49 - 62</b>
<b>g. Twelfth grade</b>			
High Schools	111	56	48 - 63
Middle Schools	NA	NA	NA
Junior/Senior High Schools	31	49	35 - 63
<b>All Schools</b>	<b>142</b>	<b>54</b>	<b>48 - 61</b>

\*Among schools with students in that grade.  
NA=Not available  
N=Unweighted number of observations

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**13. Percentage of schools in which students can be exempted from taking a required physical education course for one grading period or longer for any of the following reasons.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Enrollment in other courses</b>			
High Schools	117	46	39 - 54
Middle Schools	128	36	30 - 43
Junior/Senior High Schools	35	49	37 - 62
<b>All Schools</b>	<b>280</b>	<b>42</b>	<b>37 - 47</b>
<b>b. Participation in school sports</b>			
High Schools	122	58	50 - 65
Middle Schools	129	22	17 - 29
Junior/Senior High Schools	36	56	41 - 70
<b>All Schools</b>	<b>287</b>	<b>41</b>	<b>37 - 46</b>
<b>c. Participation in other school activities</b>			
High Schools	121	28	23 - 35
Middle Schools	128	18	13 - 24
Junior/Senior High Schools	36	14	8 - 23
<b>All Schools</b>	<b>285</b>	<b>22</b>	<b>18 - 26</b>
<b>d. Participation in community sports activities</b>			
High Schools	120	27	21 - 34
Middle Schools	129	24	19 - 30
Junior/Senior High Schools	36	30	20 - 43
<b>All Schools</b>	<b>285</b>	<b>26</b>	<b>22 - 30</b>
<b>e. Religious reasons</b>			
High Schools	117	64	57 - 70
Middle Schools	126	63	56 - 70
Junior/Senior High Schools	36	53	39 - 66
<b>All Schools</b>	<b>279</b>	<b>62</b>	<b>58 - 67</b>
<b>f. Long-term physical or medical disability</b>			
High Schools	122	95	91 - 97
Middle Schools	128	93	88 - 96
Junior/Senior High Schools	36	89	76 - 95
<b>All Schools</b>	<b>286</b>	<b>93</b>	<b>90 - 95</b>
<b>g. Cognitive disability</b>			
High Schools	118	45	38 - 52
Middle Schools	128	40	33 - 47
Junior/Senior High Schools	36	58	44 - 71
<b>All Schools</b>	<b>282</b>	<b>44</b>	<b>40 - 49</b>

\*Among those schools that require physical education for students in any of grades 6 through 12.

NA=Not available

N=Unweighted number of observations

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**13. Percentage of schools in which students can be exempted from taking a required physical education course for one grading period or longer for any of the following reasons.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>h. High physical fitness competency test score</b>			
High Schools	118	6	3 - 10
Middle Schools	127	5	2 - 9
Junior/Senior High Schools	36	11	5 - 23
<b>All Schools</b>	<b>281</b>	<b>6</b>	<b>4 - 8</b>
<b>i. Participation in vocational training</b>			
High Schools	117	14	9 - 20
Middle Schools	127	5	2 - 9
Junior/Senior High Schools	36	8	3 - 19
<b>All Schools</b>	<b>280</b>	<b>9</b>	<b>7 - 12</b>
<b>j. Participation in community service activities</b>			
High Schools	119	6	3 - 11
Middle Schools	127	5	2 - 9
Junior/Senior High Schools	36	8	3 - 19
<b>All Schools</b>	<b>282</b>	<b>6</b>	<b>4 - 8</b>

\*Among those schools that require physical education for students in any of grades 6 through 12.

NA=Not available

N=Unweighted number of observations

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**14. Percentage of schools in which all staff who teach physical education are certified, licensed, or endorsed by the state in physical education.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Yes</b>			
High Schools	129	86	81 - 90
Middle Schools	139	87	82 - 91
Junior/Senior High Schools	36	72	60 - 82
<b>All Schools</b>	<b>304</b>	<b>85</b>	<b>82 - 88</b>
<b>b. No</b>			
High Schools	129	12	8 - 17
Middle Schools	139	13	9 - 18
Junior/Senior High Schools	36	25	17 - 36
<b>All Schools</b>	<b>304</b>	<b>14</b>	<b>11 - 17</b>
<b>c. Not Applicable</b>			
High Schools	129	3	1 - 6
Middle Schools	139	0	NA
Junior/Senior High Schools	36	3	1 - 12
<b>All Schools</b>	<b>304</b>	<b>1</b>	<b>1 - 3</b>

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**15. Percentage of schools in which physical education teachers or specialists received professional development on physical education during the past two years.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	126	84	78 - 88
Middle Schools	137	93	88 - 96
Junior/Senior High Schools	37	65	50 - 77
<b>All Schools</b>	<b>300</b>	<b>86</b>	<b>82 - 88</b>

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**16. Percentage of schools that provide those who teach physical education with the following materials.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Goals, objectives, and expected outcomes for physical education</b>			
High Schools	127	92	88 - 95
Middle Schools	138	91	87 - 95
Junior/Senior High Schools	36	86	73 - 93
<b>All Schools</b>	<b>301</b>	<b>91</b>	<b>88 - 93</b>
<b>b. A chart describing the annual scope and sequence of instruction for physical education</b>			
High Schools	125	68	61 - 74
Middle Schools	133	72	66 - 78
Junior/Senior High Schools	35	62	48 - 75
<b>All Schools</b>	<b>293</b>	<b>69</b>	<b>65 - 73</b>
<b>c. Plans for how to assess student performance in physical education</b>			
High Schools	126	78	72 - 83
Middle Schools	135	84	78 - 88
Junior/Senior High Schools	35	65	50 - 78
<b>All Schools</b>	<b>296</b>	<b>79</b>	<b>75 - 83</b>
<b>d. A written physical education curriculum</b>			
High Schools	126	74	68 - 80
Middle Schools	133	63	57 - 69
Junior/Senior High Schools	36	58	47 - 68
<b>All Schools</b>	<b>295</b>	<b>67</b>	<b>63 - 71</b>

NA=Not available

N=Unweighted number of observations

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**17. Percentage of schools that offer opportunities for all students to participate in intramural activities or physical activity clubs.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	125	58	51 - 66
Middle Schools	132	75	69 - 81
Junior/Senior High Schools	35	57	43 - 69
<b>All Schools</b>	<b>292</b>	<b>66</b>	<b>61 - 70</b>

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**18. Percentage of schools that have adopted a policy prohibiting tobacco use.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	123	98	95 - 99
Middle Schools	137	99	96 - 100
Junior/Senior High Schools	37	97	87 - 99
<b>All Schools</b>	<b>297</b>	<b>99</b>	<b>97 - 99</b>

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**19 (Students). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Cigarettes</b>			
High Schools	121	97	94 - 99
Middle Schools	133	99	96 - 100
Junior/Senior High Schools	37	97	87 - 99
<b>All Schools</b>	<b>291</b>	<b>98</b>	<b>96 - 99</b>
<b>b. Smokeless tobacco</b>			
High Schools	121	97	93 - 99
Middle Schools	132	99	96 - 100
Junior/Senior High Schools	37	97	87 - 99
<b>All Schools</b>	<b>290</b>	<b>98</b>	<b>96 - 99</b>
<b>c. Cigars</b>			
High Schools	121	94	90 - 96
Middle Schools	133	98	94 - 99
Junior/Senior High Schools	37	94	84 - 98
<b>All Schools</b>	<b>291</b>	<b>96</b>	<b>94 - 97</b>
<b>d. Pipes</b>			
High Schools	121	93	89 - 96
Middle Schools	133	97	93 - 99
Junior/Senior High Schools	37	94	84 - 98
<b>All Schools</b>	<b>291</b>	<b>95</b>	<b>93 - 97</b>

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**19 (Faculty/Staff). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Cigarettes</b>			
High Schools	121	96	91 - 98
Middle Schools	129	98	95 - 99
Junior/Senior High Schools	37	94	84 - 98
<b>All Schools</b>	<b>287</b>	<b>97</b>	<b>95 - 98</b>
<b>b. Smokeless tobacco</b>			
High Schools	121	95	90 - 97
Middle Schools	128	97	93 - 99
Junior/Senior High Schools	36	97	87 - 99
<b>All Schools</b>	<b>285</b>	<b>96</b>	<b>94 - 98</b>
<b>c. Cigars</b>			
High Schools	120	93	89 - 96
Middle Schools	129	97	93 - 99
Junior/Senior High Schools	37	94	84 - 98
<b>All Schools</b>	<b>286</b>	<b>95</b>	<b>93 - 97</b>
<b>d. Pipes</b>			
High Schools	120	91	87 - 94
Middle Schools	129	96	92 - 98
Junior/Senior High Schools	37	94	84 - 98
<b>All Schools</b>	<b>286</b>	<b>94</b>	<b>91 - 96</b>

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**19 (Visitors). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.**

	N	Percent	95% Confidence Interval
<b>a. Cigarettes</b>			
High Schools	121	95	91 - 97
Middle Schools	128	97	93 - 99
Junior/Senior High Schools	37	94	84 - 98
<b>All Schools</b>	<b>286</b>	<b>96</b>	<b>94 - 97</b>
<b>b. Smokeless tobacco</b>			
High Schools	120	92	88 - 95
Middle Schools	127	94	89 - 96
Junior/Senior High Schools	37	94	84 - 98
<b>All Schools</b>	<b>284</b>	<b>93</b>	<b>90 - 95</b>
<b>c. Cigars</b>			
High Schools	119	92	88 - 95
Middle Schools	128	96	92 - 98
Junior/Senior High Schools	37	94	84 - 98
<b>All Schools</b>	<b>284</b>	<b>94</b>	<b>92 - 96</b>
<b>d. Pipes</b>			
High Schools	119	91	86 - 94
Middle Schools	128	95	91 - 98
Junior/Senior High Schools	37	94	84 - 98
<b>All Schools</b>	<b>284</b>	<b>93</b>	<b>91 - 95</b>

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**20 (Students). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. During school hours</b>			
High Schools	122	97	93 - 99
Middle Schools	133	98	95 - 100
Junior/Senior High Schools	37	97	87 - 99
<b>All Schools</b>	<b>292</b>	<b>98</b>	<b>96 - 99</b>
<b>b. During non-school hours</b>			
High Schools	121	81	74 - 86
Middle Schools	133	91	86 - 94
Junior/Senior High Schools	36	83	72 - 91
<b>All Schools</b>	<b>290</b>	<b>86</b>	<b>82 - 89</b>

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**20 (Faculty/Staff). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. During school hours</b>			
High Schools	122	96	91 - 98
Middle Schools	131	98	95 - 100
Junior/Senior High Schools	37	89	77 - 95
<b>All Schools</b>	<b>290</b>	<b>96</b>	<b>94 - 98</b>
<b>b. During non-school hours</b>			
High Schools	120	71	64 - 77
Middle Schools	131	88	82 - 92
Junior/Senior High Schools	36	61	50 - 71
<b>All Schools</b>	<b>287</b>	<b>77</b>	<b>74 - 81</b>

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**20 (Visitors). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. During school hours</b>			
High Schools	122	95	90 - 97
Middle Schools	131	98	94 - 99
Junior/Senior High Schools	37	89	77 - 95
<b>All Schools</b>	<b>290</b>	<b>95</b>	<b>93 - 97</b>
<b>b. During non-school hours</b>			
High Schools	119	72	65 - 77
Middle Schools	130	88	82 - 92
Junior/Senior High Schools	36	64	53 - 73
<b>All Schools</b>	<b>285</b>	<b>78</b>	<b>74 - 81</b>

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**21 (Students). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. In school buildings</b>			
High Schools	122	98	95 - 99
Middle Schools	131	99	96 - 100
Junior/Senior High Schools	37	97	87 - 99
<b>All Schools</b>	<b>290</b>	<b>99</b>	<b>97 - 99</b>
<b>b. Outside on school grounds, including parking lots and playing fields</b>			
High Schools	121	98	95 - 99
Middle Schools	131	98	95 - 100
Junior/Senior High Schools	37	97	87 - 99
<b>All Schools</b>	<b>289</b>	<b>98</b>	<b>96 - 99</b>
<b>c. On school buses or other vehicles used to transport students</b>			
High Schools	122	98	95 - 99
Middle Schools	131	98	95 - 100
Junior/Senior High Schools	37	97	87 - 99
<b>All Schools</b>	<b>290</b>	<b>98</b>	<b>96 - 99</b>
<b>d. At off-campus, school-sponsored events</b>			
High Schools	121	95	90 - 97
Middle Schools	129	97	93 - 99
Junior/Senior High Schools	37	97	87 - 99
<b>All Schools</b>	<b>287</b>	<b>96</b>	<b>94 - 98</b>

NA=Not available

N=Unweighted number of observations

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**21 (Faculty/Staff). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. In school buildings</b>			
High Schools	120	96	92 - 98
Middle Schools	128	99	96 - 100
Junior/Senior High Schools	37	94	84 - 98
<b>All Schools</b>	<b>285</b>	<b>97</b>	<b>95 - 99</b>
<b>b. Outside on school grounds, including parking lots and playing fields</b>			
High Schools	120	96	91 - 98
Middle Schools	128	98	95 - 99
Junior/Senior High Schools	37	94	84 - 98
<b>All Schools</b>	<b>285</b>	<b>97</b>	<b>95 - 98</b>
<b>c. On school buses or other vehicles used to transport students</b>			
High Schools	120	96	92 - 98
Middle Schools	128	98	95 - 99
Junior/Senior High Schools	37	94	84 - 98
<b>All Schools</b>	<b>285</b>	<b>97</b>	<b>95 - 98</b>
<b>d. At off-campus, school-sponsored events</b>			
High Schools	120	89	83 - 93
Middle Schools	125	92	87 - 95
Junior/Senior High Schools	37	83	70 - 92
<b>All Schools</b>	<b>282</b>	<b>90</b>	<b>86 - 92</b>

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**21 (Visitors). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. In school buildings</b>			
High Schools	120	96	92 - 98
Middle Schools	128	99	96 - 100
Junior/Senior High Schools	37	94	84 - 98
<b>All Schools</b>	<b>285</b>	<b>97</b>	<b>95 - 99</b>
<b>b. Outside on school grounds, including parking lots and playing fields</b>			
High Schools	120	96	91 - 98
Middle Schools	128	98	94 - 99
Junior/Senior High Schools	36	94	83 - 98
<b>All Schools</b>	<b>284</b>	<b>96</b>	<b>94 - 98</b>
<b>c. On school buses or other vehicles used to transport students</b>			
High Schools	119	95	92 - 97
Middle Schools	128	98	95 - 99
Junior/Senior High Schools	37	94	84 - 98
<b>All Schools</b>	<b>284</b>	<b>97</b>	<b>95 - 98</b>
<b>d. At off-campus, school-sponsored events</b>			
High Schools	118	79	72 - 85
Middle Schools	123	84	78 - 88
Junior/Senior High Schools	35	82	68 - 91
<b>All Schools</b>	<b>276</b>	<b>81</b>	<b>77 - 85</b>

NA=Not available

N=Unweighted number of observations

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**21N. Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits use of cigarettes, smokeless tobacco, cigars, and pipes by students, faculty/staff, and visitors; during school hours and during non-school hours; in school buildings, outside on school grounds, on school buses or other vehicles used to transport students, and at off-campus, school-sponsored events.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	117	54	47 - 61
Middle Schools	124	71	65 - 77
Junior/Senior High Schools	34	52	41 - 64
<b>All Schools</b>	<b>275</b>	<b>62</b>	<b>57 - 66</b>

\*Responses to question 19 (a, b, c, and d), question 20 (a and b), and question 21 (a, b, c, and d) are all "yes."  
 NA=Not available  
 N=Unweighted number of observations

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**22. Percentage of schools that have procedures to inform each of the following groups about the tobacco-use prevention policy that prohibits their use of tobacco.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Students</b>			
High Schools	120	100	NA
Middle Schools	131	98	95 - 99
Junior/Senior High Schools	35	100	NA
<b>All Schools</b>	<b>286</b>	<b>99</b>	<b>98 - 100</b>
<b>b. Faculty and staff</b>			
High Schools	120	95	91 - 97
Middle Schools	129	98	94 - 99
Junior/Senior High Schools	35	94	84 - 98
<b>All Schools</b>	<b>284</b>	<b>96</b>	<b>94 - 98</b>
<b>c. Visitors</b>			
High Schools	116	86	80 - 91
Middle Schools	123	90	85 - 94
Junior/Senior High Schools	35	83	73 - 90
<b>All Schools</b>	<b>274</b>	<b>88</b>	<b>84 - 90</b>

\*Among those schools that have adopted a policy prohibiting tobacco use.

NA=Not available

N=Unweighted number of observations

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**23. Percentage of schools that have a tobacco-use prevention policy that includes guidelines on what actions the school should take when students are caught smoking cigarettes.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	120	99	96 - 100
Middle Schools	131	98	95 - 100
Junior/Senior High Schools	36	94	84 - 98
<b>All Schools</b>	<b>287</b>	<b>98</b>	<b>96 - 99</b>

\*Among those schools that have adopted a policy prohibiting tobacco use.  
NA=Not available  
N=Unweighted number of observations

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**24. Percentage of schools in which the following person is responsible for enforcing the tobacco-use prevention policy.\***

	N	Percent	95% Confidence Interval
<b>a. No single individual is responsible</b>			
High Schools	102	41	32 - 49
Middle Schools	112	43	36 - 51
Junior/Senior High Schools	33	45	33 - 58
<b>All Schools</b>	<b>247</b>	<b>42</b>	<b>37 - 48</b>
<b>b. Principal</b>			
High Schools	102	28	22 - 35
Middle Schools	112	34	28 - 41
Junior/Senior High Schools	33	51	40 - 63
<b>All Schools</b>	<b>247</b>	<b>34</b>	<b>30 - 39</b>
<b>c. Assistant principal</b>			
High Schools	102	25	19 - 33
Middle Schools	112	21	15 - 28
Junior/Senior High Schools	33	0	NA
<b>All Schools</b>	<b>247</b>	<b>20</b>	<b>16 - 24</b>
<b>d. Other school administrator</b>			
High Schools	102	4	2 - 8
Middle Schools	112	0	NA
Junior/Senior High Schools	33	0	NA
<b>All Schools</b>	<b>247</b>	<b>2</b>	<b>1 - 3</b>
<b>e. Other school faculty or staff member</b>			
High Schools	102	2	1 - 6
Middle Schools	112	2	1 - 5
Junior/Senior High Schools	33	3	1 - 14
<b>All Schools</b>	<b>247</b>	<b>2</b>	<b>1 - 4</b>

\*Among those schools that have adopted a policy prohibiting tobacco use.

NA=Not available

N=Unweighted number of observations

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**25. Percentage of schools in which the following help determine what actions are taken when students are caught smoking cigarettes.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Zero tolerance</b>			
High Schools	132	70	64 - 76
Middle Schools	140	78	71 - 83
Junior/Senior High Schools	38	71	57 - 82
<b>All Schools</b>	<b>310</b>	<b>74</b>	<b>69 - 78</b>
<b>b. Effect or severity of the violation</b>			
High Schools	132	34	27 - 42
Middle Schools	140	31	24 - 38
Junior/Senior High Schools	38	28	18 - 41
<b>All Schools</b>	<b>310</b>	<b>32</b>	<b>27 - 37</b>
<b>c. Grade level of student</b>			
High Schools	132	9	6 - 15
Middle Schools	140	16	11 - 21
Junior/Senior High Schools	38	29	19 - 41
<b>All Schools</b>	<b>310</b>	<b>15</b>	<b>12 - 18</b>
<b>d. Repeat offender status</b>			
High Schools	132	49	41 - 56
Middle Schools	140	47	40 - 54
Junior/Senior High Schools	38	36	24 - 51
<b>All Schools</b>	<b>310</b>	<b>46</b>	<b>42 - 51</b>
<b>e. None of these</b>			
High Schools	132	2	1 - 5
Middle Schools	140	4	2 - 8
Junior/Senior High Schools	38	3	1 - 12
<b>All Schools</b>	<b>310</b>	<b>3</b>	<b>2 - 5</b>

NA=Not available

N=Unweighted number of observations

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**26 (Never). Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Parents or guardians are notified</b>			
High Schools	130	1	0 - 3
Middle Schools	138	0	NA
Junior/Senior High Schools	37	0	NA
<b>All Schools</b>	<b>305</b>	<b>0</b>	<b>0 - 1</b>
<b>b. Referred to a school counselor</b>			
High Schools	126	10	6 - 16
Middle Schools	136	2	1 - 5
Junior/Senior High Schools	37	5	2 - 16
<b>All Schools</b>	<b>299</b>	<b>6</b>	<b>4 - 9</b>
<b>c. Referred to a school administrator</b>			
High Schools	131	1	0 - 3
Middle Schools	138	0	NA
Junior/Senior High Schools	37	0	NA
<b>All Schools</b>	<b>306</b>	<b>0</b>	<b>0 - 1</b>
<b>d. Encouraged, but not required, to participate in an assistance, education, or cessation program</b>			
High Schools	129	10	6 - 15
Middle Schools	131	11	7 - 16
Junior/Senior High Schools	35	11	5 - 23
<b>All Schools</b>	<b>295</b>	<b>10</b>	<b>8 - 14</b>
<b>e. Required to participate in an assistance, education, or cessation program</b>			
High Schools	125	22	16 - 29
Middle Schools	131	18	13 - 25
Junior/Senior High Schools	35	23	12 - 38
<b>All Schools</b>	<b>291</b>	<b>20</b>	<b>17 - 25</b>
<b>f. Referred to legal authorities</b>			
High Schools	126	25	20 - 31
Middle Schools	132	29	23 - 35
Junior/Senior High Schools	35	23	14 - 36
<b>All Schools</b>	<b>293</b>	<b>26</b>	<b>23 - 31</b>

NA=Not available

N=Unweighted number of observations

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**26 (Never). Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.**

	N	Percent	95% Confidence Interval
<b>g. Placed in detention</b>			
High Schools	124	24	18 - 31
Middle Schools	130	27	21 - 34
Junior/Senior High Schools	35	41	29 - 54
<b>All Schools</b>	<b>289</b>	<b>27</b>	<b>23 - 32</b>
<b>h. Not allowed to participate in extra-curricular activities or interscholastic sports</b>			
High Schools	128	9	5 - 14
Middle Schools	130	12	9 - 17
Junior/Senior High Schools	35	14	7 - 27
<b>All Schools</b>	<b>293</b>	<b>11</b>	<b>8 - 14</b>
<b>i. Given in-school suspension</b>			
High Schools	128	28	22 - 35
Middle Schools	135	21	16 - 27
Junior/Senior High Schools	35	46	35 - 58
<b>All Schools</b>	<b>298</b>	<b>27</b>	<b>23 - 31</b>
<b>j. Suspended from school</b>			
High Schools	130	7	4 - 11
Middle Schools	133	3	1 - 7
Junior/Senior High Schools	36	17	9 - 30
<b>All Schools</b>	<b>299</b>	<b>6</b>	<b>5 - 9</b>
<b>k. Expelled from school</b>			
High Schools	127	60	53 - 66
Middle Schools	134	57	50 - 64
Junior/Senior High Schools	36	69	55 - 80
<b>All Schools</b>	<b>297</b>	<b>60</b>	<b>55 - 64</b>
<b>l. Reassigned to an alternative school</b>			
High Schools	125	73	66 - 79
Middle Schools	134	74	67 - 80
Junior/Senior High Schools	33	88	76 - 95
<b>All Schools</b>	<b>292</b>	<b>75</b>	<b>71 - 79</b>

NA=Not available

N=Unweighted number of observations

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**26 (Rarely). Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.**

	N	Percent	95% Confidence Interval
<b>a. Parents or guardians are notified</b>			
High Schools	130	3	2 - 7
Middle Schools	138	0	NA
Junior/Senior High Schools	37	0	NA
<b>All Schools</b>	<b>305</b>	<b>1</b>	<b>1 - 3</b>
<b>b. Referred to a school counselor</b>			
High Schools	126	22	16 - 28
Middle Schools	136	7	4 - 11
Junior/Senior High Schools	37	19	10 - 33
<b>All Schools</b>	<b>299</b>	<b>14</b>	<b>12 - 18</b>
<b>c. Referred to a school administrator</b>			
High Schools	131	0	NA
Middle Schools	138	0	NA
Junior/Senior High Schools	37	0	NA
<b>All Schools</b>	<b>306</b>	<b>0</b>	<b>NA</b>
<b>d. Encouraged, but not required, to participate in an assistance, education, or cessation program</b>			
High Schools	129	6	4 - 11
Middle Schools	131	9	6 - 14
Junior/Senior High Schools	35	23	12 - 38
<b>All Schools</b>	<b>295</b>	<b>10</b>	<b>7 - 13</b>
<b>e. Required to participate in an assistance, education, or cessation program</b>			
High Schools	125	16	11 - 22
Middle Schools	131	11	8 - 16
Junior/Senior High Schools	35	28	18 - 43
<b>All Schools</b>	<b>291</b>	<b>15</b>	<b>12 - 19</b>
<b>f. Referred to legal authorities</b>			
High Schools	126	29	23 - 36
Middle Schools	132	30	24 - 36
Junior/Senior High Schools	35	35	23 - 49
<b>All Schools</b>	<b>293</b>	<b>30</b>	<b>26 - 34</b>

NA=Not available

N=Unweighted number of observations

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**26 (Rarely). Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.**

	N	Percent	95% Confidence Interval
<b>g. Placed in detention</b>			
High Schools	124	17	12 - 24
Middle Schools	130	10	6 - 15
Junior/Senior High Schools	35	14	7 - 27
<b>All Schools</b>	<b>289</b>	<b>14</b>	<b>10 - 17</b>
<b>h. Not allowed to participate in extra-curricular activities or interscholastic sports</b>			
High Schools	128	15	11 - 21
Middle Schools	130	11	7 - 16
Junior/Senior High Schools	35	0	NA
<b>All Schools</b>	<b>293</b>	<b>11</b>	<b>9 - 14</b>
<b>i. Given in-school suspension</b>			
High Schools	128	17	12 - 23
Middle Schools	135	14	10 - 20
Junior/Senior High Schools	35	14	8 - 24
<b>All Schools</b>	<b>298</b>	<b>15</b>	<b>12 - 19</b>
<b>j. Suspended from school</b>			
High Schools	130	16	12 - 22
Middle Schools	133	8	5 - 13
Junior/Senior High Schools	36	6	2 - 17
<b>All Schools</b>	<b>299</b>	<b>11</b>	<b>9 - 15</b>
<b>k. Expelled from school</b>			
High Schools	127	30	23 - 37
Middle Schools	134	29	24 - 35
Junior/Senior High Schools	36	20	10 - 34
<b>All Schools</b>	<b>297</b>	<b>28</b>	<b>24 - 33</b>
<b>l. Reassigned to an alternative school</b>			
High Schools	125	17	13 - 23
Middle Schools	134	22	17 - 28
Junior/Senior High Schools	33	6	2 - 17
<b>All Schools</b>	<b>292</b>	<b>18</b>	<b>15 - 22</b>

NA=Not available

N=Unweighted number of observations

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**26 (Sometimes). Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Parents or guardians are notified</b>			
High Schools	130	9	6 - 13
Middle Schools	138	1	0 - 3
Junior/Senior High Schools	37	8	3 - 19
<b>All Schools</b>	<b>305</b>	<b>5</b>	<b>4 - 7</b>
<b>b. Referred to a school counselor</b>			
High Schools	126	32	26 - 39
Middle Schools	136	31	25 - 37
Junior/Senior High Schools	37	32	24 - 43
<b>All Schools</b>	<b>299</b>	<b>32</b>	<b>28 - 36</b>
<b>c. Referred to a school administrator</b>			
High Schools	131	4	2 - 9
Middle Schools	138	1	0 - 3
Junior/Senior High Schools	37	13	6 - 26
<b>All Schools</b>	<b>306</b>	<b>4</b>	<b>2 - 6</b>
<b>d. Encouraged, but not required, to participate in an assistance, education, or cessation program</b>			
High Schools	129	40	33 - 47
Middle Schools	131	29	23 - 36
Junior/Senior High Schools	35	34	23 - 47
<b>All Schools</b>	<b>295</b>	<b>34</b>	<b>30 - 39</b>
<b>e. Required to participate in an assistance, education, or cessation program</b>			
High Schools	125	43	36 - 51
Middle Schools	131	40	33 - 46
Junior/Senior High Schools	35	23	13 - 37
<b>All Schools</b>	<b>291</b>	<b>39</b>	<b>35 - 44</b>
<b>f. Referred to legal authorities</b>			
High Schools	126	35	29 - 41
Middle Schools	132	29	23 - 35
Junior/Senior High Schools	35	31	19 - 46
<b>All Schools</b>	<b>293</b>	<b>31</b>	<b>27 - 36</b>

NA=Not available

N=Unweighted number of observations

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**26 (Sometimes). Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.**

	N	Percent	95% Confidence Interval
<b>g. Placed in detention</b>			
High Schools	124	39	32 - 47
Middle Schools	130	36	29 - 44
Junior/Senior High Schools	35	20	14 - 28
<b>All Schools</b>	<b>289</b>	<b>35</b>	<b>31 - 40</b>
<b>h. Not allowed to participate in extra-curricular activities or interscholastic sports</b>			
High Schools	128	29	23 - 36
Middle Schools	130	34	28 - 40
Junior/Senior High Schools	35	34	25 - 46
<b>All Schools</b>	<b>293</b>	<b>32</b>	<b>28 - 36</b>
<b>i. Given in-school suspension</b>			
High Schools	128	43	36 - 50
Middle Schools	135	51	44 - 59
Junior/Senior High Schools	35	32	20 - 46
<b>All Schools</b>	<b>298</b>	<b>45</b>	<b>40 - 50</b>
<b>j. Suspended from school</b>			
High Schools	130	50	43 - 58
Middle Schools	133	42	36 - 49
Junior/Senior High Schools	36	44	30 - 58
<b>All Schools</b>	<b>299</b>	<b>46</b>	<b>41 - 50</b>
<b>k. Expelled from school</b>			
High Schools	127	9	6 - 15
Middle Schools	134	12	8 - 17
Junior/Senior High Schools	36	9	3 - 20
<b>All Schools</b>	<b>297</b>	<b>10</b>	<b>8 - 14</b>
<b>l. Reassigned to an alternative school</b>			
High Schools	125	8	5 - 13
Middle Schools	134	4	2 - 8
Junior/Senior High Schools	33	3	1 - 14
<b>All Schools</b>	<b>292</b>	<b>6</b>	<b>4 - 8</b>

NA=Not available

N=Unweighted number of observations

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**26 (Always). Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Parents or guardians are notified</b>			
High Schools	130	87	82 - 91
Middle Schools	138	99	97 - 100
Junior/Senior High Schools	37	92	81 - 97
<b>All Schools</b>	<b>305</b>	<b>93</b>	<b>91 - 95</b>
<b>b. Referred to a school counselor</b>			
High Schools	126	36	30 - 43
Middle Schools	136	60	54 - 66
Junior/Senior High Schools	37	43	30 - 58
<b>All Schools</b>	<b>299</b>	<b>48</b>	<b>44 - 53</b>
<b>c. Referred to a school administrator</b>			
High Schools	131	95	91 - 97
Middle Schools	138	99	97 - 100
Junior/Senior High Schools	37	87	74 - 94
<b>All Schools</b>	<b>306</b>	<b>96</b>	<b>94 - 97</b>
<b>d. Encouraged, but not required, to participate in an assistance, education, or cessation program</b>			
High Schools	129	44	37 - 51
Middle Schools	131	51	45 - 58
Junior/Senior High Schools	35	32	19 - 47
<b>All Schools</b>	<b>295</b>	<b>46</b>	<b>41 - 50</b>
<b>e. Required to participate in an assistance, education, or cessation program</b>			
High Schools	125	19	14 - 25
Middle Schools	131	31	25 - 37
Junior/Senior High Schools	35	26	15 - 41
<b>All Schools</b>	<b>291</b>	<b>25</b>	<b>22 - 29</b>
<b>f. Referred to legal authorities</b>			
High Schools	126	11	7 - 17
Middle Schools	132	13	9 - 19
Junior/Senior High Schools	35	12	7 - 19
<b>All Schools</b>	<b>293</b>	<b>12</b>	<b>9 - 16</b>

NA=Not available

N=Unweighted number of observations

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**26 (Always). Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.**

	N	Percent	95% Confidence Interval
<b>g. Placed in detention</b>			
High Schools	124	20	15 - 26
Middle Schools	130	27	21 - 33
Junior/Senior High Schools	35	25	15 - 39
<b>All Schools</b>	<b>289</b>	<b>24</b>	<b>20 - 28</b>
<b>h. Not allowed to participate in extra-curricular activities or interscholastic sports</b>			
High Schools	128	47	40 - 54
Middle Schools	130	43	37 - 50
Junior/Senior High Schools	35	51	37 - 65
<b>All Schools</b>	<b>293</b>	<b>46</b>	<b>41 - 51</b>
<b>i. Given in-school suspension</b>			
High Schools	128	13	8 - 19
Middle Schools	135	14	10 - 20
Junior/Senior High Schools	35	8	3 - 19
<b>All Schools</b>	<b>298</b>	<b>13</b>	<b>10 - 16</b>
<b>j. Suspended from school</b>			
High Schools	130	26	20 - 34
Middle Schools	133	47	40 - 54
Junior/Senior High Schools	36	34	23 - 47
<b>All Schools</b>	<b>299</b>	<b>36</b>	<b>32 - 41</b>
<b>k. Expelled from school</b>			
High Schools	127	1	0 - 5
Middle Schools	134	1	0 - 4
Junior/Senior High Schools	36	3	1 - 13
<b>All Schools</b>	<b>297</b>	<b>2</b>	<b>1 - 3</b>
<b>l. Reassigned to an alternative school</b>			
High Schools	125	2	1 - 6
Middle Schools	134	0	NA
Junior/Senior High Schools	33	3	1 - 13
<b>All Schools</b>	<b>292</b>	<b>1</b>	<b>0 - 3</b>

NA=Not available

N=Unweighted number of observations

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**27. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	126	95	91 - 97
Middle Schools	137	96	92 - 98
Junior/Senior High Schools	37	97	87 - 99
<b>All Schools</b>	<b>300</b>	<b>96</b>	<b>93 - 97</b>

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**28. Percentage of schools that did the following activities during the past two years.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Gathered and shared information with students and families about mass-media messages or community-based tobacco-use prevention efforts</b>			
High Schools	128	44	37 - 52
Middle Schools	139	57	51 - 64
Junior/Senior High Schools	38	47	33 - 62
<b>All Schools</b>	<b>305</b>	<b>51</b>	<b>46 - 55</b>
<b>b. Worked with local agencies or organizations to plan and implement events or programs intended to reduce tobacco use</b>			
High Schools	128	63	56 - 69
Middle Schools	139	60	53 - 66
Junior/Senior High Schools	37	48	36 - 60
<b>All Schools</b>	<b>304</b>	<b>60</b>	<b>55 - 64</b>

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**29. Percentage of schools that provide tobacco cessation services for each of the following groups.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Faculty and staff</b>			
High Schools	130	19	15 - 25
Middle Schools	137	18	14 - 24
Junior/Senior High Schools	38	3	1 - 12
<b>All Schools</b>	<b>305</b>	<b>17</b>	<b>14 - 20</b>
<b>b. Students</b>			
High Schools	129	55	49 - 62
Middle Schools	138	50	43 - 57
Junior/Senior High Schools	38	36	25 - 48
<b>All Schools</b>	<b>305</b>	<b>51</b>	<b>46 - 55</b>

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**30. Percentage of schools that have arrangements with any organization or health care professionals not on school property to provide tobacco cessation services for each of the following groups.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Faculty and staff</b>			
High Schools	128	31	24 - 38
Middle Schools	138	36	30 - 42
Junior/Senior High Schools	37	17	9 - 29
<b>All Schools</b>	<b>303</b>	<b>31</b>	<b>27 - 36</b>
<b>b. Students</b>			
High Schools	128	58	51 - 64
Middle Schools	139	47	41 - 53
Junior/Senior High Schools	37	46	34 - 58
<b>All Schools</b>	<b>304</b>	<b>51</b>	<b>47 - 55</b>

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**31. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruit or non-fried vegetables at school celebrations when foods or beverages are offered.**

	N	Percent	95% Confidence Interval
<b>a. Foods or beverages are not offered at school celebrations</b>			
High Schools	129	4	2 - 7
Middle Schools	140	3	1 - 6
Junior/Senior High Schools	38	8	3 - 18
<b>All Schools</b>	<b>307</b>	<b>4</b>	<b>2 - 6</b>
<b>b. Never</b>			
High Schools	129	1	0 - 4
Middle Schools	140	1	0 - 4
Junior/Senior High Schools	38	0	NA
<b>All Schools</b>	<b>307</b>	<b>1</b>	<b>0 - 2</b>
<b>c. Rarely</b>			
High Schools	129	13	9 - 18
Middle Schools	140	13	9 - 18
Junior/Senior High Schools	38	8	3 - 18
<b>All Schools</b>	<b>307</b>	<b>12</b>	<b>10 - 15</b>
<b>d. Sometimes</b>			
High Schools	129	51	43 - 59
Middle Schools	140	58	51 - 65
Junior/Senior High Schools	38	42	31 - 55
<b>All Schools</b>	<b>307</b>	<b>53</b>	<b>48 - 58</b>
<b>e. Always or almost always</b>			
High Schools	129	32	25 - 40
Middle Schools	140	25	19 - 32
Junior/Senior High Schools	38	42	30 - 56
<b>All Schools</b>	<b>307</b>	<b>30</b>	<b>26 - 35</b>

NA=Not available

N=Unweighted number of observations

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**32. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	129	86	81 - 91
Middle Schools	139	74	68 - 80
Junior/Senior High Schools	37	67	57 - 76
<b>All Schools</b>	<b>305</b>	<b>78</b>	<b>75 - 82</b>

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**33. Percentage of all schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.**

	N	Percent	95% Confidence Interval
<b>a. Chocolate candy</b>			
High Schools	127	48	40 - 55
Middle Schools	137	19	14 - 25
Junior/Senior High Schools	37	21	12 - 35
<b>All Schools</b>	<b>301</b>	<b>31</b>	<b>27 - 36</b>
<b>b. Other kinds of candy</b>			
High Schools	128	56	49 - 63
Middle Schools	137	20	15 - 26
Junior/Senior High Schools	37	27	17 - 39
<b>All Schools</b>	<b>302</b>	<b>36</b>	<b>32 - 40</b>
<b>c. Salty snacks that are not low in fat, such as regular potato chips</b>			
High Schools	127	51	44 - 59
Middle Schools	137	29	23 - 36
Junior/Senior High Schools	37	24	15 - 37
<b>All Schools</b>	<b>301</b>	<b>38</b>	<b>33 - 42</b>
<b>d. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat</b>			
High Schools	126	45	37 - 53
Middle Schools	137	29	24 - 36
Junior/Senior High Schools	36	27	17 - 41
<b>All Schools</b>	<b>299</b>	<b>36</b>	<b>31 - 40</b>
<b>e. Ice cream or frozen yogurt that is not low in fat</b>			
High Schools	126	13	8 - 18
Middle Schools	135	18	13 - 24
Junior/Senior High Schools	36	0	NA
<b>All Schools</b>	<b>297</b>	<b>13</b>	<b>11 - 17</b>
<b>f. 2% or whole milk (plain or flavored)</b>			
High Schools	128	41	34 - 48
Middle Schools	137	28	23 - 34
Junior/Senior High Schools	36	14	7 - 25
<b>All Schools</b>	<b>301</b>	<b>32</b>	<b>28 - 36</b>

NA=Not available

N=Unweighted number of observations

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**33. Percentage of all schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.**

	N	Percent	95% Confidence Interval
<b>g. Water ices or frozen slushes that do not contain juice</b>			
High Schools	125	23	18 - 30
Middle Schools	137	17	13 - 22
Junior/Senior High Schools	36	3	1 - 12
<b>All Schools</b>	<b>298</b>	<b>18</b>	<b>15 - 21</b>
<b>h. Soda pop or fruit drinks that are not 100% juice</b>			
High Schools	127	49	41 - 56
Middle Schools	136	29	24 - 36
Junior/Senior High Schools	37	38	27 - 51
<b>All Schools</b>	<b>300</b>	<b>39</b>	<b>34 - 43</b>
<b>i. Sports drinks, such as Gatorade</b>			
High Schools	128	76	70 - 81
Middle Schools	137	56	48 - 63
Junior/Senior High Schools	37	54	40 - 67
<b>All Schools</b>	<b>302</b>	<b>64</b>	<b>59 - 68</b>
<b>j. Foods or beverages containing caffeine</b>			
High Schools	127	58	51 - 65
Middle Schools	137	15	10 - 20
Junior/Senior High Schools	37	35	23 - 49
<b>All Schools</b>	<b>301</b>	<b>35</b>	<b>32 - 39</b>
<b>k. Fruits (not fruit juice)</b>			
High Schools	126	38	32 - 45
Middle Schools	137	24	19 - 31
Junior/Senior High Schools	37	13	8 - 21
<b>All Schools</b>	<b>300</b>	<b>29</b>	<b>25 - 33</b>
<b>l. Non-fried vegetables (not vegetable juice)</b>			
High Schools	125	26	20 - 31
Middle Schools	137	17	12 - 23
Junior/Senior High Schools	37	8	3 - 18
<b>All Schools</b>	<b>299</b>	<b>19</b>	<b>16 - 23</b>

NA=Not available

N=Unweighted number of observations

**Washington**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**34. Percentage of all schools that limit the package or serving size of any individual food and beverage items sold in vending machines or at the school store, canteen, or snack bar.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	125	50	43 - 57
Middle Schools	134	43	37 - 49
Junior/Senior High Schools	37	27	18 - 38
<b>All Schools</b>	<b>296</b>	<b>44</b>	<b>40 - 48</b>

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**35. Percentage of schools that have done any of the following activities during this school year.**

	N	Percent	95% Confidence Interval
<b>a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages</b>			
High Schools	125	10	6 - 15
Middle Schools	139	5	3 - 9
Junior/Senior High Schools	37	3	1 - 13
<b>All Schools</b>	<b>301</b>	<b>7</b>	<b>5 - 10</b>
<b>b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating</b>			
High Schools	127	46	39 - 53
Middle Schools	139	32	27 - 39
Junior/Senior High Schools	38	40	27 - 53
<b>All Schools</b>	<b>304</b>	<b>39</b>	<b>35 - 43</b>
<b>c. Provided information to students or families on the nutrition and caloric content of foods available</b>			
High Schools	124	50	44 - 57
Middle Schools	138	43	36 - 49
Junior/Senior High Schools	38	32	23 - 43
<b>All Schools</b>	<b>300</b>	<b>44</b>	<b>40 - 49</b>
<b>d. Conducted taste tests to determine food preferences for nutritious items</b>			
High Schools	126	16	12 - 21
Middle Schools	138	15	11 - 20
Junior/Senior High Schools	36	19	10 - 33
<b>All Schools</b>	<b>300</b>	<b>16</b>	<b>13 - 19</b>
<b>e. Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics</b>			
High Schools	125	12	8 - 18
Middle Schools	136	15	12 - 20
Junior/Senior High Schools	38	11	5 - 23
<b>All Schools</b>	<b>299</b>	<b>13</b>	<b>11 - 17</b>

NA=Not available

N=Unweighted number of observations

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**36. Percentage of schools that promote candy, meals from fast food restaurants, or soft drinks to students through the distribution of products, such as t-shirts, hats, and book covers.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	129	3	2 - 8
Middle Schools	137	1	0 - 4
Junior/Senior High Schools	38	3	1 - 12
<b>All Schools</b>	<b>304</b>	<b>2</b>	<b>1 - 4</b>

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**37. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.**

	N	Percent	95% Confidence Interval
<b>a. In the school building</b>			
High Schools	128	69	62 - 74
Middle Schools	139	73	67 - 79
Junior/Senior High Schools	37	70	56 - 80
<b>All Schools</b>	<b>304</b>	<b>71</b>	<b>67 - 75</b>
<b>b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus</b>			
High Schools	127	59	53 - 65
Middle Schools	139	68	62 - 74
Junior/Senior High Schools	37	56	44 - 68
<b>All Schools</b>	<b>303</b>	<b>63</b>	<b>59 - 67</b>
<b>c. On school buses or other vehicles used to transport students</b>			
High Schools	127	73	66 - 78
Middle Schools	139	80	74 - 85
Junior/Senior High Schools	37	75	61 - 86
<b>All Schools</b>	<b>303</b>	<b>76</b>	<b>72 - 80</b>
<b>d. In school publications (e.g., newsletters, newspapers, web sites, or other school publications)</b>			
High Schools	127	61	54 - 67
Middle Schools	139	75	69 - 80
Junior/Senior High Schools	36	78	64 - 87
<b>All Schools</b>	<b>302</b>	<b>69</b>	<b>65 - 73</b>

NA=Not available

N=Unweighted number of observations

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**38. Percentage of schools that have a full-time registered nurse who provides health services to students.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	130	30	24 - 36
Middle Schools	140	14	10 - 20
Junior/Senior High Schools	38	8	3 - 18
<b>All Schools</b>	<b>308</b>	<b>20</b>	<b>17 - 24</b>

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**39. Percentage of schools in which each of the following sources of school health information are used to identify students diagnosed with chronic health conditions such as asthma.**

	N	Percent	95% Confidence Interval
<b>a. This school does not identify students diagnosed with chronic health conditions such as asthma</b>			
High Schools	126	0	NA
Middle Schools	133	0	NA
Junior/Senior High Schools	38	3	1 - 12
<b>All Schools</b>	<b>297</b>	<b>0</b>	<b>0 - 2</b>
<b>b. Student emergency cards</b>			
High Schools	128	83	77 - 88
Middle Schools	134	90	84 - 93
Junior/Senior High Schools	38	84	71 - 92
<b>All Schools</b>	<b>300</b>	<b>86</b>	<b>82 - 89</b>
<b>c. Medication records</b>			
High Schools	126	77	70 - 82
Middle Schools	134	86	81 - 90
Junior/Senior High Schools	38	61	48 - 73
<b>All Schools</b>	<b>298</b>	<b>79</b>	<b>75 - 82</b>
<b>d. Health room visit information</b>			
High Schools	128	55	48 - 62
Middle Schools	135	67	60 - 73
Junior/Senior High Schools	38	29	19 - 40
<b>All Schools</b>	<b>301</b>	<b>57</b>	<b>53 - 62</b>
<b>e. Emergency care plans</b>			
High Schools	127	75	69 - 80
Middle Schools	133	83	77 - 88
Junior/Senior High Schools	38	74	61 - 83
<b>All Schools</b>	<b>298</b>	<b>79</b>	<b>75 - 82</b>
<b>f. Physical exam records</b>			
High Schools	128	51	45 - 58
Middle Schools	136	44	38 - 51
Junior/Senior High Schools	38	34	23 - 48
<b>All Schools</b>	<b>302</b>	<b>46</b>	<b>42 - 50</b>

NA=Not available

N=Unweighted number of observations

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**39. Percentage of schools in which each of the following sources of school health information are used to identify students diagnosed with chronic health conditions such as asthma.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>g. Notes from parents</b>			
High Schools	126	85	79 - 89
Middle Schools	134	87	82 - 91
Junior/Senior High Schools	38	82	68 - 90
<b>All Schools</b>	<b>298</b>	<b>85</b>	<b>82 - 88</b>
<b>h. Other</b>			
High Schools	130	18	13 - 24
Middle Schools	139	19	15 - 25
Junior/Senior High Schools	38	16	8 - 28
<b>All Schools</b>	<b>307</b>	<b>18</b>	<b>15 - 22</b>

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**40. Percentage of schools that have an asthma action plan on file for all, most, some, or no students with known asthma.**

	N	Percent	95% Confidence Interval
<b>a. School has no students with known asthma</b>			
High Schools	129	5	3 - 8
Middle Schools	140	0	NA
Junior/Senior High Schools	36	14	8 - 23
<b>All Schools</b>	<b>305</b>	<b>4</b>	<b>3 - 5</b>
<b>b. All students with known asthma have an asthma action plan on file</b>			
High Schools	129	69	62 - 75
Middle Schools	140	69	62 - 74
Junior/Senior High Schools	36	59	47 - 70
<b>All Schools</b>	<b>305</b>	<b>68</b>	<b>63 - 72</b>
<b>c. Most students with known asthma have an asthma action plan on file</b>			
High Schools	129	12	8 - 17
Middle Schools	140	19	15 - 24
Junior/Senior High Schools	36	11	5 - 22
<b>All Schools</b>	<b>305</b>	<b>15</b>	<b>12 - 18</b>
<b>d. Some students with known asthma have an asthma action plan on file</b>			
High Schools	129	13	9 - 19
Middle Schools	140	12	9 - 17
Junior/Senior High Schools	36	8	3 - 19
<b>All Schools</b>	<b>305</b>	<b>12</b>	<b>10 - 15</b>
<b>e. No students with known asthma have an asthma action plan on file</b>			
High Schools	129	1	0 - 4
Middle Schools	140	1	0 - 3
Junior/Senior High Schools	36	8	3 - 20
<b>All Schools</b>	<b>305</b>	<b>2</b>	<b>1 - 3</b>

NA=Not available

N=Unweighted number of observations

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**41. Percentage of schools that use each of the following types of information to identify students with poorly controlled asthma.**

	N	Percent	95% Confidence Interval
<b>a. School does not identify students with poorly controlled asthma</b>			
High Schools	129	21	15 - 27
Middle Schools	140	14	10 - 20
Junior/Senior High Schools	38	34	22 - 49
<b>All Schools</b>	<b>307</b>	<b>19</b>	<b>16 - 23</b>
<b>b. Frequent absences from school</b>			
High Schools	131	32	26 - 38
Middle Schools	140	44	37 - 51
Junior/Senior High Schools	38	31	20 - 46
<b>All Schools</b>	<b>309</b>	<b>37</b>	<b>33 - 42</b>
<b>c. Frequent visits to the school health office due to asthma</b>			
High Schools	130	57	50 - 64
Middle Schools	140	72	65 - 77
Junior/Senior High Schools	38	37	25 - 50
<b>All Schools</b>	<b>308</b>	<b>61</b>	<b>57 - 65</b>
<b>d. Frequent asthma symptoms at school</b>			
High Schools	131	53	47 - 59
Middle Schools	140	62	55 - 68
Junior/Senior High Schools	38	53	39 - 66
<b>All Schools</b>	<b>309</b>	<b>57</b>	<b>53 - 61</b>
<b>e. Frequent non-participation in physical education class due to asthma</b>			
High Schools	131	38	31 - 44
Middle Schools	140	49	42 - 56
Junior/Senior High Schools	38	29	19 - 41
<b>All Schools</b>	<b>309</b>	<b>42</b>	<b>37 - 46</b>
<b>f. Students sent home early due to asthma</b>			
High Schools	130	44	38 - 51
Middle Schools	140	47	41 - 53
Junior/Senior High Schools	38	29	19 - 42
<b>All Schools</b>	<b>308</b>	<b>44</b>	<b>40 - 48</b>

NA=Not available

N=Unweighted number of observations

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**41. Percentage of schools that use each of the following types of information to identify students with poorly controlled asthma.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>g. Calls from school to 911, or other local emergency numbers, due to asthma</b>			
High Schools	130	37	32 - 44
Middle Schools	140	34	27 - 41
Junior/Senior High Schools	38	21	13 - 34
<b>All Schools</b>	<b>308</b>	<b>34</b>	<b>30 - 38</b>

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**42. Percentage of schools that provide each of the following services for students with poorly controlled asthma.**

	N	Percent	95% Confidence Interval
<b>a. Providing referrals to primary healthcare clinicians or child health insurance programs</b>			
High Schools	122	68	62 - 74
Middle Schools	129	70	63 - 76
Junior/Senior High Schools	36	61	45 - 75
<b>All Schools</b>	<b>287</b>	<b>68</b>	<b>63 - 72</b>
<b>b. Ensuring an appropriate written asthma action plan is obtained</b>			
High Schools	124	84	78 - 89
Middle Schools	130	92	87 - 95
Junior/Senior High Schools	37	78	65 - 88
<b>All Schools</b>	<b>291</b>	<b>87</b>	<b>84 - 90</b>
<b>c. Ensuring access to and appropriate use of asthma medications, spacers, and peak flow meters at school</b>			
High Schools	121	77	70 - 82
Middle Schools	131	87	81 - 91
Junior/Senior High Schools	36	75	60 - 86
<b>All Schools</b>	<b>288</b>	<b>81</b>	<b>77 - 85</b>
<b>d. Offering asthma education for the student with asthma and his/her family</b>			
High Schools	122	44	36 - 51
Middle Schools	128	55	48 - 63
Junior/Senior High Schools	36	33	21 - 48
<b>All Schools</b>	<b>286</b>	<b>48</b>	<b>43 - 53</b>
<b>e. Minimizing asthma triggers in the school environment</b>			
High Schools	122	63	55 - 69
Middle Schools	129	75	69 - 81
Junior/Senior High Schools	37	68	53 - 79
<b>All Schools</b>	<b>288</b>	<b>69</b>	<b>64 - 73</b>
<b>f. Addressing social and emotional issues related to asthma</b>			
High Schools	120	49	42 - 56
Middle Schools	127	56	49 - 63
Junior/Senior High Schools	37	46	33 - 59
<b>All Schools</b>	<b>284</b>	<b>52</b>	<b>47 - 57</b>

NA=Not available

N=Unweighted number of observations

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**42. Percentage of schools that provide each of the following services for students with poorly controlled asthma.**

	N	Percent	95% Confidence Interval
<b>g. Providing additional psychosocial counseling or support services as needed</b>			
High Schools	121	41	33 - 48
Middle Schools	127	51	44 - 58
Junior/Senior High Schools	37	43	32 - 55
<b>All Schools</b>	<b>285</b>	<b>46</b>	<b>41 - 51</b>
<b>h. Ensuring access to safe, enjoyable physical education and activity opportunities</b>			
High Schools	123	81	74 - 86
Middle Schools	131	91	86 - 94
Junior/Senior High Schools	37	84	71 - 92
<b>All Schools</b>	<b>291</b>	<b>86</b>	<b>82 - 89</b>
<b>i. Ensuring access to preventive medications before physical activity</b>			
High Schools	124	79	73 - 84
Middle Schools	127	87	82 - 91
Junior/Senior High Schools	37	92	81 - 97
<b>All Schools</b>	<b>288</b>	<b>84</b>	<b>81 - 88</b>

NA=Not available

N=Unweighted number of observations

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**43. Percentage of schools that have a designated and secure storage location for medications, including quick-relief asthma medications.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	129	95	91 - 97
Middle Schools	138	100	NA
Junior/Senior High Schools	38	84	74 - 91
<b>All Schools</b>	<b>305</b>	<b>96</b>	<b>94 - 97</b>

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**44. Percentage of schools with a designated and secure storage location for medications that is accessible at all times by the school nurse or her designee.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	120	100	NA
Middle Schools	132	100	NA
Junior/Senior High Schools	32	97	86 - 99
<b>All Schools</b>	<b>284</b>	<b>100</b>	<b>98 - 100</b>

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**45. Percentage of schools in which school staff members are required to receive training on recognizing and responding to severe asthma symptoms more than once per year, once per year, or less than once per year.**

	N	Percent	95% Confidence Interval
<b>a. More than once per year</b>			
High Schools	127	3	2 - 6
Middle Schools	136	4	2 - 7
Junior/Senior High Schools	37	3	1 - 13
<b>All Schools</b>	<b>300</b>	<b>3</b>	<b>2 - 5</b>
<b>b. Once per year</b>			
High Schools	127	57	50 - 64
Middle Schools	136	69	62 - 75
Junior/Senior High Schools	37	65	50 - 77
<b>All Schools</b>	<b>300</b>	<b>63</b>	<b>59 - 68</b>
<b>c. Less than once per year</b>			
High Schools	127	14	9 - 20
Middle Schools	136	9	6 - 13
Junior/Senior High Schools	37	5	2 - 14
<b>All Schools</b>	<b>300</b>	<b>10</b>	<b>8 - 14</b>
<b>d. No such requirement</b>			
High Schools	127	26	21 - 33
Middle Schools	136	18	13 - 25
Junior/Senior High Schools	37	27	17 - 41
<b>All Schools</b>	<b>300</b>	<b>23</b>	<b>19 - 27</b>

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**46. Percentage of schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	127	80	73 - 86
Middle Schools	139	84	78 - 89
Junior/Senior High Schools	38	76	63 - 85
<b>All Schools</b>	<b>304</b>	<b>81</b>	<b>77 - 85</b>

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**47. Percentage of schools that have procedures to inform each of the following groups about the policy permitting students to carry and self-administer asthma medications.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Students</b>			
High Schools	100	94	89 - 97
Middle Schools	115	92	87 - 95
Junior/Senior High Schools	28	89	75 - 96
<b>All Schools</b>	<b>243</b>	<b>93</b>	<b>89 - 95</b>
<b>b. Parents/families</b>			
High Schools	100	93	88 - 96
Middle Schools	114	93	88 - 96
Junior/Senior High Schools	28	89	75 - 96
<b>All Schools</b>	<b>242</b>	<b>92</b>	<b>89 - 95</b>

\*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

NA=Not available

N=Unweighted number of observations

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**48. Percentage of schools that have the following person responsible for implementing the policy permitting students to carry and self-administer asthma medication.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. No single individual is responsible</b>			
High Schools	92	28	22 - 36
Middle Schools	109	17	12 - 23
Junior/Senior High Schools	26	23	14 - 36
<b>All Schools</b>	<b>227</b>	<b>22</b>	<b>18 - 27</b>
<b>b. Principal</b>			
High Schools	92	5	2 - 10
Middle Schools	109	6	3 - 11
Junior/Senior High Schools	26	12	5 - 26
<b>All Schools</b>	<b>227</b>	<b>6</b>	<b>4 - 9</b>
<b>c. Assistant principal</b>			
High Schools	92	2	1 - 6
Middle Schools	109	1	0 - 4
Junior/Senior High Schools	26	0	NA
<b>All Schools</b>	<b>227</b>	<b>1</b>	<b>1 - 3</b>
<b>d. School nurse</b>			
High Schools	92	64	56 - 71
Middle Schools	109	73	67 - 79
Junior/Senior High Schools	26	58	45 - 69
<b>All Schools</b>	<b>227</b>	<b>68</b>	<b>63 - 72</b>
<b>e. Other school faculty or staff member</b>			
High Schools	92	1	0 - 5
Middle Schools	109	3	1 - 7
Junior/Senior High Schools	26	8	2 - 21
<b>All Schools</b>	<b>227</b>	<b>3</b>	<b>1 - 5</b>

\*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

NA=Not available

N=Unweighted number of observations

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**49. Percentage of schools in which students' families helped develop or implement policies and programs related to the following topics during the past two years.**

	N	Percent	95% Confidence Interval
<b>a. HIV, STD, or teen pregnancy prevention</b>			
High Schools	126	22	16 - 28
Middle Schools	137	17	12 - 22
Junior/Senior High Schools	37	15	9 - 25
<b>All Schools</b>	<b>300</b>	<b>19</b>	<b>15 - 22</b>
<b>b. Tobacco-use prevention</b>			
High Schools	127	24	19 - 31
Middle Schools	137	18	13 - 23
Junior/Senior High Schools	38	18	10 - 31
<b>All Schools</b>	<b>302</b>	<b>20</b>	<b>17 - 24</b>
<b>c. Physical activity</b>			
High Schools	127	23	18 - 30
Middle Schools	138	20	15 - 25
Junior/Senior High Schools	38	29	19 - 41
<b>All Schools</b>	<b>303</b>	<b>22</b>	<b>19 - 26</b>
<b>d. Nutrition and healthy eating</b>			
High Schools	127	41	34 - 48
Middle Schools	136	37	31 - 43
Junior/Senior High Schools	38	34	21 - 49
<b>All Schools</b>	<b>301</b>	<b>38</b>	<b>34 - 43</b>
<b>e. Asthma</b>			
High Schools	127	14	10 - 20
Middle Schools	137	11	7 - 16
Junior/Senior High Schools	38	15	8 - 28
<b>All Schools</b>	<b>302</b>	<b>13</b>	<b>10 - 16</b>

NA=Not available

N=Unweighted number of observations

**Washington  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**50. Percentage of schools in which community members helped develop or implement policies and programs related to the following topics during the past two years.**

	N	Percent	95% Confidence Interval
<b>a. HIV, STD, or teen pregnancy prevention</b>			
High Schools	128	31	25 - 37
Middle Schools	136	26	20 - 34
Junior/Senior High Schools	37	16	8 - 28
<b>All Schools</b>	<b>301</b>	<b>27</b>	<b>23 - 31</b>
<b>b. Tobacco-use prevention</b>			
High Schools	128	35	29 - 42
Middle Schools	137	27	22 - 33
Junior/Senior High Schools	38	21	12 - 34
<b>All Schools</b>	<b>303</b>	<b>30</b>	<b>26 - 34</b>
<b>c. Physical activity</b>			
High Schools	128	30	24 - 37
Middle Schools	136	28	22 - 35
Junior/Senior High Schools	38	18	10 - 32
<b>All Schools</b>	<b>302</b>	<b>28</b>	<b>24 - 32</b>
<b>d. Nutrition and healthy eating</b>			
High Schools	128	45	38 - 53
Middle Schools	137	42	35 - 48
Junior/Senior High Schools	38	24	14 - 38
<b>All Schools</b>	<b>303</b>	<b>41</b>	<b>37 - 46</b>
<b>e. Asthma</b>			
High Schools	127	15	11 - 20
Middle Schools	138	14	10 - 20
Junior/Senior High Schools	38	8	3 - 19
<b>All Schools</b>	<b>303</b>	<b>14</b>	<b>11 - 17</b>

NA=Not available

N=Unweighted number of observations