

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Physical activity	27.8	21.6 - 34.9	89	39.3	31.1 - 48.2	106	37.9	24.6 - 53.4	29	34.6	29.6 - 40.0	224
b. Nutrition	31.5	25.4 - 38.3	88	39.3	31.4 - 47.8	106	31.2	18.4 - 47.6	29	35.3	30.3 - 40.5	223
c. Tobacco-use prevention	40.5	32.5 - 48.9	89	46.1	37.7 - 54.7	106	52.3	37.7 - 66.5	29	44.6	39.2 - 50.3	224
d. Asthma	15.8	10.3 - 23.3	89	17.3	11.5 - 25.3	105	25.1	12.8 - 43.4	28	17.6	13.5 - 22.7	222
e. Injury and violence prevention	28.2	21.9 - 35.4	89	29.9	22.9 - 37.8	105	43.2	26.1 - 62.1	28	30.8	26.0 - 36.0	222

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

2. Percentage of schools with a School Improvement Plan that includes health-related goals and objectives on the following topics.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Health education	28.2	21.9 - 35.6	92	28.9	22.0 - 37.0	109	19.8	10.9 - 33.4	30	27.5	23.0 - 32.5	231
b. Physical education and physical activity	23.0	16.9 - 30.5	90	34.4	27.2 - 42.3	109	23.1	12.9 - 37.8	30	28.5	24.0 - 33.6	229
c. Nutrition services and foods and beverages available at school	11.4	7.4 - 17.1	92	6.4	3.3 - 11.9	109	16.6	7.4 - 32.9	30	9.6	6.9 - 13.2	231
d. Health services	15.8	10.3 - 23.5	91	10.3	6.1 - 16.9	108	13.0	5.4 - 28.4	30	12.8	9.4 - 17.2	229
e. Mental health and social services	13.2	8.0 - 21.1	90	18.6	13.1 - 25.8	108	23.1	11.6 - 40.7	30	17.1	13.1 - 21.9	228
f. Healthy and safe school environment	49.3	41.6 - 57.0	92	60.8	52.4 - 68.5	108	63.9	46.1 - 78.5	30	56.6	51.2 - 61.9	230
g. Family and community involvement	61.6	52.6 - 69.8	90	64.4	56.9 - 71.3	107	79.9	66.3 - 88.9	30	65.2	60.0 - 70.2	227
h. Faculty and staff health promotion	13.2	7.9 - 21.0	91	5.8	2.9 - 11.4	105	13.3	5.5 - 28.9	30	9.7	6.7 - 13.8	226

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

3. Percentage of schools that are required to report each of the following types of information regarding implementation of the local wellness policy.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Number of minutes of physical education required in each grade	64.3	56.4 - 71.5	90	79.1	72.3 - 84.6	108	76.1	57.9 - 88.1	29	73.0	68.1 - 77.3	227
b. Rates of student participation in school meal programs	84.6	78.6 - 89.1	89	92.2	86.1 - 95.7	107	82.9	65.9 - 92.4	29	88.1	84.2 - 91.1	225
c. Revenue from sale of foods and beverages from school-sponsored fundraisers, vending machines, school stores, or a la carte lines in the school cafeteria	70.4	61.3 - 78.1	88	69.8	61.7 - 76.8	108	55.6	37.9 - 72.0	29	68.3	62.7 - 73.4	225
d. Number of minutes of physical activity outside of physical education (e.g., classroom physical activity breaks, free time physical activity, or recess)	18.0	12.8 - 24.8	89	39.8	32.1 - 48.0	108	41.3	26.9 - 57.4	29	31.5	26.8 - 36.7	226

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

4. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
77.9	70.6 - 83.8	92	81.5	76.0 - 86.0	106	82.6	69.6 - 90.8	29	80.2	76.2 - 83.7	227

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

5. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
43.6	35.8 - 51.8	91	52.0	43.5 - 60.4	109	47.0	28.8 - 66.1	30	48.1	42.5 - 53.8	230

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. School administrators	89.6	77.0 - 95.7	39	96.3	88.7 - 98.9	52	92.5	68.2 - 98.6	14	93.4	87.8 - 96.5	105
b. Health education teachers	87.5	75.3 - 94.1	39	90.4	80.7 - 95.4	54	78.6	53.0 - 92.3	14	87.9	81.2 - 92.4	107
c. Physical education teachers	76.2	63.6 - 85.4	39	88.5	78.6 - 94.2	54	71.7	46.4 - 88.1	14	82.0	75.0 - 87.3	107
d. Mental health or social services staff	64.2	49.7 - 76.4	36	62.4	51.1 - 72.6	53	49.7	28.8 - 70.6	12	61.6	53.4 - 69.2	101
e. Nutrition or food service staff	45.8	31.4 - 61.0	37	43.6	32.0 - 55.9	53	46.0	26.7 - 66.6	13	44.7	36.2 - 53.5	103
f. Health services staff (e.g., school nurse)	69.2	52.8 - 81.9	36	83.0	71.6 - 90.4	52	67.1	40.0 - 86.2	12	76.3	67.7 - 83.2	100
g. Maintenance and transportation staff	19.8	10.6 - 34.2	36	11.4	5.7 - 21.6	51	50.3	29.4 - 71.2	12	18.9	13.3 - 26.3	99
h. Technology staff	11.0	4.7 - 23.7	36	15.3	8.3 - 26.5	51	46.6	24.1 - 70.6	13	17.7	12.0 - 25.4	100
i. Library/media center staff	10.9	4.4 - 24.6	36	24.5	15.9 - 35.8	51	24.8	8.9 - 52.8	12	19.7	13.7 - 27.5	99
j. Student body	47.6	33.2 - 62.4	37	35.6	24.0 - 49.1	51	33.6	17.8 - 54.1	12	39.7	31.2 - 48.9	100
k. Parents or families of students	46.7	33.8 - 59.9	38	57.2	44.5 - 68.9	53	64.2	42.0 - 81.6	14	54.3	45.8 - 62.6	105
l. Community members	40.7	28.3 - 54.5	36	40.1	29.2 - 52.0	51	46.0	26.7 - 66.6	13	41.0	33.3 - 49.3	100

*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.
N = Unweighted number of observations

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
m. Local health departments, agencies, or organizations	29.1	20.2 - 40.0	37	33.4	22.5 - 46.4	51	46.0	23.6 - 70.1	13	33.4	26.0 - 41.7	101
n. Faith-based organizations	8.6	3.2 - 21.3	36	7.7	3.2 - 17.4	51	24.8	9.9 - 49.7	12	10.0	5.8 - 16.6	99
o. Businesses	13.7	7.3 - 24.2	35	10.6	5.0 - 21.2	50	16.8	5.3 - 42.2	12	12.4	7.9 - 19.0	97
p. Local government agencies	19.0	10.9 - 31.1	36	22.3	13.3 - 34.9	49	16.8	5.3 - 42.2	12	20.4	14.3 - 28.4	97

*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.
 N = Unweighted number of observations

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

7. Percentage of schools that require any school staff to receive professional development on HIV, STD, or pregnancy prevention issues and resources for the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Ethnic/racial minority youth at high risk (e.g., black, Hispanic, or American Indian youth)	37.8	29.2 - 47.1	88	31.5	24.4 - 39.5	106	26.4	15.0 - 42.0	30	33.3	28.1 - 38.8	224
b. Youth who participate in drop-out prevention, alternative education, or GED programs	38.1	30.7 - 46.0	87	23.9	17.9 - 31.1	106	53.5	37.5 - 68.9	30	33.2	28.5 - 38.2	223

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

8. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
61.3	55.4 - 66.8	91	32.4	25.5 - 40.2	108	26.9	19.8 - 35.4	30	43.0	38.8 - 47.4	229

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

9. Percentage of schools that engage in the following practices related to LGBTQ youth.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Identify “safe spaces” (e.g., a counselor’s office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	66.7	56.9 - 75.2	89	59.5	51.6 - 67.0	105	56.5	41.4 - 70.5	30	61.9	56.3 - 67.3	224
b. Prohibit harassment based on a student’s perceived or actual sexual orientation or gender identity	95.4	89.7 - 98.1	90	88.7	83.9 - 92.2	107	96.7	83.8 - 99.4	30	92.4	89.4 - 94.6	227
c. Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	70.7	63.2 - 77.2	89	64.2	55.9 - 71.7	107	69.1	51.9 - 82.3	29	67.3	62.0 - 72.2	225
d. Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	71.9	63.2 - 79.2	90	46.1	38.9 - 53.5	107	62.0	46.6 - 75.3	29	58.2	53.0 - 63.1	226
e. Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	60.9	52.1 - 69.0	90	49.4	42.2 - 56.7	107	51.5	38.2 - 64.7	29	54.2	49.0 - 59.3	226

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

10. Percentage of schools that have adopted a policy that addresses each of the following issues on HIV or AIDS.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Attendance of students with HIV infection	60.6	50.5 - 69.8	88	70.5	62.9 - 77.0	103	65.7	46.5 - 80.9	29	66.0	60.1 - 71.3	220
b. Procedures to protect HIV-infected students and staff from discrimination	76.2	66.4 - 83.8	88	82.4	75.2 - 87.8	102	79.2	62.1 - 89.9	29	79.5	74.2 - 84.0	219
c. Maintaining confidentiality of HIV-infected students and staff	88.0	80.5 - 92.9	88	89.3	83.7 - 93.1	102	79.5	62.6 - 90.0	29	87.5	83.3 - 90.8	219
d. Worksite safety (i.e., universal precautions for all school staff)	88.8	81.4 - 93.5	88	92.9	86.9 - 96.3	102	93.3	79.3 - 98.0	29	91.3	87.4 - 94.2	219
e. Confidential counseling for HIV-infected students	72.6	63.8 - 79.9	87	66.6	59.8 - 72.7	101	65.5	48.6 - 79.1	29	68.8	63.7 - 73.5	217
f. Communication of the policy to students, school staff, and parents	66.5	56.3 - 75.4	88	72.2	63.9 - 79.2	102	65.7	48.6 - 79.6	29	69.1	63.2 - 74.5	219
g. Adequate training about HIV infection for school staff	76.3	67.7 - 83.2	87	84.7	78.7 - 89.2	102	86.2	70.7 - 94.2	29	81.6	77.0 - 85.4	218
h. Procedures for implementing the policy	69.8	60.5 - 77.7	88	77.6	70.5 - 83.3	101	65.5	48.5 - 79.2	29	72.9	67.6 - 77.7	218

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

11. Percentage of schools that have or participate in each of the following programs.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. A student mentoring program	72.1	63.6 - 79.2	88	59.2	50.9 - 67.0	106	46.7	31.8 - 62.3	30	62.6	57.1 - 67.8	224
b. A safe-passages to school program	14.0	8.5 - 22.3	88	20.5	14.6 - 28.1	106	6.5	1.9 - 20.0	30	16.2	12.4 - 21.0	224
c. A program to prevent bullying	59.6	50.6 - 68.0	89	84.8	78.0 - 89.8	106	72.8	57.0 - 84.4	30	73.4	68.4 - 78.0	225
d. A program to prevent dating violence	22.8	16.1 - 31.3	88	24.3	17.7 - 32.3	105	29.9	17.3 - 46.5	30	24.4	19.8 - 29.8	223
e. A youth development program	42.3	34.1 - 50.9	88	38.3	30.6 - 46.6	104	29.9	16.1 - 48.7	30	38.8	33.4 - 44.4	222

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

12. Percentage of schools in which all staff who teach health education topics are certified, licensed, or endorsed by the state in health education.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Yes	81.6	73.3 - 87.8	90	67.0	58.3 - 74.8	105	76.1	60.9 - 86.7	29	74.0	68.4 - 78.8	224
b. No	13.6	8.7 - 20.7	90	28.1	21.2 - 36.2	105	23.9	13.3 - 39.1	29	21.8	17.5 - 26.8	224
c. Not applicable	4.8	2.0 - 10.9	90	4.8	2.2 - 10.2	105	0.0	†	29	4.2	2.4 - 7.4	224

† Confidence intervals not applicable for 0 percent or 100 percent.
 N = Unweighted number of observations

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

13. Percentage of schools that require physical education for students in any of grades 6 through 12.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
94.2	87.9 - 97.3	90	98.0	93.4 - 99.4	105	100.0	†	29	96.7	93.8 - 98.3	224

† Confidence intervals not applicable for 0 percent or 100 percent.
 N = Unweighted number of observations

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

14. Percentage of schools that taught a required physical education course in each of the following grades.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Sixth grade	§	§	§	97.1	90.5 - 99.1	72	89.2	69.4 - 96.8	19	95.5	89.8 - 98.1	91
b. Seventh grade	§	§	§	97.0	92.1 - 98.9	101	95.7	80.4 - 99.2	25	96.8	92.6 - 98.6	126
c. Eighth grade	§	§	§	97.0	92.1 - 98.9	100	92.1	77.0 - 97.6	27	96.0	91.6 - 98.1	127
d. Ninth grade	84.9	77.3 - 90.2	81	55.4	39.8 - 69.9	22	96.4	82.1 - 99.4	27	82.1	76.5 - 86.6	130
e. Tenth grade	77.4	69.0 - 84.0	89	§	§	§	76.4	61.8 - 86.6	26	77.2	70.1 - 83.0	115
f. Eleventh grade	50.9	41.9 - 59.9	89	§	§	§	49.7	33.8 - 65.7	26	50.7	42.8 - 58.5	115
g. Twelfth grade	44.4	35.9 - 53.1	89	§	§	§	45.9	31.5 - 61.1	26	44.7	37.3 - 52.3	115

*Among schools with students in that grade.

§ Grade is not applicable for type of school.

N = Unweighted number of observations

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

15. Percentage of schools in which students can be exempted from taking required physical education for one grading period or longer for any of the following reasons.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Enrollment in other courses (e.g., math or science)	50.0	41.7 - 58.2	84	37.8	30.2 - 46.0	101	57.3	39.7 - 73.3	28	45.0	39.5 - 50.5	213
b. Participation in school sports	61.2	52.8 - 68.9	83	17.8	12.3 - 25.2	101	61.4	43.3 - 76.9	28	40.1	35.2 - 45.1	212
c. Participation in other school activities (e.g., ROTC, band, or chorus)	40.1	33.2 - 47.4	82	25.9	19.6 - 33.4	101	21.6	12.3 - 35.1	28	30.8	26.4 - 35.6	211
d. Participation in community sports activities	34.8	27.5 - 43.0	83	21.3	15.2 - 29.0	100	29.3	17.6 - 44.4	28	27.5	23.0 - 32.7	211
e. Religious reasons	59.3	50.1 - 68.0	83	68.5	59.4 - 76.3	101	64.3	48.2 - 77.8	28	64.4	58.5 - 70.0	212
f. Long-term physical or medical disability	84.0	75.9 - 89.8	85	89.8	83.1 - 94.1	101	92.4	76.9 - 97.8	27	87.9	83.4 - 91.3	213
g. Cognitive disability	50.5	41.5 - 59.5	83	38.8	31.8 - 46.2	98	40.9	27.6 - 55.7	27	43.6	38.4 - 49.0	208
h. High physical fitness competency test score	4.6	2.0 - 10.5	83	1.1	0.2 - 6.0	100	3.6	0.6 - 18.0	27	2.8	1.4 - 5.5	210
i. Participation in vocational training	17.9	11.4 - 27.0	83	5.0	2.6 - 9.2	100	14.5	5.9 - 31.6	27	11.2	8.0 - 15.5	210
j. Participation in community service activities	5.0	2.1 - 11.3	82	2.9	1.1 - 7.7	100	10.9	3.9 - 26.9	27	4.7	2.7 - 8.0	209

*Among those schools that require physical education for students in any of grades 6 through 12.
N = Unweighted number of observations

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

16. Percentage of schools in which physical education teachers or specialists received professional development on physical education during the past two years.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
79.7	73.2 - 85.0	89	89.7	82.7 - 94.1	101	65.3	52.7 - 76.2	29	82.7	78.5 - 86.2	219

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

17. Percentage of schools that provide those who teach physical education with the following materials.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Goals, objectives, and expected outcomes for physical education	91.5	84.2 - 95.6	89	94.9	89.4 - 97.7	105	90.2	83.2 - 94.5	30	93.0	89.4 - 95.4	224
b. A chart describing the annual scope and sequence of instruction for physical education	77.8	69.6 - 84.4	89	73.8	66.3 - 80.2	105	62.1	48.4 - 74.1	29	74.0	69.0 - 78.4	223
c. Plans for how to assess student performance in physical education	85.5	77.2 - 91.2	88	83.0	75.5 - 88.5	105	70.1	56.6 - 80.9	30	82.3	77.5 - 86.3	223
d. A written physical education curriculum	75.5	67.1 - 82.3	89	65.0	57.0 - 72.2	104	63.6	50.6 - 74.9	30	68.9	63.8 - 73.7	223

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

18. Percentage of schools that offer opportunities for all students to participate in intramural activities or physical activity clubs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
53.3	43.8 - 62.5	91	74.8	67.0 - 81.3	104	49.4	35.1 - 63.9	30	63.0	57.4 - 68.2	225

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

19. Percentage of schools in which children or adolescents use indoor physical activity or athletic facilities for community-sponsored physical activity classes or lessons.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
78.6	70.2 - 85.1	89	93.3	87.6 - 96.5	103	89.9	75.2 - 96.4	30	87.0	82.8 - 90.4	222

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

20. Percentage of schools that have adopted a policy prohibiting tobacco use.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
98.8	93.5 - 99.8	90	98.9	94.3 - 99.8	105	100.0	†	30	99.0	96.7 - 99.7	225

† Confidence intervals not applicable for 0 percent or 100 percent.
 N = Unweighted number of observations

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

21. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	97.7	92.5 - 99.3	89	97.9	93.2 - 99.4	102	100.0	†	28	98.1	95.5 - 99.2	219
b. Smokeless Tobacco	97.7	92.5 - 99.3	89	97.9	93.2 - 99.4	102	100.0	†	28	98.1	95.5 - 99.2	219
c. Cigars	95.3	89.2 - 98.0	89	95.9	90.7 - 98.3	102	100.0	†	28	96.2	93.1 - 97.9	219
d. Pipes	95.3	89.2 - 98.0	89	95.9	90.6 - 98.3	101	100.0	†	28	96.1	93.0 - 97.9	218

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

21. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	97.7	92.5 - 99.3	89	95.7	90.1 - 98.2	102	100.0	†	28	97.0	94.1 - 98.5	219
b. Smokeless Tobacco	97.7	92.4 - 99.3	88	95.7	90.1 - 98.2	102	100.0	†	28	97.0	94.0 - 98.5	218
c. Cigars	95.3	89.2 - 98.0	89	93.7	87.6 - 96.9	102	100.0	†	28	95.1	91.7 - 97.1	219
d. Pipes	95.2	89.1 - 98.0	88	92.8	86.6 - 96.3	102	100.0	†	28	94.6	91.1 - 96.8	218

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

21. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	97.7	92.4 - 99.3	88	95.6	89.9 - 98.1	100	100.0	†	28	97.0	94.0 - 98.5	216
b. Smokeless Tobacco	96.6	91.2 - 98.8	89	93.6	87.5 - 96.8	100	100.0	†	28	95.6	92.3 - 97.5	217
c. Cigars	94.2	87.9 - 97.3	89	93.6	87.4 - 96.8	100	100.0	†	28	94.6	91.1 - 96.8	217
d. Pipes	94.1	87.6 - 97.3	87	92.7	86.3 - 96.2	100	100.0	†	28	94.1	90.5 - 96.4	215

† Confidence intervals not applicable for 0 percent or 100 percent.
 N = Unweighted number of observations

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

22. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	98.7	93.4 - 99.8	89	98.9	94.1 - 99.8	102	100.0	†	29	99.0	96.6 - 99.7	220
b. During non-school hours	89.6	82.9 - 93.8	88	90.0	83.2 - 94.2	101	89.2	81.0 - 94.2	28	89.7	85.8 - 92.7	217

† Confidence intervals not applicable for 0 percent or 100 percent.
 N = Unweighted number of observations

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

22. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	97.7	92.4 - 99.3	88	97.9	93.1 - 99.4	101	100.0	†	27	98.0	95.5 - 99.2	216
b. During non-school hours	84.1	76.2 - 89.8	88	87.0	79.5 - 92.0	101	79.2	65.7 - 88.3	29	84.8	80.1 - 88.6	218

† Confidence intervals not applicable for 0 percent or 100 percent.
 N = Unweighted number of observations

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

22. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	98.7	93.3 - 99.8	88	96.7	91.5 - 98.8	101	100.0	†	29	97.9	95.3 - 99.1	218
b. During non-school hours	82.4	73.9 - 88.6	85	87.0	79.5 - 92.0	101	82.3	70.0 - 90.2	28	84.6	79.8 - 88.4	214

† Confidence intervals not applicable for 0 percent or 100 percent.
 N = Unweighted number of observations

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

23. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	98.7	93.4 - 99.8	89	98.9	94.1 - 99.8	102	100.0	†	28	99.0	96.6 - 99.7	219
b. Outside on school grounds, including parking lots and playing fields	98.7	93.3 - 99.8	88	98.9	94.0 - 99.8	100	100.0	†	29	98.9	96.6 - 99.7	217
c. On school buses or other vehicles used to transport students	98.7	93.3 - 99.8	88	97.9	93.2 - 99.4	102	96.6	83.3 - 99.4	29	98.1	95.5 - 99.2	219
d. At off-campus, school-sponsored events	96.3	90.5 - 98.6	89	96.0	90.8 - 98.3	101	100.0	†	29	96.6	93.7 - 98.2	219

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

23. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	98.7	93.3 - 99.8	88	98.9	94.1 - 99.8	102	100.0	†	29	99.0	96.6 - 99.7	219
b. Outside on school grounds, including parking lots and playing fields	98.7	93.4 - 99.8	89	98.9	94.1 - 99.8	101	100.0	†	29	99.0	96.6 - 99.7	219
c. On school buses or other vehicles used to transport students	98.7	93.3 - 99.8	88	97.9	93.2 - 99.4	102	96.6	83.3 - 99.4	29	98.1	95.5 - 99.2	219
d. At off-campus, school-sponsored events	95.1	88.8 - 97.9	89	91.1	84.6 - 95.0	101	93.0	78.6 - 98.0	28	92.9	89.1 - 95.5	218

† Confidence intervals not applicable for 0 percent or 100 percent.
 N = Unweighted number of observations

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

23. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	98.7	93.4 - 99.8	89	98.9	94.1 - 99.8	102	100.0	†	29	99.0	96.6 - 99.7	220
b. Outside on school grounds, including parking lots and playing fields	98.7	93.4 - 99.8	89	98.8	93.9 - 99.8	99	100.0	†	29	98.9	96.6 - 99.7	217
c. On school buses or other vehicles used to transport students	97.4	91.7 - 99.2	87	96.9	94.3 - 98.3	101	96.6	83.3 - 99.4	29	97.1	94.8 - 98.4	217
d. At off-campus, school-sponsored events	87.0	78.7 - 92.3	87	86.4	79.5 - 91.2	101	89.5	74.1 - 96.2	28	87.0	82.4 - 90.5	216

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

23N. The percentage of schools that follow a policy that mandates a “tobacco-free environment.” A “tobacco-free environment” is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
66.4	55.1 - 76.0	78	70.3	61.1 - 78.1	96	66.7	47.8 - 81.3	24	68.4	61.8 - 74.2	198

*Responses to question 21 (a, b, c, and d), question 22 (a and b), and question 23 (a, b, c, and d) are all "yes."
 N = Unweighted number of observations

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

24. Percentage of schools that have procedures to inform each of the following groups about the tobacco-use prevention policy that prohibits their use of tobacco.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Students	100.0	†	88	100.0	†	101	100.0	†	29	100.0	†	218
b. Faculty and staff	97.9	93.1 - 99.4	88	98.0	93.4 - 99.4	99	100.0	†	29	98.2	95.8 - 99.2	216
c. Visitors	84.4	76.2 - 90.1	86	91.8	85.3 - 95.6	97	96.6	83.3 - 99.4	29	89.5	85.2 - 92.6	212

*Among those schools that have adopted a policy prohibiting tobacco use.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

25. Percentage of schools that have a tobacco-use prevention policy that includes guidelines on what actions the school should take when students are caught smoking cigarettes.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
96.6	91.1 - 98.7	88	98.9	94.1 - 99.8	101	96.3	82.0 - 99.3	29	97.6	95.0 - 98.9	218

*Among those schools that have adopted a policy prohibiting tobacco use.
 N = Unweighted number of observations

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

26. Percentage of schools in which the following person is responsible for enforcing the tobacco-use prevention policy.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. No single individual is responsible	36.4	26.9 - 47.0	81	45.9	37.3 - 54.8	89	40.8	22.2 - 62.4	27	41.4	35.1 - 47.9	197
b. Principal	30.5	23.6 - 38.3	81	34.2	26.8 - 42.4	89	51.7	32.0 - 70.8	27	35.0	29.7 - 40.6	197
c. Assistant principal	28.5	20.8 - 37.7	81	17.5	11.6 - 25.5	89	7.6	2.3 - 22.3	27	20.7	16.2 - 25.9	197
d. Other school administrator	2.3	0.7 - 7.5	81	1.1	0.2 - 6.0	89	0.0	†	27	1.5	0.6 - 3.9	197
e. Other school faculty or staff member	2.3	0.7 - 7.5	81	1.3	0.2 - 6.8	89	0.0	†	27	1.5	0.6 - 4.1	197

*Among those schools that have adopted a policy prohibiting tobacco use.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

27. Percentage of schools in which the following criteria help determine what actions are taken when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Zero tolerance	79.0	70.0 - 85.8	87	88.8	81.8 - 93.4	103	89.9	75.1 - 96.4	30	85.1	80.3 - 88.9	220
b. Effect or severity of the violation	77.5	69.7 - 83.7	80	67.2	58.4 - 74.9	95	62.9	43.2 - 79.1	27	70.7	65.0 - 75.8	202
c. Grade level of student	25.7	17.7 - 35.6	75	40.2	31.6 - 49.4	95	33.1	18.8 - 51.5	27	33.8	28.1 - 40.1	197
d. Repeat offender status	97.3	91.4 - 99.2	81	91.5	84.7 - 95.4	95	88.9	73.3 - 95.9	27	93.4	89.6 - 95.9	203

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

28. (Never) Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Parents or guardians are notified	0.0	†	89	0.0	†	104	0.0	†	30	0.0	†	223
b. Referred to a school counselor	4.6	1.9 - 10.5	89	1.0	0.2 - 5.2	103	3.5	0.6 - 17.5	30	2.7	1.4 - 5.4	222
c. Referred to a school administrator	0.0	†	87	0.0	†	102	0.0	†	28	0.0	†	217
d. Encouraged, but not required, to participate in an assistance, education, or cessation program	10.2	5.7 - 17.5	89	9.9	5.7 - 16.6	100	10.1	3.6 - 25.1	29	10.0	6.9 - 14.3	218
e. Required to participate in an assistance, education, or cessation program	16.6	10.4 - 25.4	87	16.0	10.3 - 24.1	102	26.9	15.2 - 43.0	30	17.7	13.4 - 22.9	219
f. Referred to legal authorities	26.0	18.9 - 34.6	86	21.0	14.9 - 28.7	104	16.6	7.4 - 33.0	30	22.3	17.9 - 27.5	220
g. Placed in detention	28.9	22.0 - 37.0	88	26.3	19.2 - 35.0	103	41.7	29.4 - 55.2	29	29.3	24.4 - 34.7	220
h. Not allowed to participate in extra-curricular activities or interscholastic sports	8.4	4.4 - 15.6	88	9.8	5.6 - 16.5	103	6.8	2.0 - 20.8	30	8.9	6.0 - 13.0	221
i. Given in-school suspension	26.4	19.3 - 35.1	88	18.7	12.9 - 26.3	101	33.7	25.9 - 42.5	30	23.7	19.4 - 28.6	219
j. Suspended from school	5.7	2.6 - 11.9	87	2.6	1.0 - 6.7	103	0.0	†	29	3.5	1.9 - 6.3	219
k. Expelled from school	57.0	47.8 - 65.8	88	52.2	43.2 - 61.0	103	51.4	34.1 - 68.4	29	54.0	47.9 - 60.0	220
l. Reassigned to an alternative school	76.0	67.3 - 82.9	87	78.8	71.2 - 84.8	103	63.0	47.2 - 76.5	30	75.6	70.4 - 80.2	220

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

28. (Rarely) Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Parents or guardians are notified	3.6	1.3 - 9.3	89	0.0	†	104	0.0	†	30	1.4	0.5 - 3.7	223
b. Referred to a school counselor	13.6	8.5 - 21.1	89	3.6	1.5 - 8.1	103	13.3	5.5 - 29.0	30	8.8	6.1 - 12.5	222
c. Referred to a school administrator	0.0	†	87	0.0	†	102	0.0	†	28	0.0	†	217
d. Encouraged, but not required, to participate in an assistance, education, or cessation program	10.6	6.4 - 17.1	89	6.2	3.3 - 11.3	100	17.1	7.6 - 34.1	29	9.4	6.6 - 13.1	218
e. Required to participate in an assistance, education, or cessation program	25.8	18.8 - 34.3	87	18.7	12.6 - 26.9	102	10.1	3.6 - 24.9	30	20.4	16.0 - 25.5	219
f. Referred to legal authorities	30.5	22.7 - 39.6	86	36.4	27.9 - 45.8	104	26.6	15.1 - 42.5	30	32.8	27.3 - 38.8	220
g. Placed in detention	19.4	13.0 - 27.8	88	11.7	7.1 - 18.6	103	13.5	7.2 - 23.9	29	14.9	11.3 - 19.5	220
h. Not allowed to participate in extra-curricular activities or interscholastic sports	9.1	5.4 - 15.1	88	9.7	6.1 - 15.2	103	0.0	†	30	8.2	5.8 - 11.5	221
i. Given in-school suspension	21.6	15.6 - 29.0	88	13.5	9.1 - 19.7	101	16.3	7.3 - 32.5	30	17.1	13.5 - 21.5	219
j. Suspended from school	16.3	10.7 - 23.9	87	12.9	8.4 - 19.4	103	3.4	0.6 - 16.7	29	13.0	9.7 - 17.2	219
k. Expelled from school	37.6	29.2 - 46.9	88	35.9	27.8 - 44.8	103	34.8	20.3 - 52.8	29	36.4	30.8 - 42.4	220
l. Reassigned to an alternative school	18.5	12.8 - 26.1	87	16.3	11.0 - 23.5	103	20.1	11.1 - 33.7	30	17.7	13.8 - 22.3	220

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

28. (Sometimes) Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Parents or guardians are notified	2.3	0.7 - 7.5	89	1.0	0.2 - 5.1	104	0.0	†	30	1.4	0.5 - 3.6	223
b. Referred to a school counselor	42.2	33.0 - 52.0	89	34.2	27.5 - 41.5	103	36.4	24.8 - 49.8	30	37.6	32.5 - 43.1	222
c. Referred to a school administrator	9.7	5.2 - 17.2	87	1.0	0.2 - 5.2	102	3.5	0.6 - 17.3	28	4.7	2.7 - 8.0	217
d. Encouraged, but not required, to participate in an assistance, education, or cessation program	28.6	21.8 - 36.4	89	27.7	21.4 - 34.9	100	34.5	22.7 - 48.7	29	28.9	24.5 - 33.8	218
e. Required to participate in an assistance, education, or cessation program	24.8	17.5 - 33.9	87	29.4	22.2 - 37.8	102	33.1	19.4 - 50.5	30	28.1	23.0 - 33.7	219
f. Referred to legal authorities	34.1	26.6 - 42.4	86	29.0	21.4 - 37.9	104	46.5	31.3 - 62.3	30	33.2	27.9 - 38.9	220
g. Placed in detention	31.1	23.9 - 39.2	88	34.4	27.0 - 42.7	103	34.7	20.5 - 52.2	29	33.1	28.1 - 38.6	220
h. Not allowed to participate in extra-curricular activities or interscholastic sports	24.8	17.7 - 33.7	88	21.2	15.5 - 28.4	103	29.6	20.8 - 40.3	30	23.7	19.4 - 28.6	221
i. Given in-school suspension	44.7	36.3 - 53.4	88	50.6	41.8 - 59.4	101	33.2	21.2 - 47.7	30	46.0	40.3 - 51.7	219
j. Suspended from school	51.7	41.6 - 61.6	87	43.4	34.6 - 52.6	103	37.3	26.2 - 50.1	29	45.9	39.9 - 52.0	219
k. Expelled from school	5.3	2.5 - 11.1	88	9.9	6.4 - 14.8	103	13.8	5.8 - 29.2	29	8.6	6.1 - 12.0	220
l. Reassigned to an alternative school	5.5	2.5 - 11.5	87	4.9	2.3 - 10.3	103	16.9	7.6 - 33.4	30	6.7	4.3 - 10.3	220

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

28. (Always) Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Parents or guardians are notified	94.1	87.7 - 97.3	89	99.0	94.9 - 99.8	104	100.0	†	30	97.2	94.5 - 98.6	223
b. Referred to a school counselor	39.5	31.2 - 48.5	89	61.3	53.6 - 68.4	103	46.7	31.6 - 62.5	30	50.8	45.5 - 56.1	222
c. Referred to a school administrator	90.3	82.8 - 94.8	87	99.0	94.8 - 99.8	102	96.5	82.7 - 99.4	28	95.3	92.0 - 97.3	217
d. Encouraged, but not required, to participate in an assistance, education, or cessation program	50.7	42.6 - 58.7	89	56.2	47.6 - 64.5	100	38.2	24.3 - 54.4	29	51.7	46.2 - 57.2	218
e. Required to participate in an assistance, education, or cessation program	32.8	24.7 - 42.2	87	35.9	28.3 - 44.1	102	29.9	19.0 - 43.6	30	33.9	28.7 - 39.5	219
f. Referred to legal authorities	9.5	5.1 - 16.8	86	13.7	8.6 - 21.2	104	10.3	3.7 - 25.5	30	11.6	8.2 - 16.2	220
g. Placed in detention	20.6	13.6 - 30.0	88	27.6	20.7 - 35.8	103	10.1	3.7 - 25.1	29	22.7	18.0 - 28.1	220
h. Not allowed to participate in extra-curricular activities or interscholastic sports	57.7	48.3 - 66.5	88	59.2	51.0 - 67.0	103	63.6	50.2 - 75.2	30	59.2	53.6 - 64.6	221
i. Given in-school suspension	7.3	3.7 - 14.0	88	17.1	11.6 - 24.6	101	16.9	7.6 - 33.4	30	13.2	9.7 - 17.7	219
j. Suspended from school	26.4	18.5 - 36.1	87	41.1	32.7 - 50.0	103	59.3	48.3 - 69.4	29	37.6	32.2 - 43.4	219
k. Expelled from school	0.0	†	88	2.1	0.6 - 6.8	103	0.0	†	29	1.0	0.3 - 3.3	220
l. Reassigned to an alternative school	0.0	†	87	0.0	†	103	0.0	†	30	0.0	†	220

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

29. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
89.2	82.8 - 93.4	89	94.2	88.6 - 97.1	104	89.9	75.1 - 96.4	30	91.7	88.1 - 94.3	223

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

30. Percentage of schools that did the following activities during the past two years.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Gathered and shared information with students and families about mass-media messages or community-based tobacco-use prevention efforts	42.7	33.7 - 52.2	89	48.5	40.6 - 56.4	103	39.7	23.9 - 58.0	30	45.0	39.4 - 50.9	222
b. Worked with local agencies or organizations to plan and implement events or programs intended to reduce tobacco use	51.7	42.6 - 60.7	89	55.5	48.1 - 62.7	103	56.5	41.4 - 70.5	30	54.1	48.7 - 59.5	222

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

31. Percentage of schools that provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Faculty and staff	20.6	14.3 - 28.7	87	25.3	18.3 - 33.8	103	13.0	7.0 - 23.0	30	21.9	17.5 - 27.0	220
b. Students	53.0	43.0 - 62.9	88	45.4	36.7 - 54.4	104	49.7	33.5 - 66.0	30	48.9	42.8 - 55.1	222

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

32. Percentage of schools that have arrangements with any organizations or health care professionals not on school property to provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Faculty and staff	30.5	22.8 - 39.5	87	46.1	38.3 - 54.1	102	26.6	17.0 - 39.1	30	37.5	32.4 - 42.8	219
b. Students	57.7	48.5 - 66.5	88	53.2	44.8 - 61.4	103	59.8	41.3 - 75.9	30	55.8	49.9 - 61.6	221

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

33. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruits or non-fried vegetables at school celebrations when foods or beverages are offered.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Foods or beverages are not offered at school celebrations	2.1	0.6 - 6.9	88	3.1	1.1 - 8.0	103	0.0	†	30	2.3	1.1 - 4.9	221
b. Never	1.2	0.2 - 6.1	88	1.8	0.6 - 6.0	103	3.3	0.6 - 16.2	30	1.8	0.7 - 4.1	221
c. Rarely	10.5	6.2 - 17.2	88	12.2	8.2 - 17.8	103	16.8	7.5 - 33.5	30	12.1	9.0 - 16.1	221
d. Sometimes	54.6	45.0 - 64.0	88	54.1	45.9 - 62.2	103	56.8	38.0 - 73.9	30	54.7	48.7 - 60.6	221
e. Always or almost always	31.6	23.6 - 40.8	88	28.8	21.4 - 37.5	103	23.1	12.9 - 37.8	30	29.1	24.0 - 34.8	221

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

34. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
89.8	82.6 - 94.3	89	74.1	66.3 - 80.6	103	73.6	58.0 - 85.0	30	80.2	75.4 - 84.3	222

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

35. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Chocolate candy	39.2	31.6 - 47.4	87	14.9	9.8 - 22.2	101	29.9	19.0 - 43.7	30	26.5	22.1 - 31.3	218
b. Other kinds of candy	49.6	40.6 - 58.5	87	24.7	18.4 - 32.4	101	33.1	23.0 - 45.2	30	35.6	30.7 - 40.9	218
c. Salty snacks that are not low in fat (e.g., regular potato chips)	54.7	46.6 - 62.6	87	27.8	21.1 - 35.6	101	40.2	29.6 - 51.8	30	40.0	35.2 - 45.1	218
d. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	52.7	43.9 - 61.3	86	31.0	23.4 - 39.8	101	43.5	31.6 - 56.2	30	41.1	35.8 - 46.7	217
e. Ice cream or frozen yogurt that is not low in fat	10.0	5.6 - 17.3	87	16.2	11.2 - 22.8	100	3.5	0.6 - 17.4	30	12.1	8.9 - 16.2	217
f. 2% or whole milk (plain or flavored)	43.0	34.1 - 52.4	87	35.2	28.3 - 42.8	100	23.9	13.5 - 38.7	30	36.8	31.7 - 42.2	217
g. Water ices or frozen slushes that do not contain juice	23.5	16.4 - 32.6	87	11.5	7.0 - 18.5	101	17.1	7.7 - 33.9	30	17.0	12.9 - 22.0	218
h. Soda pop or fruit drinks that are not 100% juice	55.2	47.2 - 62.9	88	21.4	16.1 - 27.9	101	45.2	32.8 - 58.3	29	37.9	33.4 - 42.6	218
i. Sports drinks (e.g., Gatorade)	77.7	68.5 - 84.8	87	53.6	45.3 - 61.7	101	63.9	46.2 - 78.5	30	64.4	58.7 - 69.8	218
j. Foods or beverages containing caffeine	57.6	48.7 - 66.1	86	11.1	7.4 - 16.4	100	43.5	29.6 - 58.5	30	33.7	29.2 - 38.4	216
k. Fruits (not fruit juice)	44.3	35.5 - 53.5	87	34.9	28.7 - 41.8	101	17.4	9.5 - 29.8	30	36.3	31.6 - 41.4	218
l. Non-fried vegetables (not vegetable juice)	30.8	23.4 - 39.3	85	23.4	17.9 - 30.1	101	14.2	7.6 - 24.8	30	25.1	20.9 - 29.7	216

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

36. Percentage of schools that limit the package or serving size of any individual food and beverage items sold in vending machines or at the school store, canteen, or snack bar.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
53.7	45.5 - 61.6	88	48.9	40.9 - 57.0	101	43.2	26.2 - 62.0	30	50.1	44.5 - 55.6	219

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

37. Percentage of schools that have done any of the following activities during this school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	9.1	5.0 - 16.2	89	6.1	3.0 - 12.0	101	17.5	7.8 - 34.6	29	8.8	5.9 - 12.8	219
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	29.7	21.9 - 39.0	89	33.8	25.8 - 42.8	101	43.2	27.6 - 60.3	30	33.4	27.9 - 39.4	220
c. Provided information to students or families on the nutrition and caloric content of foods available	32.5	25.2 - 40.7	89	41.0	32.7 - 49.8	101	32.9	20.9 - 47.6	30	36.5	31.3 - 42.1	220
d. Conducted taste tests to determine food preferences for nutritious items	15.5	10.9 - 21.4	88	23.7	16.9 - 32.1	101	6.5	1.9 - 20.0	30	18.2	14.3 - 22.8	219
e. Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics	19.9	13.8 - 27.7	88	13.0	8.0 - 20.5	100	13.0	5.4 - 28.4	30	15.7	11.9 - 20.5	218

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

38. Percentage of schools that promote candy, meals from fast food restaurants, or soft drinks through the distribution of products, such as t-shirts, hats, and book covers to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
4.7	2.0 - 10.8	89	4.1	1.7 - 9.5	101	3.4	0.6 - 16.7	29	4.3	2.4 - 7.5	219

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

39. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In the school building	66.1	57.8 - 73.5	90	70.3	62.4 - 77.2	100	63.3	43.6 - 79.4	30	67.7	62.2 - 72.8	220
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	61.3	51.9 - 69.9	89	65.1	57.2 - 72.3	100	60.1	41.7 - 76.0	30	62.9	57.2 - 68.3	219
c. On school buses or other vehicles used to transport students	76.8	66.9 - 84.4	88	71.2	64.3 - 77.2	100	79.9	62.6 - 90.4	30	74.5	69.2 - 79.2	218
d. In school publications (e.g., newsletters, newspapers, web sites, or other school publications)	56.9	47.3 - 66.1	87	66.2	58.0 - 73.4	99	69.0	52.7 - 81.7	29	62.8	57.1 - 68.3	215

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

40. Percentage of schools that have a full-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
22.8	15.5 - 32.4	90	19.6	13.7 - 27.2	100	13.6	7.5 - 23.4	30	20.1	15.8 - 25.3	220

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

41. Percentage of schools that have an asthma action plan on file for all, most, some, or no students with known asthma.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. This school has no students with known asthma.	3.8	1.4 - 9.8	89	0.0	†	98	0.0	†	30	1.5	0.6 - 4.0	217
b. All students with known asthma have an asthma action plan on file.	70.8	62.7 - 77.8	89	90.2	84.5 - 94.0	98	89.9	75.1 - 96.4	30	82.3	78.0 - 85.9	217
c. Most students with known asthma have an asthma action plan on file.	17.6	11.3 - 26.4	89	9.8	6.0 - 15.5	98	6.8	2.0 - 20.8	30	12.6	9.2 - 17.0	217
d. Some students with known asthma have an asthma action plan on file.	7.8	4.0 - 14.4	89	0.0	†	98	3.3	0.6 - 16.2	30	3.6	2.0 - 6.5	217
e. No students with known asthma have an asthma action plan on file.	0.0	†	89	0.0	†	98	0.0	†	30	0.0	†	217

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

42. Percentage of schools that use the following events to identify students with poorly controlled asthma.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. This school does not identify students with poorly controlled asthma.	16.9	11.2 - 24.7	89	9.7	5.8 - 15.7	109	16.3	7.3 - 32.5	30	13.3	9.9 - 17.6	228
b. Frequent absences from school	26.3	19.0 - 35.1	91	45.0	36.5 - 53.9	109	43.2	26.2 - 61.9	30	37.5	31.9 - 43.4	230
c. Frequent visits to the school health office due to asthma	62.9	53.0 - 71.8	90	71.2	62.6 - 78.5	109	64.1	48.6 - 77.2	30	67.1	61.2 - 72.5	229
d. Frequent asthma symptoms at school	62.6	52.6 - 71.7	89	65.5	57.4 - 72.7	109	73.6	55.3 - 86.3	30	65.4	59.6 - 70.8	228
e. Frequent non-participation in physical education class due to asthma	43.0	33.8 - 52.7	90	52.5	43.9 - 61.0	109	54.1	38.4 - 69.0	30	49.0	43.1 - 54.9	229
f. Students sent home early due to asthma	39.0	31.2 - 47.4	89	47.5	39.3 - 55.9	109	33.7	19.9 - 51.0	30	42.5	37.1 - 48.1	228
g. Calls from school to 911, or other local emergency numbers, due to asthma	40.2	31.7 - 49.3	89	36.2	28.5 - 44.7	109	33.7	19.8 - 51.2	30	37.4	32.0 - 43.2	228

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

43. Percentage of schools that provide each of the following services for students with poorly controlled asthma.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Providing referrals to primary healthcare clinicians or child health insurance programs	66.3	57.3 - 74.3	83	74.7	66.0 - 81.7	97	65.2	47.3 - 79.6	29	70.2	64.4 - 75.3	209
b. Ensuring an appropriate written asthma action plan is obtained	91.2	85.3 - 94.9	84	92.9	86.8 - 96.3	98	96.6	83.3 - 99.4	29	92.7	89.2 - 95.2	211
c. Ensuring access to and appropriate use of asthma medications, spacers, and peak flow meters at school	82.5	74.0 - 88.7	83	86.6	79.2 - 91.7	96	89.9	75.0 - 96.3	29	85.4	80.6 - 89.2	208
d. Offering asthma education for students with asthma	47.3	39.2 - 55.6	81	48.6	41.0 - 56.3	96	51.4	37.2 - 65.4	29	48.5	43.3 - 53.8	206
e. Minimizing asthma triggers in the school environment	72.2	62.3 - 80.3	83	74.5	65.8 - 81.6	98	65.4	47.4 - 79.9	29	72.4	66.4 - 77.7	210
f. Addressing social and emotional issues related to asthma	55.0	46.5 - 63.3	83	56.0	47.0 - 64.7	97	48.0	33.1 - 63.4	29	54.6	48.8 - 60.3	209
g. Providing additional psychosocial counseling or support services as needed	43.0	35.2 - 51.1	82	51.4	43.6 - 59.2	98	48.0	33.1 - 63.4	29	47.7	42.5 - 53.0	209
h. Ensuring access to safe, enjoyable physical education and activity opportunities	81.6	73.1 - 87.9	82	88.6	81.3 - 93.2	97	93.0	78.5 - 98.0	29	86.4	81.7 - 90.1	208
i. Ensuring access to preventive medications before physical activity	79.7	71.2 - 86.1	80	86.5	78.8 - 91.7	97	86.2	70.1 - 94.4	29	83.8	78.9 - 87.8	206

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

44. Percentage of schools in which school staff members are required to receive training on recognizing and responding to severe asthma symptoms more than once per year, once per year, or less than once per year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. More than once per year	1.3	0.2 - 6.8	87	2.0	0.6 - 6.5	100	0.0	†	30	1.5	0.5 - 3.8	217
b. Once per year	53.2	44.2 - 62.0	87	62.2	53.9 - 69.9	100	76.6	61.7 - 87.0	30	60.5	54.9 - 65.9	217
c. Less than once per year	5.9	2.8 - 12.2	87	9.8	5.7 - 16.5	100	6.8	2.0 - 20.8	30	7.9	5.2 - 11.8	217
d. No such requirement	39.6	31.7 - 48.1	87	25.9	18.3 - 35.3	100	16.6	8.9 - 28.8	30	30.1	25.0 - 35.7	217

† Confidence intervals not applicable for 0 percent or 100 percent.
 N = Unweighted number of observations

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

45. Percentage of schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
78.1	70.0 - 84.5	87	82.5	74.8 - 88.2	99	76.6	58.7 - 88.3	30	80.0	74.9 - 84.2	216

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

46. Percentage of schools that have procedures to inform each of the following groups about the policy permitting students to carry and self-administer asthma medications.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Students	92.7	84.8 - 96.7	67	98.5	92.3 - 99.7	78	95.2	76.8 - 99.2	22	95.8	92.1 - 97.8	167
b. Parents and families	88.1	79.1 - 93.5	67	96.1	90.0 - 98.6	79	85.6	67.6 - 94.4	21	91.7	87.2 - 94.7	167

*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.
 N = Unweighted number of observations

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

47. Percentage of schools that have the following person responsible for implementing the policy permitting students to carry and self-administer asthma medication.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. No single individual is responsible	23.1	14.7 - 34.4	65	22.2	15.2 - 31.4	80	19.5	7.9 - 40.4	21	22.2	16.9 - 28.6	166
b. Principal	8.4	4.0 - 16.8	65	7.3	3.7 - 13.9	80	0.0	†	21	6.9	4.2 - 11.1	166
c. Assistant principal	0.0	†	65	1.1	0.2 - 5.9	80	0.0	†	21	0.6	0.1 - 3.0	166
d. School nurse	68.5	56.9 - 78.2	65	65.2	55.1 - 74.1	80	71.2	54.0 - 83.9	21	67.2	60.3 - 73.4	166
e. Other school faculty or staff member	0.0	†	65	4.1	1.6 - 10.5	80	9.3	2.8 - 27.0	21	3.2	1.5 - 6.6	166

*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results

48. Percentage of schools in which students' families helped develop or implement policies and programs related to the following topics during the past two years.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. HIV, STD, or teen pregnancy prevention	13.5	8.6 - 20.8	87	17.2	11.6 - 24.8	101	22.8	14.7 - 33.7	30	16.5	12.8 - 21.1	218
b. Tobacco-use prevention	15.9	10.3 - 23.7	87	19.0	13.6 - 25.9	101	26.4	16.7 - 38.9	30	18.8	14.9 - 23.3	218
c. Physical activity	18.6	12.6 - 26.5	86	23.6	17.8 - 30.7	100	26.4	16.7 - 39.0	30	22.0	18.0 - 26.7	216
d. Nutrition and healthy eating	24.4	17.5 - 32.8	86	36.7	29.1 - 45.1	100	33.2	20.9 - 48.1	30	31.4	26.4 - 36.9	216
e. Asthma	10.9	6.5 - 17.6	85	7.8	4.2 - 13.8	99	23.1	14.8 - 34.2	30	11.0	8.1 - 14.8	214

WASHINGTON
2010 School Health Profiles Report
Weighted Principal Survey Results


49. Percentage of schools in which community members helped develop or implement policies and programs related to the following topics during the past two years.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. HIV, STD, or teen pregnancy prevention	19.8	13.3 - 28.4	86	23.3	16.5 - 31.8	99	26.4	16.7 - 38.9	30	22.3	17.8 - 27.6	215
b. Tobacco-use prevention	23.4	16.5 - 32.1	87	27.0	20.3 - 35.0	99	29.6	18.7 - 43.4	30	25.9	21.3 - 31.2	216
c. Physical activity	18.7	13.2 - 25.9	86	27.0	20.3 - 34.9	99	23.1	11.6 - 40.8	30	23.2	18.8 - 28.3	215
d. Nutrition and healthy eating	27.6	20.5 - 36.1	87	37.4	29.5 - 46.0	98	36.4	21.7 - 54.2	30	33.3	28.1 - 39.0	215
e. Asthma	11.7	6.8 - 19.5	86	6.9	3.6 - 12.9	95	19.8	9.5 - 36.9	30	10.6	7.4 - 15.0	211

WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


2. Percentage of schools with a School Improvement Plan that includes health-related goals and objectives on the following topics.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


2. Percentage of schools with a School Improvement Plan that includes health-related goals and objectives on the following topics.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


3. Percentage of schools that are required to report each of the following types of information regarding implementation of the local wellness policy.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


4. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


5. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.*




*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.*




*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.*




*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.*




*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


7. Percentage of schools that require any school staff to receive professional development on HIV, STD, or pregnancy prevention issues and resources for the following groups.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


8. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


9. Percentage of schools that engage in the following practices related to LGBTQ youth.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


10. Percentage of schools that have adopted a policy that addresses each of the following issues on HIV or AIDS.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


10. Percentage of schools that have adopted a policy that addresses each of the following issues on HIV or AIDS.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


11. Percentage of schools that have or participate in each of the following programs.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


12. Percentage of schools in which all staff who teach health education topics are certified, licensed, or endorsed by the state in health education.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


13. Percentage of schools that require physical education for students in any of grades 6 through 12.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results

14. Percentage of schools that taught a required physical education course in each of the following grades.*




*Among schools with students in that grade.
NA = Not available

WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results

14. Percentage of schools that taught a required physical education course in each of the following grades.*




*Among schools with students in that grade.

NA = Not available

WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results

15. Percentage of schools in which students can be exempted from taking required physical education for one grading period or longer for any of the following reasons.*




*Among those schools that require physical education for students in any of grades 6 through 12.

WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results

15. Percentage of schools in which students can be exempted from taking required physical education for one grading period or longer for any of the following reasons.*




*Among those schools that require physical education for students in any of grades 6 through 12.

WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


16. Percentage of schools in which physical education teachers or specialists received professional development on physical education during the past two years.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


17. Percentage of schools that provide those who teach physical education with the following materials.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


18. Percentage of schools that offer opportunities for all students to participate in intramural activities or physical activity clubs.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


19. Percentage of schools in which children or adolescents use indoor physical activity or athletic facilities for community-sponsored physical activity classes or lessons.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


20. Percentage of schools that have adopted a policy prohibiting tobacco use.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


21. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


21. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


21. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


22. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


22. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


22. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


23. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


23. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


23. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results

23N. The percentage of schools that follow a policy that mandates a “tobacco-free environment.” A “tobacco-free environment” is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.*




*Responses to question 21 (a, b, c, and d), question 22 (a and b), and question 23 (a, b, c, and d) are all "yes."

WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results

24. Percentage of schools that have procedures to inform each of the following groups about the tobacco-use prevention policy that prohibits their use of tobacco.*




*Among those schools that have adopted a policy prohibiting tobacco use.

WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results

25. Percentage of schools that have a tobacco-use prevention policy that includes guidelines on what actions the school should take when students are caught smoking cigarettes.*




*Among those schools that have adopted a policy prohibiting tobacco use.

WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results

26. Percentage of schools in which the following person is responsible for enforcing the tobacco-use prevention policy.*




*Among those schools that have adopted a policy prohibiting tobacco use.

WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


27. Percentage of schools in which the following criteria help determine what actions are taken when students are caught smoking cigarettes.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


28. (Never) Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


28. (Never) Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


28. (Never) Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


28. (Rarely) Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


28. (Rarely) Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


28. (Rarely) Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


28. (Sometimes) Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


28. (Sometimes) Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


28. (Sometimes) Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


28. (Always) Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


28. (Always) Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


28. (Always) Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


29. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


30. Percentage of schools that did the following activities during the past two years.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


31. Percentage of schools that provide tobacco cessation services for each of the following groups.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


32. Percentage of schools that have arrangements with any organizations or health care professionals not on school property to provide tobacco cessation services for each of the following groups.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


33. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruits or non-fried vegetables at school celebrations when foods or beverages are offered.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


34. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


35. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


35. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


35. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


36. Percentage of schools that limit the package or serving size of any individual food and beverage items sold in vending machines or at the school store, canteen, or snack bar.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


37. Percentage of schools that have done any of the following activities during this school year.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


38. Percentage of schools that promote candy, meals from fast food restaurants, or soft drinks through the distribution of products, such as t-shirts, hats, and book covers to students.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


39. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


40. Percentage of schools that have a full-time registered nurse who provides health services to students.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


41. Percentage of schools that have an asthma action plan on file for all, most, some, or no students with known asthma.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


42. Percentage of schools that use the following events to identify students with poorly controlled asthma.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


42. Percentage of schools that use the following events to identify students with poorly controlled asthma.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


43. Percentage of schools that provide each of the following services for students with poorly controlled asthma.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


43. Percentage of schools that provide each of the following services for students with poorly controlled asthma.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


44. Percentage of schools in which school staff members are required to receive training on recognizing and responding to severe asthma symptoms more than once per year, once per year, or less than once per year.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results


45. Percentage of schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results

46. Percentage of schools that have procedures to inform each of the following groups about the policy permitting students to carry and self-administer asthma medications.*




*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results

47. Percentage of schools that have the following person responsible for implementing the policy permitting students to carry and self-administer asthma medication.*




*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results

48. Percentage of schools in which students' families helped develop or implement policies and programs related to the following topics during the past two years.



WASHINGTON

2010 School Health Profiles Report Weighted Principal Survey Results

49. Percentage of schools in which community members helped develop or implement policies and programs related to the following topics during the past two years.

