



State Price Quote Specification
TYPE A— GAS & PROPANE
Use this document to bid both non-lift and lift, gas and propane buses.

PART I

Vendor: _____
SCHETKY NW SALES INC
Mfr.: COLLINS BUS _____

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
Seating Capacity	Maximum passenger capacity based upon an average center-to-center seat spacing of at least 27.5" with a lap-shoulder belt for each seating position.	Gas	Propane
		Capacity w/o lift <u>24</u>	Capacity w/o lift <u>N/A</u>
		Capacity w/lift <u>19</u>	Capacity w/lift <u>N/A</u>
Alternator	145 amp minimum. Lift-equipped or air-conditioned. Manufacturer recommended capacity.	Mfr. <u>OEM</u>	
		Amps output w/o lift or A.C. <u>220</u>	
		Amps output w/lift or A.C. <u>220</u>	
Auxiliary Automatic Transmission Cooler	10,000 lb. Hayden or equal.	Gas	Propane
		Mfr. <u>GM</u>	Mfr. <u>N/A</u>
		Lbs. rating <u>10,000</u>	Lbs. rating _____
Axle—Front	Manufacturer's recommendation.	Gas	Propane
		Mfr. <u>GM</u>	Mfr. <u>N/A</u>
		Lbs. rating <u>4,300</u>	Lbs. rating _____
		Indepen. suspens. <input checked="" type="checkbox"/>	Indepen. suspens. <input type="checkbox"/>
Axle—Rear	Manufacturer's recommendation.	Gas	Propane
		Mfr. <u>GM</u>	Mfr. <u>N/A</u>
		Capacity <u>8,600</u>	Capacity _____
Axle Ratio	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications Manual.	Gas	Propane
		Ratio <u>3.73</u>	Ratio <u>N/A</u>
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: <input checked="" type="checkbox"/> Diameter <u>4"</u>	
		Other: <input type="checkbox"/> Square inches _____	

PART I (cont.)

		State Price Quote Specification TYPE A—GAS & PROPANE Use this document to bid both non-lift and lift, gas and propane buses.	Vendor: _____ SCHETKY NW SALES INC _____ Mfr.: COLLINS BUS _____
--	--	--	--

ITEM	STATE-SUPPORTED SPECIFICATIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID	
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	Price of items bid will establish the state cost.	
Battery(ies)	535 CCA 12 volt minimum for gas and propane w/o lift. 1070 CCA 12 volt minimum for any bus w/lift.	Gas/Propane w/o lift	Any bus w/lift
		CCA <u>1540</u>	CCA <u>1540</u>
Brakes	Hydraulic: Drum or Disc. Refer to Washington State School Bus Specifications Manual.	Gas	Propane
		Front Disc <input checked="" type="checkbox"/>	Front Disc <input type="checkbox"/>
		Drum <input type="checkbox"/>	Drum <input type="checkbox"/>
		Rear Disc <input checked="" type="checkbox"/>	Rear Disc <input type="checkbox"/>
		Drum <input type="checkbox"/>	Drum <input type="checkbox"/>
		Drum Size <u>OEM</u>	Drum Size <u>OEM</u>
Doors, Service	Power operated.	<input type="checkbox"/> Air <input type="checkbox"/> Folding <input checked="" type="checkbox"/> Electric <input checked="" type="checkbox"/> Split, Outward Opening <input type="checkbox"/> Other _____	
Engine	Gas and Propane—3.5 liters minimum.	Gas	Propane
		Engine mfr. <u>GM</u>	Engine mfr. <u>N/A</u>
		H.P. <u>401</u>	Liters _____
Fuel Tank	Gas—25-gallon minimum. Propane—largest available.	Gas	Propane
		Capacity <u>33</u>	Capacity _____
Heaters	Front—manufacturer's standard. Rear—40,000 B.T.U. minimum.	Rear B.T.U. w/o lift <u>60,000</u> Rear B.T.U. w/lift <u>60,000</u>	
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights—7", Taillights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified <input checked="" type="checkbox"/> If not, explain _____ _____	

State Price Quote Specification
TYPE A—GAS & PROPANE

Use this document to bid both non-lift and lift, gas and propane buses.

Vendor: _____
 SCHETKY NW SALES INC
 Mfr.: COLLINS BUS _____

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. <u>JENSEN</u> Model No. <u>R11U</u>	
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>136</u> w/lift <u>152</u> Mfg.'s C/C seat measurement of vehicle (inches): w/o lift <u>27.5</u> w/lift <u>27.5</u>	
Steering Wheel	Tilt.	Check if as specified <input checked="" type="checkbox"/>	
Step Tread	Studded or pebbled top tread covering.	Mfr. <u>KOROSEAL</u>	
Tires	6 first quality, radial ply.	Mfr. <u>OEM</u> Size <u>LT225/75R16E</u> Load range <u>E</u>	
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) <u>4.96</u>	
Transmission	Automatic manufacturer is standard compatible with H.P. and torque rating of engine bid.	Gas	Propane
		Mfr. <u>GM</u>	Mfr. <u>N/A</u>
		Model no. <u>6L90</u>	Model no. _____
Two-way Communications	45-watt, VHF, mil. spec.	Mfr. <u>KENWOOD</u> Model No. <u>TK-7302HVK</u>	
Wheels	6 to be compatible with tire size.	Size <u>16</u> Rim width <u>6.5</u>	

State Price Quote Specification
TYPE A—GAS & PROPANE

Use this document to bid both non-lift and lift, gas and propane buses.

Vendor: _____
 SCHETKY NW SALES INC
 Mfr.: COLLINS BUS _____

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BODY		
Wheelchair Lift—Installed	Must meet state specification. Platform shall be a minimum of 32" x 52".	Mfr. <u>BRAUN</u> Model No. <u>NCL919FIB-2</u>
Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q-STRAINT</u> Model No. <u>SLIDE "N" CLICK</u>
ADDITIONAL REQUIREMENTS—CHASSIS AND BODY		
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery.	Check if as specified <input checked="" type="checkbox"/>
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at delivery.	Check if as specified <input checked="" type="checkbox"/>
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified <input checked="" type="checkbox"/>
Service and Cleaning	Cleaning and service by vendor prior to delivery will include: <ul style="list-style-type: none"> • Chassis lubrication. • Check fluid levels: verify all are at recommended full levels. • Cooling system protected at -20°F. • Interior and exterior will be clean (including glass). • All systems (electric, air, hydraulic, mechanical, and manual) be inspected to ensure proper operation at time of delivery. • All components and accessories will be installed and operational at time of delivery. 	Check if as specified <input checked="" type="checkbox"/>
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified <input checked="" type="checkbox"/>



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2022-2023

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

**VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION
TYPE A—GAS**

VENDOR'S COMPANY NAME SCHETKY NW SALES INC	REPRESENTATIVE'S NAME DAVID SCHETKY	TELEPHONE NUMBER 800-255-8341
ADDRESS 8430 NE KILLINGSWORTH ST PORTLAND, OR 97220	Estimated delivery date to school district from time purchase order is received: 180-220 DAYS ARO _____	
	Firm where engine and chassis can be serviced or repaired, and parts obtained: _____ ANY GM DEALER _____	
	Firm where body can be serviced or repaired, and parts obtained: _____ SCHETKY NW SALES INC _____	

BODY

MAKE COLLINS BUS	Warranty: Years <u>1</u> Miles <u>100,000</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>136</u> w/lift <u>152</u>	Equipped seating capacity: w/o lift <u>24</u> w/lift <u>19</u>
MODEL DH400 NO LIFT-DH416 W/LIFT	YEAR 2023-2024	Seat color: <u>GRAY</u> Floor color: <u>GRAY</u>	Overall vehicle length (inches): w/o lift <u>242</u> w/lift <u>258</u>

CHASSIS

ENGINE

MAKE GM	Warranty: Years <u>3</u> Miles <u>36K</u>	MANUFACTURER GM	Torque: <u>464</u> @ <u>4600</u> RPM H.P.: <u>401</u> @ <u>5400</u> RPM
MODEL CG33503-CG33803	YEAR 2023-2024	Wheelbase: <u>139-159</u>	MODEL VORTEC YEAR NEW
TRANSMISSION		Warranty: Years <u>5</u> Miles <u>100K</u>	Liters: <u>6.6</u> Fuel type: <u>GASOLINE</u>
MANUFACTURER GM	Speeds forward: <u>6</u>	Number of cylinders: <u>8</u> Inline _____ V-type <u>X</u>	Battery type/grp: <u>78</u> 660 Number batteries: <u>2</u> <u>2</u>
MODEL 6L90	Warranty: Years <u>5</u> Miles <u>100K</u>	Total CCA: <u>1320</u> <u>1320</u>	

QUOTED PRICE

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Gas Bid—w/o lift \$ 116,209.00

Gas Bid—w/lift \$ 125,265.00

VENDOR REPRESENTATIVE'S SIGNATURE

DATE

8/9/2022



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2022-2023

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE A—PROPANE

VENDOR'S COMPANY NAME SCHETKY NW SALES INC	REPRESENTATIVE'S NAME DAVID SCHETKY	TELEPHONE NUMBER 800-255-8341
ADDRESS 8430 NE KILLINGSWORTH ST PORTLAND, OR 97220	Estimated delivery date to school district from time purchase order is received: _____	
	Firm where engine and chassis can be serviced or repaired, and parts obtained: _____	
	Firm where body can be serviced or repaired, and parts obtained: _____	

BODY

MAKE _____	Warranty: Years _____	Miles _____	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: _____	Equipped seating capacity: _____
MODEL _____	YEAR _____		w/o lift _____ w/lift _____	
	Seat color: _____	Floor color: _____	w/o lift _____ w/lift _____	Overall vehicle length (inches): _____
				w/o lift _____ w/lift _____

CHASSIS

ENGINE

MAKE _____	Warranty: Years _____	Miles _____	MANUFACTURER _____	Torque: _____ @ _____ RPM
MODEL _____	YEAR _____	Wheelbase: _____	MODEL _____	H.P.: _____ @ _____ RPM
			YEAR _____	Liters: _____
				Fuel type: _____
				Battery type/grp: _____
				Number batteries: _____
				Total CCA: _____

TRANSMISSION

MANUFACTURER _____	Warranty: Years _____	Miles _____	Number of cylinders: _____	Total CCA: _____
MODEL _____	YEAR _____	Speeds forward: _____	Inline _____ V-type _____	

QUOTED PRICE

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Propane Bid—w/o lift \$ NO BID

Propane Bid—w/lift \$ NO BID

VENDOR REPRESENTATIVE'S SIGNATURE

DATE

8/9/2022

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS
TYPE A

Use this document to bid both non-lift and lift, gas and propane buses.

Vendor: _____
 SCHETKY NW SALES INC
 Mfr.: COLLINS BUS _____

CHASSIS		
ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.
Small A	Type A bus—10,000 lbs or under GVWR chassis.	Gas
		Propane
		Deduct \$1,100.00 _____
		Deduct N/A _____
		Mfr. GM _____
		Mfr. _____
		Capacity w/o lift 14 _____
		Capacity w/o lift _____
		Dual Wheel <input type="checkbox"/>
		Dual Wheel <input type="checkbox"/>
		Single Wheel <input checked="" type="checkbox"/>
		Single Wheel <input type="checkbox"/>
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. ACT 55K BTU SYSTEM _____ Cost \$ 4,900.00 _____
Alternate Fuel	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications manual. Must comply with all the requirements of FMVSS No. 305.	Mfr. N/A _____
<input type="checkbox"/> CNG		<input type="checkbox"/> CNG Cost \$ _____
<input type="checkbox"/> Electric		<input type="checkbox"/> Electric Cost \$ _____
Back-up Alarm	Must meet state specification.	Mfr. SUPERIOR SIGNALS _____ Cost \$ 110.00 _____
Color	Exterior white roof.	Cost \$ INCLUDED _____
Steering Wheel	Tilt and telescoping column.	Cost \$ INCLUDED _____
Strobe Light	Exterior roof mounted white strobe light.	Mfr. SOUND OFF SIGNALS _____ Model No. CL3107HCC _____ Cost \$ 245.00 _____
Student Protection System—Installed	Electronic system to insure driver post-trip inspection of passenger compartment.	Mfr. CHECKMATE _____ Model No. EP1 _____ Cost \$375.00 _____
Toolbox	Interior, manufacturer standard.	Cost \$ N/A _____ Deduct \$ N/A _____

		State Price Quote Specification DISTRICT-SUPPORTED OPTIONS TYPE A Use this document to bid both non-lift and lift, gas and propane buses.	PART II (cont.) Vendor: _____ SCHETKY NW SALES INC _____ Mfr.: COLLINS BUS _____
--	--	---	--

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Video Camera Systems—Installed	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. <u>AMERICAN BUS VIDEO</u>	
		Model No. <u>RSD4MX-4</u>	
		Cost \$ <u>2,600.00</u>	How many cameras <u>4</u>
Video Camera Systems—Stop Sign Camera—Installed	Must meet state specification.	Stand Alone System	Added to Interior System
		Mfr. <u>AMER BUS VIDEO</u>	Mfr. <u>AMER BUS VIDEO</u>
		Model No. <u>RSD4HD-1</u>	Model No. <u>SACA 12MM</u>
		Cost \$ <u>1,860.00</u>	Cost \$ <u>550.00</u>
		How many cameras <u>1</u>	How many cameras <u>1</u>
Warning Light Monitor	16 light monitoring system.	Incandescent	LED Lights
		Cost \$ <u>N/A</u>	Cost \$ <u>750.00</u>
Additional Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q-STRAINT</u>	
		Model No. <u>SLIDE "N" CLICK</u>	
		Cost per station \$ <u>960.00</u>	
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ <u>550.00</u>	
		Rear Cost \$ <u>150.00</u>	
		Both Cost \$ <u>700.00</u>	
Windows	Tinted.	Cost \$ <u>INCLUDED</u>	