

### State Price Quote Specification TYPE A— GAS & PROPANE

PART I
Vendor:
SCHETKY NW SALES INC
Mfr.: THOMAS BUILT BUSES

ITEM	STATE-SUPPORTED SPECIFICATIONS  Vendor must meet or exceed these specifications.  Item bid shall be specified in column to right.		VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.		
Seating Capacity	Maximum passenger capacity based upon an average center-to-	Gas	Propane		
	center seat spacing of at least 27.5" with a lap-shoulder belt for each seating position.	Capacity w/o lift 24	Capacity w/o lift N/A		
		Capacity w/lift 19	Capacity w/lift N/A		
Alternator	145 amp minimum. Lift-equipped or air-conditioned. Manufacturer	Mfr. OEM			
	recommended capacity.	Amps output w/o lift or A.0	C. <u>220</u>		
		Amps output w/lift or A.C.	220		
Auxiliary Automatic	10,000 lb. Hayden or equal.	Gas	Propane		
Transmission Cooler		Mfr. GM	Mfr. N/A		
		Lbs. rating <u>10,000</u>	Lbs. rating		
Axle—Front	Manufacturer's recommendation.	Gas	Propane		
		Mfr. GM	Mfr. <u>N/A</u>		
		Lbs. rating <u>4,300</u>	Lbs. rating		
	-	Indepen. suspens.	Indepen. suspens.		
Axle—Rear	Manufacturer's recommendation.	Gas	Propane		
		Mfr. GM	Mfr. <u>N/A</u>		
		Capacity 8.600	Capacity		
Axle Ratio	Must comply with power and gradeability formula. Refer to	Gas	Propane		
	Washington State School Bus Specifications Manual.	Ratio <u>3.73</u>	Ratio <u>N/A</u>		
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer	Round: Diameter			
	to Washington State School Bus Specification's Manual.	Other:   Square inc	hes 22		

	PART I (cont.)
--	----------------

#### State Price Quote Specification

#### **TYPE A—GAS & PROPANE**

Vendor:	_
SCHETKY NW SALES INC	
Mfr.: THOMAS BUILT BUSES	

ITEM	STATE-SUPPORTED SPECIFICATIONS  Vendor must meet or exceed these specifications.  Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.				
Battery(ies)	535 CCA 12 volt minimum for gas and propane w/o lift.	Gas/Propane w/o lift	Any bus w/lift			
	1070 CCA 12 volt minimum for any bus w/lift.	CCA <u>1540</u>	CCA <u>1540</u>			
Brakes	Hydraulic: Drum or Disc. Refer to Washington State School Bus	Gas	Propane			
	Specifications Manual.	Front Disc 🗵	Front Disc			
		Drum □	Drum □			
		Rear Disc ⊠	Rear Disc			
		Drum □	Drum □			
		Drum Size OEM	Drum Size			
Doors, Service	Power operated.	☐ Air ☐ Folding ☐ Split, Outward Opening				
Engine	Gas and Propane—3.5 liters minimum.	Gas	Propane			
		Engine mfr. GM	Engine mfr. N/A			
		H.P. <u>401</u>	Liters			
Fuel Tank	Gas—25-gallon minimum.	Gas	Propane			
	Propane—largest available.	Capacity <u>33</u>	Capacity			
Heaters	Front—manufacturer's standard. Rear—40,000 B.T.U. minimum.	Rear B.T.U. w/o lift 50,000 Rear B.T.U. w/lift 50,000	0			
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights–7", Taillights, Turn Signals, Eight-Light System, and	Check if as specified ⊠ If not, explain				

## State Price Quote Specification TYPE A—GAS & PROPANE

SCHETKY NW SALES INC
Mfr.: THOMAS BUILT BUSES

Vendor:

PART I (cont.)

ITEM	STATE-SUPPORTED SPECIFICATIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID
	Vendor must meet or exceed these specifications.	Price of items bid will establish the state cost.
P.A. System	Item bid shall be specified in column to right.  AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. DELPHI
i .A. Oysteili	AWA WAT A Tadio Will 2 Interior and T exterior speakers.	
	——————————————————————————————————————	Model No. DEA700
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift 137.3 w/lift 166.1
		Mfg.'s C/C seat measurement of
		vehicle (inches): w/o lift 28.75 w/lift 28.75
Steering Wheel	Tilt.	Check if as specified ⊠
Step Tread	Studded or pebbled top tread covering.	Mfr. KOROSEAL
Tires	6 first quality, radial ply.	Mfr. OEM
		Size LT225/75R16E
		Load range <u>E</u>
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) 3.42
Transmission	Automatic manufacturer is standard compatible with H.P. and	Gas Propane
	torque rating of engine bid.	Mfr. <u>GM</u> Mfr. <u>N/A</u>
		Model no. <u>6L90</u> Model no
Two-way	45-watt, VHF, mil. spec.	Mfr. KENWOOD
Communications		Model No. TK-7302HVK
Wheels	6 to be compatible with tire size.	Size <u>16</u>
		Rim width 6.5

## State Price Quote Specification TYPE A—GAS & PROPANE

Vendor:
SCHETKY NW SALES INC
Mfr.: THOMAS BUILT BUSES

ITEM	STATE-SUPPORTED SPECIFICATIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID	
	Vendor must meet or exceed these specifications.	Price of items bid will establish the state cost.	
	Item bid shall be specified in column to right.	ODV	
NATIon of the state	SPECIAL NEEDS REQUIREMENTS—CHASSIS AND B		
Wheelchair	Must meet state specification. Platform shall be a minimum of	Mfr. BRAUN	
Lift—Installed	32" x 52".	Model No. NCL919FIB-2	
Wheelchair/Occupa	Must meet state specification.	Mfr. SURE-LOK	
nt Tie-down		Model No. FF627S-4C-3	
System—Installed			
<del></del>	ADDITIONAL REQUIREMENTS—CHASSIS AND BO		
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery.	Check if as specified ⊠	
Owner's/Operator's	One copy of the chassis manufacturer's owner's/operator's	Check if as specified ⊠	
Handbook	handbook or manual will be furnished with each bus at delivery.	·	
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified ⊠	
Service and Cleaning	Cleaning and service by vendor prior to delivery will include:  Chassis lubrication.  Check fluid levels: verify all are at recommended full levels.  Cooling system protected at -20°F.  Interior and exterior will be clean (including glass).  All systems (electric, air, hydraulic, mechanical, and manual) be inspected to ensure proper operation at time of delivery.  All components and accessories will be installed and operational at time of delivery.	Check if as specified ⊠	
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified ⊠	



STUDENT TRANSPORTATION Old Capitol Building PO BOX 47200 Olympia, WA 98504-7200 (360) 725-6120 TTY (360) 664-3631

### VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE A—GAS

VENDOR'S COMPANY NAME	REPRESENTATIVE'S NAME	TELEPHONE NUMBER	
SCHETKY NW SALES INC	DAVID SCHETKY	800-255-8341	
ADDRESS 8430 NE KILLINGSWORTH ST PORTLAND, OR 97220	Estimated delivery date to school district from time purchase order is received:		
	180-220 DAYS ARO		
	Firm where engine and chassis can be serviced or repaired, and parts obtained:  ANY GM DEALER		
	Firm where body can be serviced or repaired, and parts obtained:  SCHETKY NW SALES INC		

BODY							
MAKE		Warranty:	Years 1	Inside measurement	t from rear of	Equipped seating capacity:	
THOMAS BUILT BUSES		_	Miles UNL	1 1 1		w/o lift 24 w/lift 19	
MODEL YEAR				rear of passenger se	eating area:		
041MS NO LIFT-051MS W/LIFT	2023-2024	Seat color:	<u>GRAY</u>	w/o lift 137.3	w/lift 166.1	Overall vehicle length (inches):	
		Floor color:	BLACK_			w/o lift 237.8 w/lift 266.5	

	CHASSIS					ENGINE		
MAKE GM		,	Years <u>3</u> Miles <u>36K</u>	MANUFACTURER GM		Torque: <u>464</u> @ H.P.: <u>401</u> @	4600 5400	RPM RPM
MODEL CG33503-CG33803	YEAR 2023-2024	Wheelbase:	139-159	MODEL VORTEC	YEAR <b>NEW</b>	Liters: <u>6.6</u> Fuel type: <u>GASOLI</u>	NE	
	TRANSMISSION			Warranty: Years	<u>5</u>	Battery type/grp:	<u>78</u>	<u>770</u>
MANUFACTURER  GM		Speeds forw	/ard: <u>6</u>	Miles	<u>100K</u>	Number batteries:	<u>2</u>	<u>2</u>
MODEL 6L90		,	Years <u>5</u> Miles <u>100K</u>	Number of cylinde Inline	ers: <u>8</u> V-type <u>X</u>	Total CCA:	<u>1540</u>	<u>1540</u>

QUOTED PRICE						
Quoted price is based upon payr	Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).					
Gas Bid—w/o lift \$ <u>96,391.00</u>	Gas Bid—w/o lift \$ 96,391.00 Gas Bid—w/lift \$ 104,295.00					
VENDOR REPRESENTATIVE'S SIGNATURE	A	DATE 8/9/2022				



## STUDENT TRANSPORTATION Old Capitol Building PO BOX 47200 Olympia, WA 98504-7200 (360) 725-6120 TTY (360) 664-3631

VEHICL	E DATA SH	EET AND OFFICIAL PRICE QUOTA	ATION		
VENDOR'S COMPANY NAME SCHETKY NW SALES INC ADDRESS	D/	EPRESENTATIVE'S NAME AVID SCHETKY	TELEPHONE NUMBER 800-255-8341		
8430 NE KILLINGSWORTH ST PORTLAND, OR 97220	_	Estimated delivery date to school district from time purchase order is received:			
	Fi 	irm where engine and chassis can be serviced or	repaired, and parts obtained:		
	Fi —	irm where body can be serviced or repaired, and	parts obtained:		
MAKE	Warranty: Ye	BODY ears Inside measurement from rear of	Equipped seating capacity:		
MODEL YEAR		iles stepwell to appropriate point at rear of passenger seating area:	w/o lift w/lift		
CHASSIS	Warranty: Ye	ears MANUFACTURER	ENGINE Torque: @ RPM		
MODEL YEAR	Mil Wheelbase:	les MODEL YEAR	H.P.: @ RPM  Liters:		
TRANSMISSION  MANUFACTURER	Speeds forward	d: Warranty: Years	Fuel type: Battery type/grp:		
MODEL	Warranty: Ye		Number batteries: Total CCA:		
		QUOTED PRICE			
Quoted price is based upon payment within 30 days  Propane Bid—w/o lift \$ NO BID Propane Propa	after delivery to	o the school district (without sales tax).			
VENDOR REPRESENTATIVE'S SIGNATURE	opalie blu—w/	DATE  8/9/2022			

# State Price Quote Specification DISTRICT-SUPPORTED OPTIONS TYPE A

Vendor:
SCHETKY NW SALES INC
Mfr.: THOMAS BUILT BUSES

**PART II** 

	CHASSIS		
ITEM	Vendor must meet or exceed these specifications.	VENDOR SPECIFICALLY IDENTIFY ITEM BID	
	Item bid shall be specified in column to right.	Price of items bid will establish the district cost.	
Small A	Type A bus—10,000 lbs. or under GVWR chassis.	Gas	Propane
		Deduct \$1,100.00	_ Deduct N/A
		Mfr. <u>GM</u>	Mfr
		Capacity w/o lift 14	_ Capacity w/o lift
		Dual Wheel □	Dual Wheel $\square$
		Single Wheel ⊠	Single Wheel □
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. CARRIER AC-5W13 68K BTU	
		Cost \$ <u>5,500.00</u>	
Alternate Fuel	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications manual. Must	Mfr. N/A	
□ CNG		☐ CNG Cost \$	
□ Electric	- comply with all the requirements of FMVSS No. 305.	☐ Electric Cost \$	
Back-up Alarm	Must meet state specification.	Mfr. THOMAS	
		Cost \$ <u>145.00</u>	
Color	Exterior white roof.	Cost \$ 675.00	
Steering Wheel	Tilt and telescoping column.	Cost \$ INCLUDED	
Strobe Light	Exterior roof mounted white strobe light.	Mfr. THOMAS	
		Model No. <u>B357605000</u>	
		Cost \$ 226.00	
Student Protection System—Installed	Electronic system to insure driver post-trip inspection of passenger compartment.	Mfr. CHECKMATE	
		Model No. <u>B200105000</u>	
		Cost \$375.00	
Toolbox	Interior, manufacturer standard.	Cost \$ 65.00	Deduct \$ N/A

	PART II (cont.)
State Price Quote Specification	Vendor:
DISTRICT-SUPPORTED OPTIONS	SCHETKY NW SALES INC Mfr.: THOMAS BUILT BUSES
TYPE A	
Use this document to bid both non-lift and lift, gas and propane buses.	

PART II (cont.)

ITEM	Vendor must meet or exceed these specifications.  Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Video Camera	Digital audio/video system for monitoring the passenger	Mfr. AMERICAN BUS VIDEO  Model No. RSD4MX-4	
Systems—Installed	compartment with more than two cameras.		
		Cost \$ 2,600.00	How many cameras <u>4</u>
Video Camera	Must meet state specification.	Stand Alone System	Added to Interior System
Systems—Stop Sign Camera—Installed		Mfr. AMER BUS VIDEO	Mfr. AMER BUS VIDEO
		Model No. RSD4HD-1	Model No. SACA 12MM
		Cost \$ 1,860.00	Cost \$ 550.00
		How many cameras 1	How many cameras <u>1</u>
Warning Light	16 light monitoring system.	Incandescent	LED Lights
Monitor		Cost \$ N/A	Cost \$ <u>750.00</u>
Additional	Must meet state specification.	Mfr. SURE-LOK	
Wheelchair/Occupa		Model No. FF627S-4C-3  Cost per station \$ 960.00	
nt Tie-down System—Installed			
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ 890.00	
		Rear Cost \$ INCLUDED W/ SIDE OPTION	
		Both Cost \$ 890.00	
Windows	Tinted.	Cost \$ 475.00	