

### State Price Quote Specification

### TYPE C60—BID AS 48 PASSENGER, DIESEL, GAS & PROPANE

Use this document to bid both non-lift and lift buses for 35-60 capacity.

PART I	l
Vendor: RWC Group	

ITEM	Vendor must meet	ORTED SPECIFICATIONS or exceed these specifications.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.			
Saating Consoity		specified in column to right.	Consoity w/o lift 49			
Seating Capacity	spacing of at least 27.5".	ın average center-to-center seat	Capacity w/o lift <u>48</u> Capacity w/lift 36+1			
Alternator	. •	Diesel	Gapacity W/IIIt 30+1	Duanana		
Alternator	240 amp minimum. Lift- equipped or air-			Propane		
	conditioned. Manufacturer	Mfr. Leece-Neville	Mfr. N/A	Mfr. <u>Leece-Neville</u>		
	recommended capacity.	Max. amps output w/o lift or A.C. 240_	Max. amps output w/o lift or A.C.	Max. amps output w/o lift or A.C. 240		
		Max. amps output w/lift or A.C. 240	Max. amps output w/lift or A.C.	Max. amps output w/lift or A.C. 240		
Auxiliary Fans	2 fans, 6" maximum, mounte service door.	ed to right and left windshield an	d Mfr. <u>Bergstrom</u>			
Axle—Front	8,000 lb. minimum.	,000 lb. minimum. Diesel		Propane		
		Mfr. Meritor/Dana	Mfr. N/A	Mfr. Meritor/Dana		
		Capacity 8,000	Capacity	Capacity <u>8,000</u>		
Axle—Rear	17,500 lb. minimum.	Diesel	Gas	Propane		
		Mfr. Dana Spicer	Mfr. N/A	Mfr. Dana Spicer		
		Capacity <u>19,800</u>	Capacity	Capacity <u>19,800</u>		
Axle Oil Seals	Front and rear oil bath.	Diesel	Gas	Propane		
		Mfr. Conmet Preset	Mfr. N/A	Mfr. Conmet Preset		
	Must comply with power	Diesel	Gas	Propane		
Axle Ratio				Mfr. Dana Spicer		
Axle Ratio	and grade-ability formula.	Mfr. Dana Spicer	Mfr. N/A	Mfr. <u>Dana Spicer</u>		
Axle Ratio		Mfr. <u>Dana Spicer</u> Model no. <u>5.57</u>	Mfr. N/A  Model no.	Mfr. <u>Dana Spicer</u> Model no. <u>5.57</u>		

# State Price Quote Specification TYPE C60—BID AS 48 PASSENGER, DIESEL, GAS & PROPANE Use this document to bid both non-lift and lift buses for 35–60 capacity.

STATE-SUPPORTED SPECIFICATIONS   VENDOR SPECIFICALLY IDENTIFY ITEM BID   Price of items bid will establish the state cost.	-
Battery(ies)   1200 CCA 12 volt minimum to be mounted in body battery compartment w/o be mounted in body battery compartment w/o battery compartment w/lift.    Battery Compartment w/lift   Size/group w/lift 31 cCA 1900   Size/group w/lift N/A cCA 1900   Size/group w/lift 31 cCA 1900   Size/group w/lift 31 cCA 1900   Size/group w/lift N/A cCA 1900   Size/group w/lift 31 cCA 1900   Size/group w/lift N/A cCA 1900   Size/group w/lift 31 cCA 1900   Size/group w/lift N/A cCA 1900   Size/group w/lift	ing
Battery(ies)    1200 CCA 12 volt minimum to be mounted in body battery compartment w/o CCA 1900   Size/group w/o lift 31   CCA 1900   CCA 1900	ning
to be mounted in body battery compartment w/o lift.    1400 CCA 12 volt minimum to be mounted in body battery compartment w/o lift.   1400 CCA 12 volt minimum to be mounted in body battery compartment w/lift.   1400 CCA 12 volt minimum to be mounted in body battery compartment w/lift.   1400 CCA 12 volt minimum to be mounted in body battery compartment w/lift.   1400 CCA 12 volt minimum to be mounted in body battery compartment w/lift.   1400 CCA 12 volt minimum to be mounted in body battery compartment w/lift.   1400 CCA 12 volt minimum to be mounted in body battery compartment w/lift.   1400 CCA 12 volt minimum to be mounted in body battery compartment w/lift.   1400 CCA 12 volt minimum to be mounted in body battery compartment w/lift.   1400 CCA 12 volt minimum to be mounted in body battery compartment w/lift.   1400 CCA 12 volt minimum to be mounted in body battery compartment w/lift.   1400 CCA 12 volt minimum to be mounted in body battery compartment w/lift.   1400 CCA 1900	ning
battery compartment w/o   CCA   1900   CCA	ıing
lift.	ning
1400 CCA 12 volt minimum   Size/group w/lift 31 to be mounted in body   CCA 1900   CCA 1900   CCA 1900	ıing
to be mounted in body battery compartment w/lift.    Battery	ning
Battery Compartment       Battery storage tray must be large enough to accommodate batteries as specified in chassis section.       □ Swing out batteries as specified in chassis section.       □ Roll out section out section.         Brakes       Hydraulic disc. Refer to Washington State School Bus Specifications Manual.       Size Front 70mm 70mm 70mm 70mm 70mm 70mm 70mm 70m	ning
Compartment       batteries as specified in chassis section.         Brakes       Hydraulic disc. Refer to Washington State School Bus Specifications Manual.       Size Front 70mm 70mm 70mm 70mm 70mm 70mm 70mm 70m	ning
Specifications Manual.  Door, Service Power operated. □ Air □ Folding □ Electric □ Split, Outward openin □ Other □ Other	ning
Specifications Manual.  Door, Service Power operated. □ Air □ Folding □ Electric □ Split, Outward openin □ Other □ Other	ning
⊠ Electric ⊠ Split, Outward openir □ Other □ Other	ning
□ Other □ Other	ning
Engine Diesel and Diesel Gas Propane	
Propane—180 Engine mfr. <u>Cummins</u> Engine mfr. <u>N/A</u> Engine mfr. <u>PSI</u> H.P. minimum.	
Model or liters <u>B6.7</u> Model or liters Model or liters <u>8.8L</u>	
Gas—210 H.P. Net torque <u>520</u> @ <u>1600</u> R.P.M Net torque @ R.P.M Net torque <u>565</u> @ <u>1600</u> R.P.M minimum.	.M
Net H.P. <u>200</u> @ <u>2400</u> R.P.M Net H.P @ R.P.M Net H.P. <u>270</u> @ <u>2600</u> R.P.M	
Engine Heater Engine manufacturer's recommended in-block heater. Watts 750 Volts 120	
Mfr. Phillips	
Engine To be controlled electronically, by fan clutch/drive, or shutters. Mfr. Borg Warner □ Electronic	
Temperature   ☐ Fan clutch ☐ Shutters	
Fuel Tank   Diesel and Gas—60 gallon minimum.   Diesel   Gas   Propane	
Propane—largest available. Capacity <u>65</u> Capacity <u>N/A</u> Capacity <u>46.25</u>	

	PART I (cont.)
State Price Quote Specification	Vendor: RWC Group
TYPE C60—BID AS 48 PASSENGER,	
DIESEL, GAS & PROPANE	
Use this document to bid both non-lift and lift buses for 35-60 capacity.	

ITEM STATE-SUPPORTED SPECIFICATIONS  Vendor must meet or exceed these specifications.  Item bid shall be specified in column to right.		VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.			
Heaters	Minimum of 3 heaters; 1 front, 1 center, 1 rear. Shutoff valves at	Front B.T.U. <u>90,000</u> Center B.T.U. <u>50,000</u>			
	engine for all heaters. Two-speed motors. Must include				
	recirculating pump.	Rear B.T.U. <u>50,000</u>			
		Total B.T.U. <u>190,000</u>			
Hood	Tilt.	⊠ Fiberglass □ Metal			
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop	Check if as specified ⊠			
	Lights–7", Tail Lights, Turn Signals, Eight-Light System, and Dome-Light System.	If not, explain			
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. Adayo			
		Model No. HA1102D623A			
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift 273.88 w/lift 273.88			
		Mfg.'s C/C seat measurement of vehicle (inches): w/o lift 31.12 w/lift 31.12			
Steering Wheel	Tilt and telescoping column.	Check if as specified ⊠			
Step Tread	Studded or pebbled top tread covering.	Mfr. Koroseal			
Tires	6 first quality, radial ply. No low profile tires.	Mfr. Continental			
		Size <u>11R22.5</u>			
		Load range <u>H</u>			
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) 2.88			

	PART I (cont.)
State Price Quote Specification	Vendor: RWC Group
TYPE C60—BID AS 48 PASSENGER,	
DIESEL, GAS & PROPANE	
Use this document to bid both non-lift and lift buses for 35–60 capacity.	

ITEM	STATE-SUPPORTED SPECIFICATIONS  Vendor must meet or exceed these specifications.  Item bid shall be specified in column to right.		VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.			
Transmission  Diesel and Propane: Automatic—Allison, PTS 2500 or equal. Gas: Automatic—		Mfr. Allison  Model no. 2550 6spd	Diesel         Gas           Mfr. N/A		Propane  Mfr. Allison  Model no. 2550 6spd	
	manufacturer's standard compatible with H.P. and torque rating of engine bid.	Net input 520  Net input H.P. 200		t inputt	Net input <u>520</u> Net input H.P. <u>200</u>	
Two-way Communications	45-watt, VHF, mil. spec.			Mfr. ICOM Model No. F-5011		
Wheels	6 to be compatible with tire s	ize.		Size <u>22.5</u> Rim width <u>8.25</u>		
	SPECIAL NEEDS R	EQUIREMENTS—CHASSIS	AND	BODY		
Wheelchair	Must meet state specification	n. Platform shall be a minimum of	f	Mfr. Braun Gen2		
Lift—Installed	32" x 52".			Model No. NL919FIB		
Wheelchair/	Must meet state specification	1.		Mfr. Q-Straint		
Occupant Tie- down System— Installed				Model No. Q-8100-A1-	SC	

	PART I (cont.)
State Price Quote Specification	Vendor: RWC Group
TYPE C60—BID AS 48 PASSENGER,	
DIESEL, GAS & PROPANE	
Use this document to bid both non-lift and lift buses for 35-60 capacity.	

ITEM	STATE-SUPPORTED SPECIFICATIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID
	Vendor must meet or exceed these specifications.	Price of items bid will establish the state cost.
	Item bid shall be specified in column to right.	
	ADDITIONAL REQUIREMENTS—CHASSIS AND BODY	Υ
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be	Check if as specified ⊠
	delivered with each vendor's packet at the time of delivery of the bus.	
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at time of delivery.	Check if as specified ⊠
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified ⊠
Service and Cleaning	<ul> <li>Cleaning and service by vendor prior to delivery will include:</li> <li>Chassis lubrication.</li> <li>Check fluid levels: verify all are at recommended full levels.</li> <li>Cooling system protected at -20°F.</li> <li>Interior and exterior will be clean (including glass).</li> <li>All systems (electric, air, hydraulic, mechanical and manual) be inspected to ensure proper operation at time of delivery.</li> <li>All components and accessories will be installed and operational at time of delivery.</li> </ul>	Check if as specified ⊠
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified ⊠



STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

### VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE C60—BID AS 48 PASSENGER (DIESEL)

REPRESENTATIVE'S NAME	TELEPHONE NUMBER		
Tom Hartman	602-377-4401		
Estimated delivery date to school district from time purchase order is received:			
180 Days ARO			
Firm where engine and chassis can be serviced or repaired and parts obtained:			
Any IC or International Dealer			
Firm where body can be serviced or repaired and parts obtained:			
RWC Group (4 locations in WA)			
	Estimated delivery date to school district from time purchase orde  180 Days ARO		

		BODY			
MAKE	Warranty:	Years 5	Inside measurement from re	ar of E	equipped seating capacity:
IC Corporation	•	Miles Unlimit	stepwell to appropriate point		v/o lift <u>48</u> w/lift <u>36+1</u>
	EAR		rear of passenger seating ar	ea:	
PB105 2	2024 Seat color:	<u>Gray</u>	w/o lift <u>273.88</u> w/lift 2	273.88 C	Overall vehicle length (inches):
	Floor color	: <u>Black</u>		V	v/o lift 384.9 w/lift 384.9

CHASSIS				ENGINE				
IC Corporation		Warranty:	Years <u>5</u> Miles <u>Unlimit</u>	MANUFACTURER Cummins		Torque: <u>520</u> @ H.P.: <u>200</u> @	<u>1600</u> <u>2400</u>	RPM RPM
MODEL PB105	YEAR <b>2024</b>	Wheel base	e: <u>218</u>	MODEL B6.7	YEAR 2023	C.I.D. or Liters: <u>409</u> Fuel type: <u>Diesel</u>	9	
	TRANSMISSION			Warranty: Years 5	5	Battery type/grp:	<u>31</u>	<u>31</u>
MANUFACTURER Allison		Speeds for	ward: <u>6</u>	Miles 1	<u>100K</u>	Number batteries:	<u>2</u>	<u>2</u>
MODEL 2550/2500		Warranty:	Years <u>7</u> Miles <u>Unlimit</u>	Number of cylinder	rs: <u>6</u>	Total CCA:	<u>1900</u>	<u>1900</u>

	QUOTED PRICE
Quoted price is based upon payment within 30 da	ays after delivery to the school district (without sales tax).
Diesel Bid—w/o lift \$ <u>123,279</u>	Diesel Bid—w/lift \$ 128,500
VENDOR REPRESENTATIVE'S SIGNATURE	DATE
Tom Hartman	<u>8-17-22</u>



STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

### VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE C60—BID AS 48 PASSENGER (GAS)

		I THE COU-BID AS 4	18 PASSENGER (GAS)	
VENDOR'S COMPANY NAME		REPRESENTATIVE'S NAME		TELEPHONE NUMBER
ADDRESS		Estimated delivery date	to school district from time purchase orde	er is received:
		— Firm where engine and o	chassis can be serviced or repaired and	parts obtained:
		Firm where body can be	serviced or repaired and parts obtained:	
		BOI	DY	
MAKE MODEL	YEAR	Warranty: Years — Miles	Inside measurement from rear of stepwell to appropriate point at	Equipped seating capacity: w/o lift w/lift
		Seat color: Floor color:	rear of passenger seating area: w/o lift w/lift	Overall vehicle length (inches): w/o lift w/lift
	CHASSIS		F	NGINE
MAKE	O.M.CO.C	Warranty: Years Miles	MANUFACTURER	Torque: @ RPM H.P.: @ RPM
MODEL	YEAR	Wheel base:	MODEL YEAR	C.I.D. or Liters: Fuel type:
	TRANSMISSION		Warranty: Years	Battery type/grp:
MANUFACTURER		Speeds forward:	Miles	Number batteries:
MODEL		Warranty: Years Miles	Number of cylinders: Inline V-type	Total CCA:
		QUOTED	ADDICE	
Quoted price is based upo	n payment within 30 day		ol district (without sales tax).	
Gas Bid—w/o lift \$ N/A		Gas Bid—w/lift \$ <u>N/A</u>		
VENDOR REPRESENTATIVE'S SIGNATU  Tom Hartman	JRE		DATE <u>8-17-21</u>	



STUDENT TRANSPORTATION Old Capitol Building PO BOX 47200 Olympia, WA 98504-7200 (360) 725-6120 TTY (360) 664-3631

### VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE C60—BID AS 48 PASSENGER (PROPANE)

VENDOR'S COMPANY NAME	REPRESENTATIVE'S NAME	TELEPHONE NUMBER	
RWC Group	Tom Hartman	602-377-4401	
ADDRESS 600 North 75 <sup>th</sup> Avenue Phoenix, AZ 85043	Estimated delivery date to school district from time purchase order is received:  180 Days ARO		
	Firm where engine and chassis can be serviced or repaired and	d parts obtained:	
	Any IC or International Dealer		
	Firm where body can be serviced or repaired and parts obtained:		
	RWC Group (4 locations in WA)		

BODY				
MAKE	Warranty:	Years <u>5</u>	Inside measurement from rear of	Equipped seating capacity:
IC Corporation	·	Miles Unlimit	stepwell to appropriate point at	w/o lift 48 w/lift 36+1
MODEL YEAR	<u>-</u> "		rear of passenger seating area:	
PB105 2024	Seat color:	<u>Gray</u>	w/o lift <u>273.88</u> w/lift <u>273.88</u>	Overall vehicle length (inches):
	Floor color:	: <u>Black</u>		w/o lift 384.9 w/lift 384.9

	CHASSIS			ENGINE
IC Corporation		Warranty: Years <u>5</u> Miles <u>Unlir</u>	MANUFACTURER <u>PSI</u>	Torque: <u>565</u> @ <u>1600</u> RPM H.P.: <u>270</u> @ <u>2600</u> RPM
MODEL PB105	YEAR 2024	Wheel base: 218	MODEL YEAR 8.8L 2023	C.I.D. or Liters: <u>8.8L</u> Fuel type: <u>Propane</u>
	TRANSMISSION		Warranty: Years <u>5</u>	Battery type/grp: 31 31
MANUFACTURER Allison		Speeds forward: 6	Miles <u>Unlimit</u>	Number batteries: 2 2
MODEL 2550/2500		Warranty: Years <u>7</u> Miles <u>Unlir</u>	Number of cylinders: <u>8</u> <u>nit</u> Inline V-type <u>X</u>	Total CCA: <u>1900</u> <u>1900</u>

Quoted price is based upon payment with	QUOTED PRICE nin 30 days after delivery to the school district (without sales tax).
Propane Bid—w/o lift \$ <u>141,773</u>	Propane Bid—w/lift \$ 147,014
VENDOR REPRESENTATIVE'S SIGNATURE  Tom Hartman	DATE 8-17-22

ITEM	Vendor must meet or exceed these specifications.  Item bid shall be specified in column to right.		ALLY IDENTIFY ITEM BID ill establish the district cost.
<b>Activity Securement</b>	2-passenger position seats with lap-shoulder belts in all	Passenger Capacity 32	_
Seating	passenger positions.	Cost \$ 14,283	
Air Conditioning	To cool passenger compartment as required in the Washington	Mfr. <u>TransAir</u>	
	State School Bus Specifications manual.	Cost \$ 10,800	
Alternate Fuel	Must comply with power and gradeability formula. Refer to	Mfr.	
□ CNG	Washington State School Bus Specifications manual. Must comply with all of the requirements of FMVSS No. 305.	☐ CNG Cost \$ N/A	
⊠ Electric	- comply with all of the requirements of Fivivos No. 305.	Electric Cost \$ 370,⁴	114-48 pass / 374,897 – w/lift
Alternator	Available options.	Cost \$ 982	Capacity <u>325</u>
		Cost \$	Capacity
		Cost \$	
Anti-spray Device	Rubber fender extenders.	Type C: Cost \$ Included	
		Type D: Cost \$ 272	
Back-up Alarm	Must meet state specification.	Mfr. <u>Ecco-SA-917-87 112d</u>	
		Cost \$ 123	
Brakes	4-wheel hydraulic disk brake.	Cost \$ Standard	Deduct \$
Brakes	Air, Drum or Disc. Refer to Washington State School Bus	Disc Cost \$ 3,500	Disc Deduct \$ N/A
	Specifications manual.	Drum Cost \$ N/A	Drum Deduct \$ N/A
Color	Exterior white roof.	Cost \$ <u>776</u>	
Door Locks	Vandal lock system on all exterior doors.	Cost \$ 718	
Driver's Seat	Suspension type, 6-way adjustable, with lumbar adjustment. Cloth panel covers.	Non-Air	Air
		Mfr. Magnum	Mfr. National
		Cost \$ 225	Cost \$ <u>470</u>
Fire Suppression	Jomarr VT-6-E-NAF, or equal engine compartment fire	Mfr. <u>Fogmaker</u>	_
System	m suppression system of appropriate size to be installed according to manufacturer recommendation.		

PART II (cont.)

ITEM	Vendor must meet or exceed these specifications.  Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Floor Color	Nonstandard color.	Cost \$ 419	
Fuel Tank	Larger fuel capacity (CNG only).	Size: N/A	Cost \$ N/A
Fuel Tank	Larger fuel capacity (Diesel only).	Size: <u>100</u>	Cost \$ <u>1,084</u>
Fuel Tank	Larger fuel capacity (Propane only).	Size: <u>69.2</u>	Cost \$ <u>1,332</u>
Headlights	Halogen.	Cost \$ Std	_
Headlights	L.E.D.	Cost \$ N/A	
Heater (Auxiliary	Auxiliary fuel-fired heating systems. Refer to Washington State School Bus Specifications Manual, page 27.	Brand: Webasto	Model: Pro 90
water)		Cost \$ 4,936	
Noise Reduction	Exceeding minimum specifications.	Driver compartment	Cost \$ <u>159</u>
		Engine compartment	Cost \$ 333
		Full acoustical headliner	Cost \$ Included
Retarder	Manufacturer's standard.	Driveline 🖂	Cost \$ 13,720
		Exhaust	Cost \$ N/A
		Transmission	Cost \$ N/A
Seat Belt Ready Seat	3-passenger position seat with securement belts.	Cost \$ 1,050	
Seating System	Identical, non-lift bus with lap-shoulder seat belt system installed	2 by 2 Cost \$ 14,283	
	in all positions.	Capacity 32	
		3 by 2 Cost \$ N/A	
		Capacity N/A	
		3 by 3 Cost \$ 14,969	
		Capacity 48	

PART II (cont.)

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.		ENDOR SPECIFICALLY IDENTIFY ITEM BID rice of items bid will establish the district cost.	
Storage	Largest available for unit bid.	Left-side 27.8	cubic feet.	
Compartments		Cost \$ 1,950		
		Right-side 27.8	cubic feet.	
		Cost \$ 1,950		
		Push-thru N/A	cubic feet.	
		Cost \$ N/A		
Strobe Light	Exterior roof mounted white strobe light.	Mfr. Ecco		
		Model No. 6550C		
		Cost \$ 217		
Student Protection	Electronic system to insure driver post-trip inspection of passenger compartment.	Mfr. IC		
System—Installed		Model No. Leave No Student Behind		
		Cost \$ Included		
Suspension	Air ride (Air brake system only).	Front	Rear	
		Cost \$ N/A	Cost \$ <u>1,233</u>	
Toolbox	Interior, manufacturer standard.	Cost \$ <u>50</u>	Deduct \$ N/A	
Traction Device	Automatic chains.	Mfr. On Spot		
		Cost \$ 4,576		
Traction Device	Sanders.	Capacity <u>10 Gal</u>		
		Cost \$ 3,824		
Transmission	Automatic—Allison, PTS 3000 or equal.	Mfr. Allison		
		Model No. <u>3000</u>		
		Cost \$ 5,984		
Vehicle Securement System	Must meet state specification.	Mfr. <u>SBS</u>	Cost \$ <u>1,018</u>	

PART II (cont.)

ITEM	Vendor must meet or exceed these specifications.  Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BI Price of items bid will establish the district cos		
Video Camera	Digital audio/video system for monitoring the passenger	Mfr. <u>Seon</u> Model No. <u>TH4</u>		
Systems—Installed	compartment with more than two cameras.			
		Cost \$ 3,644	_ How many cameras <u>3</u>	
Video Camera	Must meet state specification.	Stand Alone System	Added to Interior System	
Systems—Stop Sign Camera—Installed		Mfr. Seon	Mfr. <u>Seon</u>	
Camera—installed		Model No. TH4	Model No. TH4	
		Cost \$ <u>2,877</u>	Cost \$ <u>889</u>	
		How many cameras <u>1</u>	How many cameras <u>1</u>	
Warning Light	16 light monitoring system.	Incandescent	LED Lights	
Monitor		Cost \$ <u>191</u>	Cost \$ <u>386</u>	
Additional	Must meet state specification.	Mfr. <u>Q-Straint</u>		
Wheelchair/Occupa		Model No. Q-8100-A1-S0		
nt Tie-down System—Installed		Cost per station \$ 1,150		
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ 1,095		
		Rear Cost \$ 147		
		Both Cost \$ 1,242		
Windows	Tinted.	Cost \$ <u>547</u>		
Windows	Thermal pane, left of driver and service door.	Cost \$ <u>555</u>		