

State Price Quote Specification

TYPE C77—BID AS 71 PASSENGER, ELECTRIC

Use this document to bid both non-lift and lift buses for 61-77 capacity.

PART I	
Vendor: RWC Group	
	1

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
Seating Capacity	71 passenger based upon an average center-to-center seat	Capacity w/o lift 71
	spacing of at least 27.5".	Capacity w/lift 60+1
Auxiliary Fans	2 fans, 6" maximum, mounted to right and left windshield and service door.	Mfr. Bergstrom
Axle—Front	9,000 lb. minimum.	Mfr. Meritor
		Capacity <u>10,000</u>
Axle—Rear	19,000 lb. minimum.	Mfr. Dana Spicer
		Capacity <u>23,000</u>
Axle Oil Seals	Front and rear oil bath.	Mfr. Conmet Preset
Axle Ratio	Must comply with power and gradeability formula. Refer to	Mfr. Dana Spicer
	Washington State School Bus Specifications Manual.	Capacity 6.83
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round:
Battery(ies)	1200 CCA 12 volt minimum to be mounted in body battery	Number of batteries 2
Low Voltage	compartment w/o lift. 1400 CCA 12 volt minimum to be mounted in body battery compartment w/lift.	CCA 2300
Battery(ies)	Battery propulsion must meet a minimum of 130 kWh.	Number of batteries 6
Propulsion		kWh <u>210</u>

PART I (cont.)

Vendor: RWC Group

State Price Quote Specification

TYPE C77—BID AS 71 PASSENGER, ELECTRIC

	ELECTRIC	
	Use this document to bid both non-lift and lift buses for 61-	-77 capacity.
ITEM	STATE-SUPPORTED SPECIFICATIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID
	Vendor must meet or exceed these specifications.	Price of items bid will establish the state cost.
	Item bid shall be specified in column to right.	
Battery	Battery storage tray must be large enough to accommodate	☐ Swing out ☐ Roll out
Compartment	batteries as specified in chassis section.	Dies Front M Boor M
Brakes	Air: Drum or Disc. Refer to Washington State School Bus Specifications Manual.	Disc Front ⊠ Rear ⊠
	Specifications Maridal.	Drum Front Rear
		Size Front <u>22.5</u> Rear <u>22.5</u>
Door, Service	Power operated.	
		☐ Electric ☐ Split, Outward opening
		☐ Other ☐ Other
Heaters	Minimum of 3 heaters; 1 front, 1 center, 1 rear. Shutoff valves at	Front B.T.U. <u>50,000</u>
	engine for all heaters. Two-speed motors.	Center B.T.U. 90,000
		Rear B.T.U. 20,000 (convection-dispersed throughout)
		Total B.T.U. 160,000
111		
Hood	Tilt.	☐ Metal
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop	Check if as specified ⊠
	Lights–7", Tail Lights, Turn Signals, Eight-Light System, and Dome-	If not, explain
	Light System.	
Motor	190 H.P. minimum.	Engine Mfr. <u>Dana</u>
		Model TM4 Sumo
		Net torque <u>2355 Nm</u> @ <u>1000</u> R.P.M.
		Net H.P. <u>335</u> @ <u>1000</u> R.P.M.
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. Adayo
		Model No. HA1102D623A

PART I (cont.)

State Price Quote Specification

TYPE C77—BID AS 71 PASSENGER, ELECTRIC

Use this document to bid both non-lift and lift buses for 61–77 capacity.

Vendor: RWC Group	
·	

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.		
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift 355 w/lift 355 Mfg.'s C/C seat measurement of vehicle (inches): w/o lift 27 w/lift 27		
Steering Wheel	Tilt and telescoping column.	Check if as specified ⊠		
Step Tread	Studded or pebbled top tread covering.	Mfr. Koroseal		
Tires	6 first quality, radial ply. No low profile tires.	Mfr. Continental		
		Size <u>11R22.5</u>		
		Load range H		
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) 2.88		
Two-way	45-watt, VHF, mil. spec.	Mfr. ICOM		
Communications		Model No. <u>F-5011</u>		
Wheels	6 to be compatible with tire size.	Size <u>22.5</u>		
		Rim width 8.25		
	SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BO	DDY		
Wheelchair	Must meet state specification. Platform shall be a minimum of 32"	Mfr. Braun Gen2		
Lift—Installed	x 52".	Model No. NL919FIB		
Wheelchair/	Must meet state specification.	Mfr. Q-Straint		
Occupant Tie- down System— Installed		Model No. Q-8100-A1-SC		

PART I (cont.)

State Price Quote Specification

TYPE C77—BID AS 71 PASSENGER, ELECTRIC

Use this document to bid both non-lift and lift buses for 61–77 capacity.

Vendor: RWC Group

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
	ADDITIONAL REQUIREMENTS—CHASSIS AND BODY	1
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery of the bus.	Check if as specified ⊠
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at time of delivery.	Check if as specified ⊠
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified ⊠
Service and Cleaning	 Cleaning and service by vendor prior to delivery will include: Chassis lubrication. Check fluid levels: verify all are at recommended full levels. Cooling system protected at -20°F. Interior and exterior will be clean (including glass). All systems (electric, air, hydraulic, mechanical and manual) be inspected to ensure proper operation at time of delivery. All components and accessories will be installed and operational at time of delivery. 	Check if as specified ⊠
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified ⊠



STUDENT TRANSPORTATION Old Capitol Building PO BOX 47200 Olympia, WA 98504-7200 (360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE C77—BID AS 71 PASSENGER ELECTRIC

			D.D 7.0 7.	,				
VENDOR'S COMPANY NAME RWC Group	RWC Group			REPRESENTATIVE'S NAME TELEPHONE NUMBER From Hartman 602-377-4401				
Phoenix A7 85043			Estimated delivery date to school district from time purchase order is received: 180 Days ARO					
			Firm where	engine and chassis can	be serviced or r	epaired and p	parts obtained:	
			Any IC or Ir	nternational Dealer_				
			Firm where	body can be serviced o	r repaired and pa	arts obtained:		
			RWC Group	p (4 locations in WA)				
			В	ODY				
MAKE IC Corporation MODEL PB10E00	YEAR 2024	Warranty: Years <u>3</u> Miles <u>36K</u>		Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: Equipped seating capacity: w/o lift 71 w/lift 60+1		<u>+1</u> _		
1 010000	2024	Seat color: <u>G</u> Floor color: Bl		w/o lift <u>355</u>	w/lift <u>355</u>		vehicle length (ir 463.9 w/lift 463	
	CHASSIS	_			MO	TOR		
IC Corporation		Warranty: Ye Mi	ears <u>5</u> les <u>Unlimit</u>			RPM RPM		
PB10E00	YEAR 2024	Wheel base: 2	<u>276</u>	MODEL TM4 Sumo	YEAR 2022	C.I.D. or Lite Fuel type: E		
	BATTERIES			Warranty: Years <u>5</u>				
12 Volt Battery type/grp: 31	Number b	Propulsion atteries: <u>6</u>		Miles <u>100K</u>				
Number batteries: 2	Total kWh	: <u>210</u>						
Total CCA: 2300								
Overted miss is bessel vinen nevine	ont within 20 days of	an daliyamı ta tlas	QUOTED P					
Quoted price is based upon payme	ent within 50 days all	ei delivery to the	SCHOOL GISTIC	i (williout sales tax).				
Electric Bid—w/o lift \$ 368,101		Electric Bid—w/lift	t \$ <u>374,587</u>					
VENDOR REPRESENTATIVE'S SIGNATURE Tom Hartman			DATE 8-17-22					

Vendor: RWC Group

State Price Quote Specification

DISTRICT-SUPPORTED OPTIONS

Use this document to bid both non-lift and lift buses.

	Use this document to bid both non-lift and lift buse	.		
ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.		ALLY IDENTIFY ITEM BI establish the district cos	
Activity Securement Seating	2-passenger position seats with lap-shoulder belts in all passenger positions.	Passenger Capacity <u>46</u> Cost \$ <u>26,450</u>		
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. ProAir Cost \$ 26,425		
Anti-spray Device	Rubber fender extenders.	Type C: Cost \$ Include Type D: Cost \$ 272	ed	
Back-up Alarm	Must meet state specification.	Mfr. Ecco Cost \$ 123		
Brakes	4-wheel hydraulic disk brake.	Cost \$ N/A	_ Deduct \$ N/A	
Brakes	Air, Drum or Disc. Refer to Washington State School Bus Specifications manual.	Disc Cost \$ STD	Disc Deduct \$ N/A	
	opposition manual.	Drum Cost \$ N/A	_ Drum Deduct \$ <u>N/A</u>	
Color	Exterior white roof.	Cost \$ 776		
Door Locks	Vandal lock system on all exterior doors.	Cost \$ 718		
Driver's Seat	Suspension type, 6-way adjustable, with lumbar adjustment. Cloth	Non-Air	Air	
	panel covers.	Mfr. Magnum	Mfr. National	
		Cost \$ 225	Cost \$ 470	
Fire Suppression	Jomarr VT-6-E-NAF, or equal engine compartment fire suppression	Mfr. N/A	,	
System	system of appropriate size to be installed according to manufacturer recommendation.	Cost \$ N/A		
Floor Color	Nonstandard color.	Cost \$ 419		
Headlights	Halogen.	Cost \$ Standard		
Headlights	L.E.D.	Cost \$ N/A		

PART II (cont.)

	17.111 11 (001101)
State Price Quote Specification	Vendor: RWC Group
DISTRICT-SUPPORTED OPTIONS	
Use this document to bid both non-lift and lift buses.	

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.		
Heater (Auxiliary	Auxiliary fuel-fired heating systems. Refer to Washington State	Brand: Webasto Model: Pro 90		
water)	School Bus Specifications Manual, page 27.	Cost \$ <u>5,100</u>		
Noise Reduction	Exceeding minimum specifications.	Driver compartment Cost \$ N/A		
		Engine compartment Cost \$ N/A		
		Full acoustical headliner Cost \$ Standard		
Retarder	Manufacturer's standard.	Driveline Cost \$ N/A		
		Exhaust Cost \$ N/A		
		Transmission Cost \$ N/A		
Seat Belt Ready Seat	3-passenger position seat with securement belts.	Cost \$ <u>1,173</u>		
Seating System	Identical, non-lift bus with lap-shoulder seat belt system installed in all positions.	2 by 2 Cost \$ 46		
		Capacity <u>26,450</u>		
		3 by 2 Cost \$ N/A		
		Capacity N/A		
		3 by 3 Cost \$ 71		
		Capacity <u>28,152</u>		
Storage	Largest available for unit bid.	Left-side N/A cubic feet.		
Compartments		Cost \$ N/A		
		Right-side 16.45 cubic feet.		
		Cost \$ 1,401		
		Push-thru N/A cubic feet.		
		Cost \$ N/A		
Strobe Light	Exterior roof mounted white strobe light.	Mfr. Ecco		
		Model No. <u>6550</u>		
		Cost \$ 217		

PART II (cont.)

Vendor: RWC Group

State Price Quote Specification

DISTRICT-SUPPORTED OPTIONS

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications.			CALLY IDENTIFY ITEM BID	
Student Protection	Item bid shall be specified in column to right. Protection Electronic system to insure driver post-trip inspection of passenger		Price of items bid will establish the district cost. Mfr. IC		
System—Installed	compartment.		Model No. Leave No Student Behind		
			Cost \$ Included		
Suspension	Air ride (Air brake system only).		Front	Rear	
•	, , , , , , , , , , , , , , , , , , , ,		Cost \$ N/A	Cost \$ Standard	
Toolbox	Interior, manufacturer standard.		Cost \$ N/A	Deduct \$ N/A	
Traction Device	n Device Automatic chains.		Mfr. On Spot		
		-	Cost \$ 3,716		
Traction Device	Sanders.		Capacity 10 Gal		
			Cost \$ 3,824		
Vehicle Securement System	Must meet state specification.		Mfr. SBS	Cost \$ <u>1,018</u>	
Video Camera	Digital audio/video system for monitoring the passenger compartme	ent	t Mfr. <u>Seon</u>		
Systems—	with more than two cameras.		Model No. TH4		
Installed			Cost \$ 3,644	How many cameras <u>3</u>	
Video Camera	Must meet state specification.	Sta	nd Alone System	Added to Interior System	
Systems—Stop			. <u>Seon</u>	Mfr. Seon	
Sign Camera— Installed			del No. <u>TH4</u>	Model No. TH4	
IIIStalieu			st \$ <u>2,877</u>	Cost \$ 889	
			w many cameras <u>1</u>	How many cameras 1	
Warning Light	16 light monitoring system.		Incandescent	LED Lights	
Monitor		Cos	st \$ <u>N/A</u>	Cost \$ 386	

PART II (cont.)

	17111111 (60116.)
State Price Quote Specification	Vendor: RWC Group
DISTRICT-SUPPORTED OPTIONS	
Use this document to bid both non-lift and lift buses.	

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.
Additional	Must meet state specification.	Mfr. Q-Straint
Wheelchair/Occu		Model No. <u>Q8107-A1-L2</u>
pant Tie-down System—		Cost per station \$ 670
Installed		
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ <u>1,095</u>
		Rear Cost \$ 147
		Both Cost \$ 1,242
Windows	Tinted.	Cost \$ <u>547</u>
Windows	Thermal pane, left of driver and service door.	Cost \$ <u>555</u>