

State Price Quote Specification

TYPE D60—BID AS 48 PASSENGER

Use this document to bid both non-lift and lift buses for 35–60 capacity.

PART I

Vendor: BRYSON

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.		
Seating Capacity	48 passenger based upon an average center-to-center seat spacing of	Capacity w/o lift 48		
	at least 27.5".	Capacity w/lift <u>37</u>		
Alternator	240 amp minimum. Lift-equipped or air-conditioned. Manufacturer	Mfr. LEECE NEVILLE		
	recommended capacity.	Amps output w/o lift or A.C. 240		
		Amps output w/lift or A.C. 240		
Auxiliary Fans	2 fans, 6" maximum, mounted to right and left windshield and service door.	Mfr. DCM		
Axle—Front	10,000 lb. minimum.	Mfr. HENDRICKSON		
		Capacity 12000		
Axle—Rear	19,000 lb. minimum.	Mfr. DANA		
		Capacity 21000		
Axle Oil Seals	Front and rear oil bath.	Mfr. SKF		
Axle Ratio	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications Manual.	Ratio <u>5.29</u>		
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: 🗵 Diameter <u>4"</u> Other: 🗆 Square inches		
Battery(ies)	1200 CCA 12 volt minimum to be mounted in body battery compartment w/o lift.	Size/group w/o lift 31 CCA 2100		
	1400 CCA 12 volt minimum to be mounted in body battery compartment w/lift.	Size/group w/lift 31 CCA 2100		
Battery Compartment	Battery storage tray must be large enough to accommodate batteries as specified in chassis section.			
Brakes	Hydraulic disc. Refer to Washington State School Bus Specifications Manual.	Size Front <u>70MM</u> Rear <u>70MM</u>		

PART I (cont.)

Vendor: BRYSON

State Price Quote Specification TYPE D60—BID AS 48 PASSENGER

	Use this document to bid both non-lift and lift buses for 3	35–60 capacity.		
ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.		
Door, Service	Power operated.	□ Air □ Folding ⋈ Electric ⋈ Split, Outward opening □ Other □ Other		
Engine	Diesel—180 H.P. minimum.	Engine mfr. CUMMINS Model or liters B6.7L Net torque 520 @ 1600 R.P.M Net H.P. 200 @ 2400 R.P.M Location: Rear □ Forward		
Engine Heater	Engine manufacturer's recommended in-block heater.	Watts <u>750</u> Volts <u>120</u> Mfr. <u>PHILLIPS</u>		
Engine Temperature	To be controlled electronically, by fan clutch/drive, or shutters.	Mfr. <u>HORTON</u> ☐ Electronic ☐ Fan clutch ☐ Shutters		
Fuel Tank	60 gallon minimum.	Capacity 60 GALLONS		
Heaters	Minimum of 3 heaters; 1 front, 1 center, 1 rear. Shutoff valves at engine for all heaters. Two-speed motors. Must include recirculating pump.	Front B.T.U. <u>90,000</u> Center B.T.U. <u>50,000</u> Rear B.T.U. <u>50,000</u> Total B.T.U. <u>190,000</u>		
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights–7", Tail Lights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified ⊠ If not, explain		
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. MUSIC WAVE Model No. MFG STD		
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift 278" w/lift 278" Mfg.'s C/C seat measurement of vehicle (inches): w/o lift 28.5"_ w/lift 28.5"_		

PART I (cont.)

State Price Quote Specification

TYPE D60—BID AS 48 PASSENGER

Use this document to bid both non-lift and lift buses for 35-60 capacity.

Ve	endor: <u>BRYSON</u>	

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
Steering Wheel	Tilt and telescoping column.	Check if as specified ⊠	
Step Tread	Studded or pebbled top tread covering.	Mfr. SMI	
Tires	6 first quality, radial ply. No low profile tires.	Mfr. KUMHO	
		Size 11R 22.5	
		Load range H	
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) 3.16	
Transmission	Automatic—Allison, PTS 2500 or equal.	Mfr. ALLISON	
		Model no. 2500 PTS	
		Net input torque 600	
		Net input H.P. 300	
Two-way	45-watt, VHF, mil. spec.	Mfr. KENWOOD	
Communications		Model No. NX3720	
Wheels	6 to be compatible with tire size.	Size 22.5"	
		Rim width <u>8.25</u> "	

PART I (cont.)

	(55.15.)
State Price Quote Specification	Vendor: BRYSON
TYPE D60—BID AS 48 PASSENGER	
Use this document to bid both non-lift and lift buses for 35-60 capacity.	

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right. SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BODY	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
Wheelchair	Must meet state specification. Platform shall be a minimum of 32" x	Mfr. BRAUN
Lift—Installed	52".	Model No. NCL-919FIB2
Wheelchair/	Must meet state specification.	Mfr. Q-STRAINT
Occupant Tie-down System—Installed		Model No. Q-8106-L2
	ADDITIONAL REQUIREMENTS—CHASSIS AND BODY	
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery of the bus.	Check if as specified ⊠
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at time of delivery.	Check if as specified ⊠
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified ⊠
Service and Cleaning	 Cleaning and service by vendor prior to delivery will include: Chassis lubrication. Check fluid levels: verify all are at recommended full levels. Cooling system protected at -20°F. Interior and exterior will be clean (including glass). All systems (electric, air, hydraulic, mechanical and manual) be inspected to ensure proper operation at time of delivery. All components and accessories will be installed and operational at time of delivery. 	Check if as specified ⊠
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified ⊠



STUDENT TRANSPORTATION Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

	VEHICLE DATA TYP		OFFICIAL PRIC AS 48 PASSENGE	,)N	
VENDOR'S COMPANY NAME BRYSON SALES & SERVICE OF WAS	SHINGTON, INC.	REPRESENTA' BRANDON	TIVE'S NAME N BRYSON		TELEPHONE 1 425-953-2	
ADDRESS 2407 GIBSON RD. EVERETT, WA 98204		Estimated DAYS ARG	Estimated delivery date to school district from time purchase order is received: <u>150 – 180</u>			
		Firm where	e engine and chassis ca		repaired and parts obt	ained: <u>BRYSON</u>
		Firm where	e body can be serviced OF WASHINGTON, IN	or repaired and p	parts obtained: BRYSOI	N SALES &
MAKE	Managh	BODY		f		
BLUE BIRD MODEL YEA T3FE 2903 20	0.4	Miles <u>12,000</u>	Inside measurement stepwell to appropria rear of passenger se	te point at ating area:	Equipped seating w/o lift 48 w/l	ift <u>37</u>
	Floor color	: <u>BROWN</u> :: BLACK	w/o lift 278 <u>"</u>		Overall vehicle len w/o lift 352.92" w/	
MAKE BLUE BIRD	HASSIS Warranty:	Years <u>1</u> Miles <u>12,000</u>	MANUFACTURER CUMMINS	ENG	. —	600 RPM 400 RPM
MODEL YEA T3FE 2903 202		e: <u>141"</u>	MODEL B6.7L	YEAR 2024	C.I.D. or Liters: <u>6.7L</u> Fuel type: <u>DIESEL</u>	

CHASSIS			ENGINE		
BLUE BIRD		Warranty: Years <u>1</u> Miles <u>12,000</u>	MANUFACTURER CUMMINS	Torque: <u>520</u> @ <u>1600</u> RPM H.P.: <u>200</u> @ <u>2400</u> RPM	
MODEL T3FE 2903	YEAR 2024	Wheel base: 141"	MODEL YEAR B6.7L 2024	C.I.D. or Liters: <u>6.7L</u> Fuel type: <u>DIESEL</u>	
	TRANSMISSION		Warranty: Years 5	Battery type/grp: 31 31	
MANUFACTURER ALLISON		Speeds forward: <u>5</u>	Miles <u>100,000</u>	Number batteries: 3 3	
MODEL 2500 PTS		Warranty: Years <u>7</u> Miles <u>UNLIMITED</u>	Number of cylinders: <u>6</u> Inline X V-type	Total CCA: <u>2100</u> <u>2100</u>	

QUOTED PRICE					
Quoted price is based upon payment within 30 da	Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).				
Bid—w/o lift \$ <u>166,787.00</u> Bid—w/lift \$ <u>172,261.00</u>					
VENDOR REPRESENTATIVE'S SIGNATURE	DATE				
					

State Price Quote Specification DISTRICT-SUPPORTED OPTIONS

☐ C60 ☐ C77 ☒ D60 ☐ D84

Use this document to bid both non-lift and lift buses.

Vendor: BRYSON	
	_

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.		
Activity	2-passenger position seats with lap-shoulder belts in all passenger	Passenger Capacity <u>30</u>		
Securement Seating	positions.	Cost \$ 10,623.00		
Air Conditioning	To cool passenger compartment as required in the Washington State	Mfr. MCC AC-1IW1IW122 96,000 BTU		
	School Bus Specifications manual.	Cost \$ <u>11,274.00</u>		
Alternate Fuel	Must comply with power and gradeability formula. Refer to	Mfr. N/A		
□ CNG	Washington State School Bus Specifications manual. Must comply with all of the requirements of FMVSS No. 305.	☐ CNG Cost \$ N/A		
☐ Electric	with all of the requirements of Fivivos No. 303.	☐ Electric Cost \$ N/A		
Alternator	Available options.	Cost \$ INCLUDED	Capacity 240 AMP	
		Cost \$ 506.00	Capacity 280 AMP	
		Cost \$ 721.00	Capacity 325 AMP	
Anti-spray Device	Rubber fender extenders.	Type C: Cost \$ 215.00		
		Type D: Cost \$ 508.00		
Back-up Alarm	Must meet state specification.	Mfr. ECCO VARIABLE D	В	
		Cost \$ 230.00	_	
Brakes	4-wheel hydraulic disk brake.	Cost \$ INCLUDED	Deduct \$ 0.00	
Brakes	Air, Drum or Disc. Refer to Washington State School Bus	Disc Cost \$ 3,888.00	Disc Deduct \$ N/A	
	Specifications manual.	Drum Cost INCLUDED	Drum Deduct \$ N/A	
Color	Exterior white roof.	Cost \$ INCLUDED		
Door Locks	Vandal lock system on all exterior doors.	Cost \$ 459.00		
Driver's Seat	Suspension type, 6-way adjustable, with lumbar adjustment. Cloth	Non-Air	Air	
	panel covers.	Mfr. NATIONAL	Mfr. NATIONAL	
		Cost \$ INCLUDED	Cost \$ 276.00	
Fire Suppression	Jomarr VT-6-E-NAF, or equal engine compartment fire suppression	Mfr. AMEREX VH25ABC 4 NOZZLE		
System	system of appropriate size to be installed according to manufacturer recommendation.	Cost \$ 5,487.00		
Floor Color	Nonstandard color.	Cost \$ 459.00		

PART II (cont.)

State Price Quote Specification DISTRICT-SUPPORTED OPTIONS C60 C77 D60 D84 Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications.		LY IDENTIFY ITEM BID establish the district cost.	
Fuel Tank	Item bid shall be specified in column to right. Larger fuel capacity (CNG only).	Size: N/A	Cost \$ N/A	
Fuel Tank	Larger fuel capacity (Diesel only).	Size: N/A	Cost \$ N/A	
Fuel Tank	Larger fuel capacity (Propane only).	Size: N/A	Cost \$ N/A	
Headlights	Halogen.	Cost \$ INCLUDED		
Headlights	L.E.D.	Cost \$ N/A		
Heater (Auxiliary	Auxiliary fuel-fired heating systems. Refer to Washington State	Brand: ESPAR	Model:TTC 17,000 BTU	
water)	School Bus Specifications Manual, page 27.	Cost \$ 2,067.00		
Noise Reduction	Exceeding minimum specifications.	Driver compartment	Cost \$ INCLUDED	
		Engine compartment	Cost \$ INCLUDED	
		Full acoustical headliner	Cost \$ 936.00	
Retarder	Manufacturer's standard.	Driveline 🖂	Cost \$ <u>17,000.00</u>	
		Exhaust 🗵	Cost \$ 110.00	
		Transmission	Cost \$ N/A	
Seat Belt Ready Seat	3-passenger position seat with belts.	Cost \$ 689.00 PER SEA	T	
Seating System	Identical, non-lift bus with lap-shoulder seat belt system installed in all	2 by 2 Cost \$16,360.00		
	positions.	Capacity 30		
		3 by 2 Cost \$19,041.00		
		Capacity 40		
		3 by 3 Cost \$20,401.00_		
		Capacity <u>48</u>		

PART II (cont.)

State Price Quote Specification DISTRICT-SUPPORTED OPTIONS □ C60 □ C77 ☒ D60 □ D84

Use this document to bid both non-lift and lift buses.

Vendor: BRYSON

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.		VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.		
Storage	Largest available for unit bid.	Left-side N/A	cubic feet.		
Compartments		Cost \$ N/A			
		Right-side N/A	cubic feet.		
		Cost \$ N/A	<u> </u>		
		Push-thru N/A			
		Cost \$ N/A	Cost \$ N/A		
Strobe Light	Exterior roof mounted white strobe light.	Mfr. ECCO			
		Model No. 7460 LED CL	Model No. 7460 LED CLEAR LENS		
		Cost \$ 223.00	Cost \$ 223.00		
Student Protection	Electronic system to insure driver post-trip inspection of passenger compartment.	Mfr. BLUE BIRD			
System—Installed		Model No. DA01	Model No. DA01		
		Cost \$ 199.00	Cost \$ 199.00		
Suspension	Air ride (Air brake system only).	Front	Rear		
		Cost \$ 1,450.00	Cost \$ <u>1,373.00</u>		
Toolbox	Interior, manufacturer standard.	Cost \$ 84.00	Deduct \$ N/A		
Traction Device	Automatic chains.	Mfr. ON SPOT	Mfr. ON SPOT		
		Cost \$ 3,490.00	Cost \$ 3,490.00		
Traction Device	Sanders.	Capacity 100 LBS.	Capacity 100 LBS.		
		Cost \$ 3,600.00	Cost \$ 3,600.00		
Transmission	Automatic—Allison, PTS 3000 or equal.	Mfr. ALLISON	Mfr. ALLISON		
		Model No. 3000 PTS	Model No. 3000 PTS		
		Cost \$ 6,573.00	Cost \$ <u>6,573.00</u>		
Vehicle Securement System	Must meet state specification.	Mfr. <u>BLUE BIRD</u>	Cost \$ 691.00		

PART II (cont.)

State Price Quote Specification DISTRICT-SUPPORTED OPTIONS □ C60 □ C77 ☒ D60 □ D84

Use this document to bid both non-lift and lift buses.

Vendor: BRYSON	
	_

ITEM	ITEM Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.		VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.		
Video Camera	Digital audio/video system for monitoring the passenger compartment with more than two cameras.		Mfr. SEON		
Systems—Installed			Model No. TH-4		
			Cost \$ 3,464.00	How many cameras <u>4</u>	
Video Camera	Must meet state specification.	St	and Alone System	Added to Interior System	
Systems—Stop Sign		Mf	r. <u>SEON</u>	Mfr. SEON	
Camera—Installed		Mo	odel No. <u>TH-4</u>	Model No. TH-4	
		Co	ost \$ <u>1,996.00</u>	Cost \$ 453.00	
		Но	ow many cameras <u>1</u>	How many cameras <u>1</u>	
Warning Light	16 light monitoring system.		Incandescent	LED Lights	
Monitor		Cost \$ <u>199.00</u>		Cost \$ 199.00	
Additional	Must meet state specification.	'	Mfr. Q-STRAINT		
Wheelchair/Occupant			Model No. Q-8106-L2		
Tie-down System— Installed			Cost per station \$ 598	.00	
Windows	Laminated passenger-compartment side or rear glass.		Side Cost \$ 3,514.00		
			Rear Cost \$ 1,490.00		
			Both Cost \$ 5,004.00		
Windows	Tinted.		Cost \$ INCLUDED		
Windows	Thermal pane, left of driver and service door.		Cost \$ 601.00		