

State Price Quote Specification

TYPE C77—BID AS 71 PASSENGER, ELECTRIC

Use this document to bid both non-lift and lift buses for 61-77 capacity.

Vendor: <u>The Lion Electric</u> Co. USA Inc.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
Seating Capacity	71 passenger based upon an average center-to-center seat spacing of at least 27.5".	Capacity w/o lift <u>71 passengers</u> Capacity w/lift <u>57 + 1 WC</u>
Auxiliary Fans	2 fans, 6" maximum, mounted to right and left windshield and service door.	Mfr. Bergstrom
Axle—Front	9,000 lb. minimum.	Mfr. Hendrickson Capacity 10,000 lbs
Axle—Rear	19,000 lb. minimum.	Mfr. Dana Capacity 21,000 lbs
Axle Oil Seals	Front and rear oil bath.	Mfr. National
Axle Ratio	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications Manual.	Mfr. Dana Spicer Capacity 5.57
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: Diameter 7 inches Other: Square inches
Battery(ies) Low Voltage	1200 CCA 12 volt minimum to be mounted in body battery compartment w/o lift. 1400 CCA 12 volt minimum to be mounted in body battery compartment w/lift.	Number of batteries <u>two (2)</u> CCA <u>950 x 2 = 1,900 CC</u>
Battery(ies) Propulsion	Battery propulsion must meet a minimum of 130 kWh.	Number of batteries <u>Four (4)</u> kWh <u>168 kWh</u>

PART I (cont.)

Vendor: The Lion Electric Co.

USA Inc.

State Price Quote Specification

TYPE C77—BID AS 71 PASSENGER, ELECTRIC

	ELECTRIC	
	Use this document to bid both non-lift and lift buses for 61-	-77 capacity.
ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
Battery Compartment	Battery storage tray must be large enough to accommodate batteries as specified in chassis section.	☐ Swing out ☐ Roll out
Brakes	Air: Drum or Disc. Refer to Washington State School Bus Specifications Manual.	Disc Front ☒ Rear ☒ Drum Front ☐ Rear ☐ Size Front 17 inches Rear 17 inches
Door, Service	Power operated.	☐ Air ☐ Folding ☐ Electric ☐ Split, Outward opening ☐ Other ☐ Other
Heaters	Minimum of 3 heaters; 1 front, 1 center, 1 rear. Shutoff valves at engine for all heaters. Two-speed motors.	Front B.T.U. <u>90,000 (2 x 45,000)</u> Center B.T.U. <u>80,000</u> Rear B.T.U. <u>80,000</u> Total B.T.U. <u>250,000</u>
Hood	Tilt.	☐ Metal
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights–7", Tail Lights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified If not, explain
Motor	190 H.P. minimum.	Engine Mfr. Dana / TM4 Model TM4 Net torque Up 1,8 @ R.P.M. Net H.P. 335 @ R.P.M.
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. REI Model No. VR-3000

PART I (cont.)

State Price Quote Specification

TYPE C77—BID AS 71 PASSENGER, ELECTRIC

Use this document to bid both non-lift and lift buses for 61–77 capacity.

Vendor:	The Lion Electric Co.
USA Inc.	

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.		
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift 360 w/lift 300 Mfg.'s C/C seat measurement of vehicle (inches): w/o lift 27.5 w/lift 27.5		
Steering Wheel	Tilt and telescoping column.	Check if as specified ⊠		
Step Tread	Studded or pebbled top tread covering.	Mfr. RCA Rubbers, pebble		
Tires	6 first quality, radial ply. No low profile tires.	Mfr. Michelin X-Multi D x multi energy Z2		
		Size 11R22.5 x 9		
		Load range L		
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) Between 12-16 cubic feet		
Two-way	45-watt, VHF, mil. spec.	Mfr. Multiple options available		
Communications		Model No.		
Wheels	6 to be compatible with tire size.	Size <u>22</u>		
		Rim width 8.25		
	SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BO	DDY		
Wheelchair	Must meet state specification. Platform shall be a minimum of 32"	Mfr. Braun		
Lift—Installed	x 52".	Model No. Century		
Wheelchair/	Must meet state specification.	Mfr. Q-Straint		
Occupant Tie- down System— Installed		Model No. QRT		

PART I (cont.)

State Price Quote Specification

TYPE C77—BID AS 71 PASSENGER, ELECTRIC

Use this document to bid both non-lift and lift buses for 61–77 capacity.

Vendor:	The Lion	Electric Co	_
USA Inc.			

ITEM	STATE-SUPPORTED SPECIFICATIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID		
	Vendor must meet or exceed these specifications.	Price of items bid will establish the state cost.		
	Item bid shall be specified in column to right.			
	ADDITIONAL REQUIREMENTS—CHASSIS AND BODY	(
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery of the bus.	Check if as specified ⊠		
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at time of delivery.	Check if as specified ⊠		
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified ⊠		
Service and Cleaning	 Cleaning and service by vendor prior to delivery will include: Chassis lubrication. Check fluid levels: verify all are at recommended full levels. Cooling system protected at -20°F. Interior and exterior will be clean (including glass). All systems (electric, air, hydraulic, mechanical and manual) be inspected to ensure proper operation at time of delivery. All components and accessories will be installed and operational at time of delivery. 	Check if as specified ⊠		
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified ⊠		



STUDENT TRANSPORTATION Old Capitol Building PO BOX 47200 Olympia, WA 98504-7200 (360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE C77—BID AS 71 PASSENGER ELECTRIC

The Lion Electric Co. USA Inc.			REPRESENTATIVE'S NAME Marc-Andre Page		TELEPHONE NUMBER 450-512-5065	
ADDRESS 1620 Industry Dr. Southwest, Auburn, WA, 98001			Estimated de	elivery date to school di	istrict from time p	ourchase order is received: <u>Up to</u>
			270 days fr	om purchase order		
			Firm where	Firm where engine and chassis can be serviced or repaired and parts obtained:		
			1620 Industr	y Dr. Southwest, Aubui	rn, WA, 98001	
			Firm where I	body can be serviced o	r repaired and pa	arts obtained:
			1620 Industr	y Dr. Southwest, Aubui	rn, WA, 98001	
			B	ODY		
	AR	Warranty: Y		Inside measurement from rear of Equipped seating capacity:		Equipped seating capacity: w/o lift 71 w/lift 57 + 1
LionC 2)23	Seat color: <u>G</u> Floor color: B		w/o lift 364.5	w/lift 308.5	Overall vehicle length (inches): w/o lift 473 w/lift 473
	HASSIS	F1001 C0101. <u>D</u>	<u>iack</u>		MO	TOR
MAKE	назыз	14/		MANUFACTURER	IVIO	
lion Wallality. 16		ears <u>1</u> iles <u>100,000</u>	Dana / TM4		Torque: <u>1,800</u> @ RPM H.P.: <u>335</u> @ RPM	
MODEL YE 20	^{AR} 23	Wheel base: 2	<u>278</u>	Sumo MD	YEAR 2023	C.I.D. or Liters: Fuel type: <u>All-electric</u>
B	TTERIES			Warranty: Years 1		
12 Volt		Propulsion				
Battery type/grp: <u>Grou</u> <u>400V</u>	Number ba	itteries: <u>4</u>		Miles <u>100,000</u>		
Number batteries: 2	Total kWh:	<u>168</u>				
Total CCA: $950 \times 2 = 1,900$						
			QUOTED P			
Quoted price is based upon payment	vithin 30 days afte	er delivery to the	school district	t (without sales tax).		
Electric Bid—w/o lift \$ 399,054.79 Electric Bid—w/lift \$			t \$ <u>408,470.79</u>)		
VENDOR REPRESENTATIVE'S SIGNATURE				DATE 2022-08-18		

State Price Quote Specification DISTRICT-SUPPORTED OPTIONS C77 D84 - ELECTRIC Use this document to bid both non-lift and lift buses.

Vendor: The Lion Electric C	ю
USA Inc.	

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right. VENDOR SPECIFICALLY IDENTIFY I Price of items bid will establish the dist		
Activity	2-passenger position seats with lap-shoulder belts in all passenger	Passenger Capacity 48 passengers	
Securement Seating	positions.	Cost \$ 6,624	
Air Conditioning	To cool passenger compartment as required in the Washington State	Mfr. ACT	
	School Bus Specifications manual.	Cost \$ <u>15,000</u>	
Anti-spray Device	Rubber fender extenders.	Type C: Cost \$ Not avail	able on the LionC
		Type D: Cost \$	
Back-up Alarm	Must meet state specification.	Mfr. ECCO or equivalent	
		Cost \$ 0, standard on the LionC	
Brakes	4-wheel hydraulic disk brake.	Cost \$	Deduct \$ 4,200
Brakes	Air, Drum or Disc. Refer to Washington State School Bus	Disc Cost \$ Standard	Disc Deduct \$
	Specifications manual.	Drum Cost \$ NA	Drum Deduct \$
Color	Exterior white roof.	Cost \$ Standard	
Door Locks	Vandal lock system on all exterior doors.	Cost \$ Standard	
Driver's Seat	Suspension type, 6-way adjustable, with lumbar adjustment. Cloth	Non-Air	Air
	panel covers.	Mfr. National	Mfr. <u>National</u>
		Cost \$ Standard	Cost \$ 495
Fire Suppression	Jomarr VT-6-E-NAF, or equal engine compartment fire suppression	Mfr. Not applicable	
System	system of appropriate size to be installed according to manufacturer recommendation.	Cost \$ NA	
Floor Color	Nonstandard color.	Cost \$ 654 (charcoal grey)	
Headlights	Halogen.	Cost \$ Not applicable	
Headlights	L.E.D.	Cost \$ Standard	

PART II (cont.)

State Price Quote Specification DISTRICT-SUPPORTED OPTIONS

Use this document to bid both non-lift and lift buses.

ectric Co.
_

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.
Heater (Auxiliary	Auxiliary fuel-fired heating systems. Refer to Washington State	Brand: Spheros Model: S230
water)	School Bus Specifications Manual, page 27.	Cost \$ 0, standard on the LionC
Noise Reduction	Exceeding minimum specifications.	Driver compartment Cost \$ Standard
		Engine compartment Cost \$ Standard
		Full acoustical headliner Cost \$ Standard
Retarder	Manufacturer's standard.	Driveline Cost \$ Standard (re-gen)
		Exhaust Cost \$ Not applicable
		Transmission Cost \$ Not applicable
Seat Belt Ready Seat	3-passenger position seat with securement belts.	Cost \$ 138 per passenger
Seating System	Identical, non-lift bus with lap-shoulder seat belt system installed in all positions.	2 by 2 Cost \$ 6,624
		Capacity 48 passengers
		3 by 2 Cost \$ Not available
		Capacity NA
		3 by 3 Cost \$ 9,798
		Capacity 71
Storage	Largest available for unit bid.	Left-side Not available cubic feet.
Compartments		Cost \$ NA
		Right-side Not available cubic feet.
		Cost \$ NA
		Push-thru Not available cubic feet.
		Cost \$ NA
Strobe Light	Exterior roof mounted white strobe light.	Mfr. Multiple suppliers available
		Model No
		Cost \$ <u>255</u>

State Price Quote Specification

DISTRICT-SUPPORTED OPTIONS

Use this document to bid both non-lift and lift buses.

/endor:]	The Lion	Electric
Co. USA	Inc.	

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Student Protection System—Installed	Electronic system to insure driver post-trip inspection of passenger compartment.	Mfr. ChildCheckMate	
		Model No.EP1 plus	
		Cost \$ 150	
Suspension	Air ride (Air brake system only).	Front	Rear
		Cost \$ Not available	Cost \$ 0, standard
Toolbox	Interior, manufacturer standard.	Cost \$	Deduct \$ <u>1,500</u>
Traction Device	Automatic chains.	Mfr. On-spot tire chains	
		Cost \$ 4,200	
Traction Device	Sanders.	Capacity Not available	
		Cost \$ NA	
Vehicle Securement System	Must meet state specification.	Mfr. Standard	Cost \$ 0
Video Camera Systems— Installed	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. Seon, Gatekeeper, 24/7, SafetyVision, REI, multiple suppliers available, OEM installed Model No.	
		Cost \$ 4,500 How many cameras 5 camera heads	
Video Camera	Must meet state specification.	Stand Alone System	Added to Interior System
Systems—Stop Sign Camera— Installed		Mfr. Seon, Gatekeeper, 24/7, SafetyVision, REI, multiple suppliers available, OEM installed Model No. Cost \$ 3,500 How many cameras 1	Mfr. Seon, Gatekeeper, 24/7, SafetyVision, REI, multiple suppliers available, OEM installed Model No. Cost \$ 3,500 How many cameras 1
Warning Light	16 light monitoring system.	Incandescent	LED Lights
Monitor		Cost \$ Not applicable	Cost \$ <u>450</u>

PART II (cont.)

	. , (661.61)
State Price Quote Specification	Vendor: The Lion Electric Co.
DISTRICT-SUPPORTED OPTIONS	USA Inc.
C77 D84 – ELECTRIC	
Use this document to bid both non-lift and lift buses.	

ITEM	Vendor must meet or exceed these specifications.	VENDOR SPECIFICALLY IDENTIFY ITEM BID	
Additional	Item bid shall be specified in column to right. Must meet state specification.	Price of items bid will establish the district cost. Mfr. Not available	
Wheelchair/Occu		Model No.	
pant Tie-down System—		Cost per station \$	
Installed			
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ Standard	
		Rear Cost \$ Standard	
		Both Cost \$ Standard	
Windows	Tinted.	Cost \$ Standard	
Windows	Thermal pane, left of driver and service door.	Cost \$ Standard	