

State Price Quote Specification
**TYPE C77—BID AS 71 PASSENGER,
 DIESEL, GAS & PROPANE**

PART I

Vendor: RWC Group

Use this document to bid both non-lift and lift buses for 61–77 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.		VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.		
Seating Capacity	71 passenger based upon an average center-to-center seat spacing of at least 27.5".		Capacity w/o lift <u>71</u> Capacity w/lift <u>60+1</u>		
Alternator	240 amp minimum. Lift-equipped or air-conditioned. Manufacturer recommended capacity.	Diesel	Gas	Propane	
		Mfr. <u>Leece-Neville</u> Max. amps output w/o lift or A.C. <u>240</u> Max. amps output w/lift or A.C. <u>240</u>	Mfr. <u>Leece-Neville</u> Max. amps output w/o lift or A.C. <u>240</u> Max. amps output w/lift or A.C. <u>240</u>	Mfr. <u>Leece-Neville</u> Max. amps output w/o lift or A.C. <u>240</u> Max. amps output w/lift or A.C. <u>240</u>	
Auxiliary Fans	2 fans, 6" maximum, mounted to right and left windshield and service door.		Mfr. <u>Bergstrom</u>		
Axle—Front	9,000 lb. minimum.	Diesel	Gas	Propane	
		Mfr. <u>Meritor/Dana</u> Capacity <u>10,000</u>	Mfr. <u>Meritor/Dana</u> Capacity <u>10,000</u>	Mfr. <u>Meritor/Dana</u> Capacity <u>10,000</u>	
Axle—Rear	19,000 lb. minimum.	Diesel	Gas	Propane	
		Mfr. <u>Dana Spicer</u> Capacity <u>19,800</u>	Mfr. <u>Dana Spicer</u> Capacity <u>19,800</u>	Mfr. <u>Dana Spicer</u> Capacity <u>19,800</u>	
Axle Oil Seals	Front and rear oil bath.	Diesel	Gas	Propane	
		Mfr. <u>Conmet Preset</u>	Mfr. <u>Conmet Preset</u>	Mfr. <u>Conmet Preset</u>	
Axle Ratio	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications Manual.	Diesel	Gas	Propane	
		Mfr. <u>Dana Spicer</u> Model no. <u>5.29</u>	Mfr. <u>Dana Spicer</u> Model no. <u>5.86</u>	Mfr. <u>Dana Spicer</u> Model no. <u>5.29</u>	
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.		Round: <input checked="" type="checkbox"/>	Diameter <u>7 Inch</u> Other: <input type="checkbox"/> Square inches _____	

State Price Quote Specification
**TYPE C77—BID AS 71 PASSENGER,
 DIESEL, GAS & PROPANE**

Use this document to bid both non-lift and lift buses for 61–77 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.		
Battery(ies)	1200 CCA 12 volt minimum to be mounted in body battery compartment w/o lift. 1400 CCA 12 volt minimum to be mounted in body battery compartment w/lift.	Diesel	Gas	Propane
		Size/group w/o lift <u>31</u> CCA <u>1900</u> Size/group w/lift <u>31</u> CCA <u>1900</u>	Size/group w/o lift <u>31</u> CCA <u>1900</u> Size/group w/lift <u>31</u> CCA <u>1900</u>	Size/group w/o lift <u>31</u> CCA <u>1900</u> Size/group w/lift <u>31</u> CCA <u>1900</u>
Battery Compartment	Battery storage tray must be large enough to accommodate batteries as specified in chassis section.	<input type="checkbox"/> Swing out		<input checked="" type="checkbox"/> Roll out
Brakes	Air: Drum or Disc. Refer to Washington State School Bus Specifications Manual.	Disc Front <input type="checkbox"/>	Rear <input type="checkbox"/>	
		Drum Front <input checked="" type="checkbox"/>	Rear <input checked="" type="checkbox"/>	
		Size Front _____	Rear _____	
Door, Service	Power operated.	<input checked="" type="checkbox"/> Air <input type="checkbox"/> Electric <input type="checkbox"/> Other		<input type="checkbox"/> Folding <input checked="" type="checkbox"/> Split, Outward opening <input type="checkbox"/> Other
Engine	Diesel, Gas and Propane—210 H.P. minimum.	Diesel	Gas	Propane
		Engine mfr. <u>Cummins</u> Model or liters <u>B6.7</u> Net torque <u>520 @ 1600</u> R.P.M Net H.P. <u>220 @ 2400</u> R.P.M	Engine mfr. <u>PSI</u> Model or liters <u>8.8L</u> Net torque <u>548 @ 1800</u> R.P.M Net H.P. <u>265 @ 2600</u> R.P.M	Engine mfr. <u>PSI</u> Model or liters <u>8.8L</u> Net torque <u>565 @ 1600</u> R.P.M Net H.P. <u>270 @ 2600</u> R.P.M
Engine Heater	Engine manufacturer's recommended in-block heater.	Watts <u>750 D/1000 G&P</u>	Volts <u>120</u>	
		Mfr. <u>Phillips</u>		
Engine Temperature	To be controlled electronically, by fan clutch/drive, or shutters.	Mfr. <u>Borg Warner</u>	<input type="checkbox"/> Electronic	
		<input checked="" type="checkbox"/> Fan clutch	<input type="checkbox"/> Shutters	
Fuel Tank	Diesel—100 gallon minimum. Gas and Propane—60 gallon minimum.	Diesel	Gas	Propane
		Capacity <u>100</u>	Capacity <u>60</u>	Capacity <u>69.2</u>

State Price Quote Specification
**TYPE C77—BID AS 71 PASSENGER,
 DIESEL, GAS & PROPANE**

Use this document to bid both non-lift and lift buses for 61–77 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
Heaters	Minimum of 3 heaters; 1 front, 1 center, 1 rear. Shutoff valves at engine for all heaters. Two-speed motors. Must include recirculating pump.	Front B.T.U. <u>90,000</u> Center B.T.U. <u>50,000</u> Rear B.T.U. <u>50,000</u> Total B.T.U. <u>190,000</u>
Hood	Tilt.	<input checked="" type="checkbox"/> Fiberglass <input type="checkbox"/> Metal
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights—7", Tail Lights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified <input checked="" type="checkbox"/> If not, explain _____
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. <u>Adayo</u> Model No. <u>HA1102D623A</u>
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>354.89</u> w/lift <u>354.89</u> Mfg.'s C/C seat measurement of vehicle (inches): w/o lift <u>28.09</u> w/lift <u>27.56</u>
Steering Wheel	Tilt and telescoping column.	Check if as specified <input checked="" type="checkbox"/>
Step Tread	Studded or pebbled top tread covering.	Mfr. <u>Koroseal</u>
Tires	6 first quality, radial ply. No low profile tires.	Mfr. <u>Continental</u> Size <u>11R22.5</u> Load range <u>H</u>
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) <u>2.88</u>

State Price Quote Specification
**TYPE C77—BID AS 71 PASSENGER,
 DIESEL, GAS & PROPANE**

Use this document to bid both non-lift and lift buses for 61–77 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.		
Transmission	Diesel and Propane: Automatic—Allison, PTS 2500 or equal. Gas: Automatic— manufacturer's standard compatible with H.P. and torque rating of engine bid.	<i>Diesel</i>	<i>Gas</i>	<i>Propane</i>
		Mfr. <u>Allison</u>	Mfr. <u>Allison</u>	Mfr. <u>Allison</u>
		Model no. <u>2500 6spd</u>	Model no. <u>2500 6spd</u>	Model no. <u>2500 6spd</u>
		Net input <u>620</u>	Net input <u>620</u>	Net input <u>620</u>
		Net input H.P. <u>300</u>	Net input H.P. <u>300</u>	Net input H.P. <u>300</u>
Two-way Communications	45-watt, VHF, mil. spec.	Mfr. <u>ICOM</u> Model No. <u>F-5011</u>		
Wheels	6 to be compatible with tire size.	Size <u>22.5</u> Rim width <u>8.25</u>		
SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BODY				
Wheelchair Lift—Installed	Must meet state specification. Platform shall be a minimum of 32" x 52".	Mfr. <u>Braun Gen2</u> Model No. <u>NL919FIB</u>		
Wheelchair/ Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q-Straint</u> Model No. <u>Q-8100-A1-SC</u>		
ADDITIONAL REQUIREMENTS—CHASSIS AND BODY				
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery of the bus.	Check if as specified <input checked="" type="checkbox"/>		
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at time of delivery.	Check if as specified <input checked="" type="checkbox"/>		
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified <input checked="" type="checkbox"/>		

State Price Quote Specification
**TYPE C77—BID AS 71 PASSENGER,
 DIESEL, GAS & PROPANE**

Use this document to bid both non-lift and lift buses for 61–77 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
Service and Cleaning	Cleaning and service by vendor prior to delivery will include: <ul style="list-style-type: none"> • Chassis lubrication. • Check fluid levels: verify all are at recommended full levels. • Cooling system protected at -20°F. • Interior and exterior will be clean (including glass). • All systems (electric, air, hydraulic, mechanical and manual) be inspected to ensure proper operation at time of delivery. • All components and accessories will be installed and operational at time of delivery. 	Check if as specified <input type="checkbox"/>
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified <input type="checkbox"/>



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2021-2022

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION
TYPE C77— BID AS 71 PASSENGER (DIESEL)

VENDOR'S COMPANY NAME RWC Group	REPRESENTATIVE'S NAME Tom Hartman	TELEPHONE NUMBER 602-377-4401
ADDRESS 600 North 75th Avenue Phoenix, AZ 85043	Estimated delivery date to school district from time purchase order is received: _____ 180 Days ARO	
	Firm where engine and chassis can be serviced or repaired and parts obtained: _____ Any IC or International Dealer	
	Firm where body can be serviced or repaired and parts obtained: _____ RWC Group (4 locations in WA)	

BODY			
MAKE IC Corporation	Warranty: Years <u>5</u> Miles <u>Unlir</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>354.89</u> w/lift <u>354.89</u>	Equipped seating capacity: w/o lift <u>71</u> w/lift <u>60+1</u>
MODEL PB105	YEAR 2023	Seat color: <u>Gray</u> Floor color: <u>Black</u>	Overall vehicle length (inches): w/o lift <u>463.9</u> w/lift <u>463.9</u>

CHASSIS		ENGINE	
MAKE IC Corporation	Warranty: Years <u>5</u> Miles <u>Unlir</u>	MANUFACTURER Cummins	Torque: <u>520</u> @ <u>1600</u> RPM H.P.: <u>220</u> @ <u>2400</u> RPM
MODEL PB105	YEAR 2023	MODEL B6.7	YEAR 2022
Wheel base: <u>276</u>		C.I.D. or Liters: <u>6.7L</u> Fuel type: <u>Dies</u>	
TRANSMISSION		Warranty: Years <u>5</u> Miles <u>100k</u>	Battery type/grp: <u>31</u> <u>31</u>
MANUFACTURER Allison	Speeds forward: <u>6</u>	Number of cylinders: <u>6</u> Inline <u>X</u> V-type _____	Number batteries: <u>2</u> <u>2</u>
MODEL 2500	Warranty: Years <u>7</u> Miles <u>Unlir</u>	Total CCA: <u>1900</u> <u>1900</u>	

QUOTED PRICE	
Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).	
Diesel Bid—w/o lift \$ <u>101,183</u>	Diesel Bid—w/lift \$ <u>106,179</u>
VENDOR REPRESENTATIVE'S SIGNATURE 	DATE <u>8-11-21</u>



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2021-2022

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION
TYPE C77— BID AS 71 PASSENGER (GAS)

VENDOR'S COMPANY NAME RWC Group	REPRESENTATIVE'S NAME Tom Hartman	TELEPHONE NUMBER 602-377-4401
ADDRESS 600 North 75th Avenue Phoenix, AZ 85043	Estimated delivery date to school district from time purchase order is received: _____ 180 Days ARO	
	Firm where engine and chassis can be serviced or repaired and parts obtained: _____ Any IC or International Dealer	
	Firm where body can be serviced or repaired and parts obtained: _____ RWC Group (4 locations in WA)	

BODY			
MAKE IC Corporation	Warranty: Years <u>5</u> Miles <u>Unlir</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>354.89</u> w/lift <u>354.89</u>	Equipped seating capacity: w/o lift <u>71</u> w/lift <u>60+1</u>
MODEL PB105	YEAR 2023	Seat color: <u>Gray</u> Floor color: <u>Black</u>	Overall vehicle length (inches): w/o lift <u>463.9</u> w/lift <u>463.9</u>

CHASSIS		ENGINE	
MAKE IC Corporation	Warranty: Years <u>5</u> Miles <u>Unlir</u>	MANUFACTURER PSI	Torque: <u>548</u> @ <u>1800</u> RPM H.P.: <u>265</u> @ <u>2600</u> RPM
MODEL PB105	YEAR 2023	MODEL 8.8L	YEAR 2022
Wheel base: <u>276</u>		C.I.D. or Liters: <u>8.8L</u> Fuel type: <u>Gas</u>	
TRANSMISSION		Warranty: Years <u>5</u> Miles <u>Unlir</u>	Battery type/grp: <u>31</u> <u>31</u>
MANUFACTURER Allison	Speeds forward: <u>6</u>	Number of cylinders: <u>8</u> Inline _____ V-type <u>X</u>	Number batteries: <u>2</u> <u>2</u>
MODEL 2500	Warranty: Years <u>7</u> Miles <u>Unlir</u>		Total CCA: <u>1900</u> <u>1900</u>

QUOTED PRICE	
Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).	
Gas Bid—w/o lift \$ <u>97,421</u>	Gas Bid—w/lift \$ <u>101,916</u>
VENDOR REPRESENTATIVE'S SIGNATURE 	DATE <u>8-14-21</u>



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2021-2022


STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 654-3631

**VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION
TYPE C77—BID AS 71 PASSENGER (PROPANE)**

VENDOR'S COMPANY NAME RWC Group	REPRESENTATIVE'S NAME Tom Hartman	TELEPHONE NUMBER 602-377-4401
ADDRESS 600 North 75th Avenue Phoenix, AZ 85043	Estimated delivery date to school district from time purchase order is received: _____ 180 Days ARO	
	Firm where engine and chassis can be serviced or repaired and parts obtained: _____ Any IC or International Dealer	
	Firm where body can be serviced or repaired and parts obtained: _____ RWC Group (4 locations in WA)	

BODY			
MAKE IC Corporation	Warranty: Years <u>5</u> Miles <u>Unlir</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>354.89</u> w/lift <u>354.89</u>	Equipped seating capacity: w/o lift <u>71</u> w/lift <u>60+1</u>
MODEL PB105	YEAR 2023	Seat color: <u>Gray</u> Floor color: <u>Black</u>	Overall vehicle length (inches): w/o lift <u>463.9</u> w/lift <u>463.9f</u>

CHASSIS		ENGINE	
MAKE IC Corporation	Warranty: Years <u>5</u> Miles <u>Unlir</u>	MANUFACTURER PSI	Torque: <u>565</u> @ <u>1600</u> RPM H.P.: <u>270</u> @ <u>2600</u> RPM
MODEL PB105	YEAR 2023	MODEL 8.8 LPG	YEAR 2022
Wheel base: <u>276</u>		C.I.D. or Liters: <u>8.8L</u> Fuel type: <u>Prop</u>	Battery type/grp: <u>31</u> <u>31</u>
TRANSMISSION		Warranty: Years <u>5</u> Miles <u>Unlir</u>	Number batteries: <u>2</u> <u>2</u>
MANUFACTURER Allison	Speeds forward: <u>6</u>	Number of cylinders: <u>8</u> Inline _____ V-type <u>X</u>	Total CCA: <u>1900</u> <u>1900</u>
MODEL 2500	Warranty: Years <u>7</u> Miles <u>Unlir</u>		

QUOTED PRICE	
Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).	
Propane Bid—w/o lift \$ <u>108,201</u>	Propane Bid—w/lift \$ <u>112,695</u>
VENDOR REPRESENTATIVE'S SIGNATURE 	DATE <u>8-11-21</u>

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS

Vendor: RWC Group

C60 C77 D60 D84

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Activity Seurement Seating	2-passenger position seats with lap-shoulder belts in all passenger positions.	Passenger Capacity <u>44</u> Cost \$ <u>30,404</u>	
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. <u>TransAir</u> Cost \$ <u>9,391</u>	
Alternate Fuel <input type="checkbox"/> CNG <input type="checkbox"/> Electric	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications manual. Must comply with all of the requirements of FMVSS No. 305.	Mfr. _____ <input type="checkbox"/> CNG Cost \$ _____ <input type="checkbox"/> Electric Cost \$ <u>see Electric category</u>	
Alternator	Available options.	Cost \$ <u>882</u> Capacity <u>325 (D/P)</u> Cost \$ <u>782</u> Capacity <u>320 (G)</u> Cost \$ _____ Capacity _____	
Anti-spray Device	Rubber fender extenders.	Type C: Cost \$ <u>Included</u> Type D: Cost \$ <u>272</u>	
Back-up Alarm	Must meet state specification.	Mfr. <u>Ecco-SA-917-87 112d</u> Cost \$ <u>123</u>	
Brakes	4-wheel hydraulic disk brake.	Cost \$ <u>700</u>	Deduct \$ _____
Brakes	Air, Drum or Disc. Refer to Washington State School Bus Specifications manual.	Disc Cost \$ <u>3,150</u> Drum Cost \$ <u>N/A</u>	Disc Deduct \$ <u>N/A</u> Drum Deduct \$ <u>N/A</u>
Color	Exterior white roof.	Cost \$ <u>776</u>	
Door Locks	Vandal lock system on all exterior doors.	Cost \$ <u>718</u>	
Driver's Seat	Suspension type, 6-way adjustable, with lumbar adjustment. Cloth panel covers.	Non-Air	Air
		Mfr. <u>Magnum</u> Cost \$ <u>225</u>	Mfr. <u>National</u> Cost \$ <u>350</u>
Fire Suppression System	Jomarr VT-6-E-NAF, or equal engine compartment fire suppression system of appropriate size to be installed according to manufacturer recommendation.	Mfr. <u>N/A</u> Cost \$ _____	
Floor Color	Nonstandard color.	Cost \$ <u>419</u>	

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS

C60 C77 D60 D84

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Fuel Tank	Larger fuel capacity (CNG only).	Size: <u>N/A</u>	Cost \$ <u> </u>
Fuel Tank	Larger fuel capacity (Diesel only).	Size: <u>N/A</u>	Cost \$ <u> </u>
Fuel Tank	Larger fuel capacity (Propane only).	Size: <u>N/A</u>	Cost \$ <u> </u>
Headlights	Halogen.	Cost \$ <u>STD</u>	
Headlights	L.E.D.	Cost \$ <u>N/A</u>	
Heater (Auxiliary water)	Auxiliary fuel-fired heating systems. Refer to Washington State School Bus Specifications Manual, page 27.	Brand: <u>Webasto</u>	Model: <u>Scholastic</u>
		Cost \$ <u>4,936</u>	
Noise Reduction	Exceeding minimum specifications.	Driver compartment	Cost \$ <u>159</u>
		Engine compartment	Cost \$ <u>333</u>
		Full acoustical headliner	Cost \$ <u>Included</u>
Retarder	Manufacturer's standard.	Driveline <input checked="" type="checkbox"/>	Cost \$ <u>13,000</u>
		Exhaust <input checked="" type="checkbox"/>	Cost \$ <u>Included</u>
		Transmission <input type="checkbox"/>	Cost \$ <u> </u>
Seat Belt Ready Seat	3-passenger position seat with securement belts.	Cost \$ <u>956</u>	
Seating System	Identical, non-lift bus with lap-shoulder seat belt system installed in all positions.	2 by 2 Cost \$ <u>13,707</u>	
		Capacity <u>48</u>	
		3 by 2 Cost \$ <u>N/A</u>	
		Capacity <u> </u>	
		3 by 3 Cost \$ <u>16,178</u>	
		Capacity <u>72</u>	

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS

C60 C77 D60 D84

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Storage Compartments	Largest available for unit bid.	Left-side <u>28.5</u> cubic feet. Cost \$ <u>1,824</u>	Right-side <u>28.5</u> cubic feet. Cost \$ <u>1,824</u>
		Push-thru <u>N/A</u> cubic feet. Cost \$ _____	
Strobe Light	Exterior roof mounted white strobe light.	Mfr. <u>Ecco</u> Model No. <u>6550C</u> Cost \$ <u>217</u>	
Student Protection System—Installed	Electronic system to insure driver post-trip inspection of passenger compartment.	Mfr. <u>IC</u> Model No. <u>Leave no student behind</u> Cost \$ <u>Included</u>	
Suspension	Air ride (Air brake system only).	Front	Rear
		Cost \$ <u>N/A</u>	Cost \$ <u>1,233</u>
Toolbox	Interior, manufacturer standard.	Cost \$ <u>50</u>	Deduct \$ <u>N/A</u>
Traction Device	Automatic chains.	Mfr. <u>On Spot Chains</u> Cost \$ <u>2,780</u>	
Traction Device	Sanders.	Capacity <u>10 Gallon</u> Cost \$ <u>3,300</u>	
Transmission	Automatic—Allison, PTS 3000 or equal.	Mfr. <u>Allison</u> Model No. <u>3000</u> Cost \$ <u>5,100</u>	
Vehicle Securement System	Must meet state specification.	Mfr. <u>SBS</u>	Cost \$ <u>917</u>
Video Camera Systems—Installed	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. <u>Seon</u> Model No. <u>TH4</u> Cost \$ <u>2,646</u>	How many cameras <u>3</u>

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS

C60 C77 D60 D84

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
		<i>Stand Alone System</i>	<i>Added to Interior System</i>
Video Camera Systems—Stop Sign Camera—Installed	Must meet state specification.	Mfr. <u>Seon</u> Model No. <u>TH4</u> Cost \$ <u>2,439</u> How many cameras <u>1</u>	Mfr. <u>Seon</u> Model No. <u>TH4</u> Cost \$ <u>694</u> How many cameras <u>1</u>
Warning Light Monitor	16 light monitoring system.	<i>Incandescent</i> Cost \$ <u>191</u>	<i>LED Lights</i> Cost \$ <u>217</u>
Additional Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q-Straint</u> Model No. <u>Q-8100-A1-SC</u> Cost per station \$ <u>1,150</u>	
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ <u>1,095</u> Rear Cost \$ <u>147</u> Both Cost \$ <u>1,242</u>	
Windows	Tinted.	Cost \$ <u>547</u>	
Windows	Thermal pane, left of driver and service door.	Cost \$ <u>555</u>	