# State Price Quote Specification TYPE A— GAS & PROPANE

Vendor:\_\_\_\_\_SCHETKY NW SALES INC
Mfr.: THOMAS BUILT BUSES

ITEM	STATE-SUPPORTED SPECIFICATIONS  Vendor must meet or exceed these specifications.  Item bid shall be specified in column to right.		LLY IDENTIFY ITEM BID establish the state cost.	
Seating Capacity	Maximum passenger capacity based upon an average center-to-	Gas	Propane	
	center seat spacing of at least 27.5" with a lap-shoulder belt for each seating position.	Capacity w/o lift 24	Capacity w/o lift N/A	
		Capacity w/lift 19	Capacity w/lift N/A	
Alternator	145 amp minimum. Lift-equipped or air-conditioned. Manufacturer	Mfr. OEM		
	recommended capacity.	Amps output w/o lift or A.C	C. <u>220</u>	
		Amps output w/lift or A.C.	220	
Auxiliary Automatic	10,000 lb. Hayden or equal.	Gas	Propane	
Transmission Cooler		Mfr. GM	Mfr. N/A	
		Lbs. rating <u>10,000</u>	Lbs. rating	
Axle—Front	Manufacturer's recommendation.	Gas	Propane	
		Mfr. <u>GM</u>	Mfr. N/A	
		Lbs. rating <u>4,300</u>	Lbs. rating	
		Indepen. suspens.	Indepen. suspens.	
Axle—Rear	Manufacturer's recommendation.	Gas	Propane	
		Mfr. <u>GM</u>	Mfr. N/A	
		Capacity <u>8,600</u>	Capacity	
Axle Ratio	Must comply with power and gradeability formula. Refer to	Gas	Propane	
	Washington State School Bus Specifications Manual.	Ratio <u>3.73</u>	Ratio	
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: Diameter Other: Square inc	hes <u>22</u>	

## State Price Quote Specification TYPE A—GAS & PROPANE

Vendor: \_\_\_\_\_\_SCHETKY NW SALES INC Mfr.:THOMAS BUILT BUSES

ITEM	STATE-SUPPORTED SPECIFICATIONS  Vendor must meet or exceed these specifications.  Item bid shall be specified in column to right.		LY IDENTIFY ITEM BID establish the state cost.
Battery(ies)	535 CCA 12 volt minimum for gas and propane w/o lift.	Gas/Propane w/o lift	Any bus w/lift
	1070 CCA 12 volt minimum for any bus w/lift.	CCA <u>1320</u>	CCA <u>1320</u>
Brakes	Hydraulic: Drum or Disc. Refer to Washington State School Bus	Gas	Propane
	Specifications Manual.	Front Disc ⊠	Front Disc
		Drum □	Drum 🗆
		Rear Disc ⊠	Rear Disc
		Drum □	Drum □
		Drum Size	Drum Size
Doors, Service	Power operated.	☐ Air ☐ Folding ☐ Split, Outward Opening	
Engine	Gas and Propane—3.5 liters minimum.	Gas	Propane
		Engine mfr. GM	Engine mfr. N/A
		H.P. <u>401</u>	Liters
Fuel Tank	Gas—25-gallon minimum.	Gas	Propane
	Propane—largest available.	Capacity <u>33</u>	Capacity
Heaters	Front—manufacturer's standard. Rear—40,000 B.T.U. minimum.	Rear B.T.U. w/o lift 50,000 Rear B.T.U. w/lift 50,000	)
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights–7", Taillights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified ⊠ If not, explain.	

# State Price Quote Specification TYPE A—GAS & PROPANE

Vendor: \_\_\_\_\_ SCHETKY NW SALES INC

Use this document to bid both non-lift and lift, gas and propane buses.

Mfr.: THOMAS BUILT BUSES

ITEM	STATE-SUPPORTED SPECIFICATIONS  Vendor must meet or exceed these specifications.  Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.		
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. DELPHI		
		Model No. <u>DEA700</u>		
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement fro appropriate point at real area: w/o lift 137.3"	r of passenger seating	
		Mfg.'s C/C seat measurement of vehicle (inches): w/o lift 28.75 w/lift 28.75		
Steering Wheel	Tilt.	Check if as specified ⊠		
Step Tread	Studded or pebbled top tread covering.	Mfr. KOROSEAL		
Tires	6 first quality, radial ply.	Mfr. OEM		
		Size <u>LT225/75R16</u>		
		Load range E		
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) 3.42		
Transmission	Automatic—manufacturer's standard compatible with H.P. and	Gas	Propane	
	torque rating of engine bid.	Mfr. <u>GM</u>	Mfr. <u>N/A</u>	
		Model no. 6L90	Model no	
Two-way	45-watt, VHF, mil. spec.	Mfr. MOTOROLA		
Communications		Model No. CM200D		
Wheels	6 to be compatible with tire size.	Size <u>16"</u>		
		Rim width 6.5"		

#### **State Price Quote Specification**

## **TYPE A—GAS & PROPANE**

Use this document to bid both non-lift and lift, gas and propane buses.

Vendor:

SCHETKY NW SALES INC
Mfr.: THOMAS BUILT BUSES

ITEM	STATE-SUPPORTED SPECIFICATIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID
	Vendor must meet or exceed these specifications.  Item bid shall be specified in column to right.	Price of items bid will establish the state cost.
	SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BOD	Y
Wheelchair	Must meet state specification. Platform shall be a minimum of	Mfr. BRAUN
Lift—Installed	32" x 52".	Model No. NCL919FIB-2
Wheelchair/Occupant	Must meet state specification.	Mfr. SURE-LOK
Tie-down System— Installed		Model No. <u>FF627S-4C-3</u>
	ADDITIONAL REQUIREMENTS—CHASSIS AND BODY	
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery.	Check if as specified ⊠
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at delivery.	Check if as specified ⊠
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified ⊠
Service and Cleaning	<ul> <li>Cleaning and service by vendor prior to delivery will include:</li> <li>Chassis lubrication.</li> <li>Check fluid levels: verify all are at recommended full levels.</li> <li>Cooling system protected at -20°F.</li> <li>Interior and exterior will be clean (including glass).</li> <li>All systems (electric, air, hydraulic, mechanical, and manual) be inspected to ensure proper operation at time of delivery.</li> <li>All components and accessories will be installed and operational at time of delivery.</li> </ul>	Check if as specified ⊠
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified ⊠



STUDENT TRANSPORTATION Old Capitol Building PO BOX 47200 Olympia, WA 98504-7200 (360) 725-6120 TTY (360) 664-3631

## VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE A—GAS

VENDOR'S COMPANY NAME	REPRESENTATIVE'S NAME	TELEPHONE NUMBER	
SCHETKY NW SALES INC	DAVID SCHETKY	800-255-8341	
ADDRESS			
8430 NE LOMBARD ST	Estimated delivery date to school district from time purchase orde	r is received: <u>210-240</u>	
PORTLAND, OR 97220	DAYS ARO		
	Firm where engine and chassis can be serviced or repaired, and parts obtained: ANY GM		
		·	
	DEALER		
	Firm where body can be serviced or repaired, and parts obtained:	SCHETKY NW SALES	

BODY						
MAKE THOMAS BUILT BUSES		Warranty:	Years <u>1</u> Miles UNLIM	Inside measurement from rear of stepwell to appropriate point at	Equipped seating capacity: w/o lift 24 w/lift 19	
MODEL 041MS NO-LIFT - 051MS LIFT	YEAR 2024-2025	Seat color: Floor color:	GRAY	rear of passenger seating area: w/o lift 137.3" w/lift 166.1"	Overall vehicle length (inches): w/o lift 237.8 w/lift 266.5	

	CHASSIS				ENG	SINE		
MAKE GM		Warranty:	Years <u>3</u> Miles <u>36,000</u>	MANUFACTURER GM		Torque: <u>464</u> @ H.P.: <u>401</u> @	4600 5400	RPM RPM
MODEL CG33503-CG33803	YEAR 2024-2025	Wheelbase	: <u>139"-159"</u>	MODEL VORTEC	YEAR NEW	Liters: <u>6.6</u> Fuel type: <u>GASOL</u>	<u>NE</u>	
	TRANSMISSION			Warranty: Years <u>5</u>		Battery type/grp:	<u>78</u>	<u>660</u>
MANUFACTURER GM		Speeds for	ward: <u>6</u>	Miles <u>100</u>	<u>,000</u>	Number batteries:	<u>2</u>	2
MODEL 6L90		Warranty:	Years <u>5</u> Miles <u>100,000</u>	Number of cylinders: Inline V-ty	<u>8</u> /pe <u>X</u>	Total CCA:	<u>1320</u>	<u>1320</u>

QUOTED PRICE					
Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).					
Gas Bid—w/o lift \$ <u>102,723.00</u> Gas Bid—w/lift \$ <u>112,579.00</u>					
VENDOR REPRESENTATIVE'S SIGNATURE  DATE  0.40.43033					
DAVID SCHETKY	8/8/2023				



STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

2020-2024			(000) 120 0120 111	(555) 551 5551				
	VEHIC	LE DATA S		OFFICIAL PRIC	E QUOTATI	ON		
VENDOR'S COMPANY NAME SCHETKY NW SALES INC			REPRESENTATIVE'S DAVID SCHET				TELEPHONE NUM 800-255-834	
ADDRESS 8430 NE LOMBARD ST			Estimated deli	very date to school dist	trict from time pur	chase orde	r is received: _	
PORTLAND, OR 97220				gine and chassis can b	•			
			Firm where bo	dy can be serviced or r	repaired, and pari	is obtained:		
			BODY					
MAKE		Warranty:	Years Miles	Inside measuremen stepwell to appropris		Equipped seating capacity:  w/o lift w/lift		pacity:
MODEL	YEAR			rear of passenger se	eating area:			
		Seat color: Floor color:		w/o lift	w/lift		II vehicle lengt t w/lift	
	CHASSIS				EN	GINE		
MAKE		Warranty:	Years Miles	MANUFACTURER		Torque: _ H.P.:	@ @	RPM RPM
MODEL	YEAR	Wheelbase	:	MODEL	YEAR	Liters: Fuel type	 :	
	RANSMISSION			Warranty: Years		Battery ty	/pe/grp:	
MANUFACTURER		Speeds for	ward:	Miles			oatteries:	
MODEL		Warranty:	Years Miles	Number of cylinders: Inline V-	: type	Total CC	A:	
Overtad principle	and within 00 days.	ton delivered	QUOTED F					
Quoted price is based upon payme	ent within 30 days at	ter delivery to t	ine school distric	ci (without sales tax).				
Propane Bid—w/o lift \$ NO BID	'	Propane Bid—	-w/lift \$ <u>NO BID</u>					
VENDOR REPRESENTATIVE'S SIGNATURE				DATE 8/8/2023				

#### **PART II**

# State Price Quote Specification DISTRICT-SUPPORTED OPTIONS TYPE A

Vendor:	
SCHETKY NW SALES INC	_

Mfr.: THOMAS BUILT BUSES

	CHASSIS				
ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.		<b>YENDOR SPECIFICALLY IDENTIFY ITEM BID</b> Price of items bid will establish the district cost.		
Small A	Type A bus—10,000 lbs. or under GVWR chassis.	Gas	Propane		
		Deduct <u>\$1,200.00</u>	Deduct N/A		
		Mfr. GM-THOMAS	Mfr.		
		Capacity w/o lift 14	Capacity w/o lift		
		Dual Wheel □	Dual Wheel □		
		Single Wheel ⊠	Single Wheel □		
Air Conditioning	To cool passenger compartment as required in the Washington	Mfr. CARRIER AC-5W13	68K BTU		
	State School Bus Specifications manual.	Cost \$ <u>5,700.00</u>			
Alternate Fuel	Must comply with power and gradeability formula. Refer to	Mfr. N/A			
□ CNG	Washington State School Bus Specifications manual. Must comply with all of the requirements of FMVSS No. 305.	☐ CNG Cost \$			
□ Electric	comply with all of the requirements of FWV55 No. 305.	□ Electric Cost \$			
Back-up Alarm	Must meet state specification.	Mfr. THOMAS			
		Cost \$ 145.00			
Color	Exterior white roof.	Cost \$ 675.00			
Steering Wheel	Tilt and telescoping column.	Cost \$ INCLUDED			
Strobe Light	Exterior roof mounted white strobe light.	Mfr. THOMAS			
		Model No. <u>B357605000</u>			
		Cost \$ 248.00			
Student Protection	Electronic system to insure driver post-trip inspection of	Mfr. CHECKMATE			
System—Installed	passenger compartment.	Model No. <u>B200105000</u>			
		Cost \$ <u>375.00</u>			
Toolbox	Interior, manufacturer standard.	Cost \$ 75.00	Deduct \$ N/A		

PART II (cont.)

### **State Price Quote Specification DISTRICT-SUPPORTED OPTIONS TYPE A**

Vendor: \_

SCHETKY NW SALES INC
Mfr.: THOMAS BUILT BUSES

ITEM	Vendor must meet or exceed these specifications.  Item bid shall be specified in column to right.  VENDOR SPECIFICALLY IDENTIFY ITE  Price of items bid will establish the district				
Video Camera	Digital audio/video system for monitoring the passenger	Mfr. SEON			
Systems—Installed	compartment with more than two cameras.	Model No. DH			
		Cost \$ 4,230.00	_ How many cameras <u>3</u>		
Video Camera	Must meet state specification.	Stand Alone System	Added to Interior System		
Systems—Stop Sign		Mfr. <u>SEON</u>	Mfr. SEON		
Camera—Installed		Model No. DH	Model No. HD3		
		Cost \$ 4,780.00	Cost \$ 705.00		
		How many cameras <u>4</u>	How many cameras <u>1</u>		
Warning Light Monitor	16 light monitoring system.	Incandescent	LED Lights		
		Cost \$ N/A	Cost \$ 750.00		
Additional	Must meet state specification.	Mfr. SURE-LOK			
Wheelchair/Occupant		Model No. FF627S-4C-3			
Tie-down System— Installed		Cost per station \$ 960.00			
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ 890.00			
		Rear Cost \$ INCLUDED IN SIDE COST			
		Both Cost \$ 890.00			
Windows	Tinted.	Cost \$ 475.00			