



**State Price Quote Specification**  
**TYPE A— GAS & PROPANE**

Use this document to bid both non-lift and lift, gas and propane buses.

Vendor: \_\_\_\_\_  
RWC Group \_\_\_\_\_  
Mfr.: Collins \_\_\_\_\_

ITEM	STATE-SUPPORTED SPECIFICATIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID	
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	Price of items bid will establish the state cost.	
Seating Capacity	Maximum passenger capacity based upon an average center-to-center seat spacing of at least 27.5" with a lap-shoulder belt for each seating position.	<b>Gas</b>	<b>Propane</b>
		Capacity w/o lift <u>24</u>	Capacity w/o lift <u>N/A</u>
		Capacity w/lift <u>18+1</u>	Capacity w/lift <u>N/A</u>
Alternator	145 amp minimum. Lift-equipped or air-conditioned. Manufacturer recommended capacity.	Mfr. <u>Delco</u> Amps output w/o lift or A.C. <u>220</u> Amps output w/lift or A.C. <u>220</u>	
Auxiliary Automatic Transmission Cooler	10,000 lb. Hayden or equal.	<b>Gas</b>	<b>Propane</b>
		Mfr. <u>GM</u>	Mfr. <u>N/A</u>
		Lbs. rating <u>10,000</u>	Lbs. rating <u>N/A</u>
Axle—Front	Manufacturer's recommendation.	<b>Gas</b>	<b>Propane</b>
		Mfr. <u>GM</u>	Mfr. <u>N/A</u>
		Lbs. rating <u>4,300</u>	Lbs. rating <u>N/A</u>
		Indepen. suspens. <input checked="" type="checkbox"/> Indepen. suspens. <input type="checkbox"/>	
Axle—Rear	Manufacturer's recommendation.	<b>Gas</b>	<b>Propane</b>
		Mfr. <u>GM</u>	Mfr. <u>N/A</u>
		Capacity <u>8,600</u>	Capacity <u>N/A</u>
Axle Ratio	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications Manual.	<b>Gas</b>	<b>Propane</b>
		Ratio <u>3.73</u>	Ratio <u>N/A</u>
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: <input checked="" type="checkbox"/> Diameter <u>4 Inch</u> Other: <input type="checkbox"/> Square inches _____	

Vendor: RWC Group

Mfr.: Collins

**State Price Quote Specification**  
**TYPE A—GAS & PROPANE**

Use this document to bid both non-lift and lift, gas and propane buses.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
Battery(ies)	535 CCA 12 volt minimum for gas and propane w/o lift. 1070 CCA 12 volt minimum for any bus w/lift.	<b>Gas/Propane w/o lift</b>	
		CCA <u>1540</u>	CCA <u>1540</u>
Brakes	Hydraulic: Drum or Disc. Refer to Washington State School Bus Specifications Manual.	<b>Gas</b>	
		Front Disc <input checked="" type="checkbox"/>	Front Disc <input type="checkbox"/>
		Drum <input type="checkbox"/>	Drum <input type="checkbox"/>
		Rear Disc <input checked="" type="checkbox"/>	Rear Disc <input type="checkbox"/>
		Drum <input type="checkbox"/>	Drum <input type="checkbox"/>
		Drum Size <u>13.6</u>	Drum Size <u>N/A</u>
Doors, Service	Power operated.	<input type="checkbox"/> Air <input type="checkbox"/> Folding <input checked="" type="checkbox"/> Electric <input checked="" type="checkbox"/> Split, Outward Opening <input type="checkbox"/> Other _____	
Engine	Gas and Propane—3.5 liters minimum.	<b>Gas</b>	
		Engine mfr. <u>GM</u>	Engine mfr. <u>N/A</u>
		H.P. <u>404</u>	Liters <u>N/A</u>
Fuel Tank	Gas—25-gallon minimum. Propane—largest available.	<b>Gas</b>	
		Capacity <u>33</u>	Capacity <u>N/A</u>
Heaters	Front—manufacturer's standard. Rear—40,000 B.T.U. minimum.	Rear B.T.U. w/o lift <u>60K</u> Rear B.T.U. w/lift <u>60K</u>	
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights—7", Taillights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified <input checked="" type="checkbox"/> If not, explain. _____ _____	

Vendor: RWC Group

State Price Quote Specification  
**TYPE A—GAS & PROPANE**

Use this document to bid both non-lift and lift, gas and propane buses.

Mfr.: Collins

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. <u>GM</u>	
		Model No. <u>OEM</u>	
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>136</u> w/lift <u>152</u>	
		Mfg.'s C/C seat measurement of vehicle (inches): w/o lift <u>27.5</u> w/lift <u>27.5</u>	
Steering Wheel	Tilt.	Check if as specified <input checked="" type="checkbox"/>	
Step Tread	Studded or pebbled top tread covering.	Mfr. <u>Pebbled</u>	
Tires	6 first quality, radial ply.	Mfr. <u>General</u>	
		Size <u>LT225/75R16</u>	
		Load range <u>E</u>	
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) <u>4.96</u>	
Transmission	Automatic—manufacturer's standard compatible with H.P. and torque rating of engine bid.	<b>Gas</b>	<b>Propane</b>
		Mfr. <u>GM</u>	Mfr. <u>N/A</u>
		Model no. <u>6L90</u>	Model no. <u>N/A</u>
Two-way Communications	45-watt, VHF, mil. spec.	Mfr. <u>ICOM</u>	
		Model No. <u>F-5011</u>	
Wheels	6 to be compatible with tire size.	Size <u>16</u>	
		Rim width <u>6.5</u>	

State Price Quote Specification  
**TYPE A—GAS & PROPANE**

Vendor: RWC Group

Mfr.: Collins

Use this document to bid both non-lift and lift, gas and propane buses.

ITEM	STATE-SUPPORTED SPECIFICATIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID
Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.		
<b>SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BODY</b>		
Wheelchair Lift— Installed	Must meet state specification. Platform shall be a minimum of 32" x 52".	Mfr. <u>Braun</u> Model No. <u>NCL917IB</u>
Wheelchair/Occupant Tie-down System— Installed	Must meet state specification.	Mfr. <u>Q-Straint</u> Model No. <u>Q-8100-A1</u>
<b>ADDITIONAL REQUIREMENTS—CHASSIS AND BODY</b>		
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery.	Check if as specified <input checked="" type="checkbox"/>
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at delivery.	Check if as specified <input checked="" type="checkbox"/>
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified <input checked="" type="checkbox"/>
Service and Cleaning	Cleaning and service by vendor prior to delivery will include: <ul style="list-style-type: none"> <li>• Chassis lubrication.</li> <li>• Check fluid levels: verify all are at recommended full levels.</li> <li>• Cooling system protected at -20°F.</li> <li>• Interior and exterior will be clean (including glass).</li> <li>• All systems (electric, air, hydraulic, mechanical, and manual) be inspected to ensure proper operation at time of delivery.</li> <li>• All components and accessories will be installed and operational at time of delivery.</li> </ul>	Check if as specified <input checked="" type="checkbox"/>
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified <input checked="" type="checkbox"/>



Washington Office of Superintendent of  
**PUBLIC INSTRUCTION**  
2023-2024

STUDENT TRANSPORTATION  
Old Capitol Building  
PO BOX 47200  
Olympia, WA 98504-7200  
(360) 725-6120 TTY (360) 664-3631

## VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE A—GAS

VENDOR'S COMPANY NAME <b>RWC Group</b> ADDRESS 600 North 75 <sup>th</sup> Avenue Phoenix, AZ 85043	REPRESENTATIVE'S NAME <b>Tom Hartman</b>  Estimated delivery date to school district from time purchase order is received: <u>180 Days</u> <u>ARO</u>  Firm where engine and chassis can be serviced or repaired, and parts obtained: <u>Any GM Dealer</u>  Firm where body can be serviced or repaired, and parts obtained: <u>RWC Group (4 locations in WA)</u>	TELEPHONE NUMBER <b>602-377-4401</b>
--	---	---

### BODY

MAKE <b>Collins</b>		Warranty: Years <u>5</u> Miles <u>100k</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>136</u> w/lift <u>152</u>	Equipped seating capacity: w/o lift <u>24</u> w/lift <u>18+1</u>
MODEL <b>DH400</b>	YEAR <b>2024</b>	Seat color: <u>Gray</u> Floor color: <u>Black</u>		Overall vehicle length (inches): w/o lift <u>242</u> w/lift <u>258</u>

### CHASSIS

MAKE <b>Chevrolet</b>		Warranty: Years <u>3</u> Miles <u>36k</u>
MODEL <b>G3500</b>	YEAR <b>2024</b>	Wheelbase: <u>139</u>

### ENGINE

MANUFACTURER <b>GM</b>		Torque: <u>464</u> @ <u>4000</u> RPM H.P.: <u>404</u> @ <u>5200</u> RPM
MODEL <b>SFI V8</b>	YEAR <b>2023</b>	Liters: <u>6.6</u> Fuel type: <u>Gas</u>
Warranty: Years <u>5</u> Miles <u>100k</u>		Battery type/grp: <u>74</u> <u>74</u>
Number of cylinders: <u>8</u> Inline _____ V-type <u>X</u>		Number batteries: <u>2</u> <u>2</u>
Total CCA: <u>1540</u> <u>1540</u>		

### TRANSMISSION

MANUFACTURER <b>Chevrolet</b>		Speeds forward: <u>8</u>
MODEL <b>6L90</b>		Warranty: Years <u>5</u> Miles <u>60k</u>

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Gas Bid—w/o lift \$ 114,404

Gas Bid—w/lift \$ 123,899

VENDOR REPRESENTATIVE'S SIGNATURE

DATE

8-7-23



Washington Office of Superintendent of  
**PUBLIC INSTRUCTION**  
2023-2024

STUDENT TRANSPORTATION  
Old Capitol Building  
PO BOX 47200  
Olympia, WA 98504-7200  
(360) 725-6120 TTY (360) 664-3631

## VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE A—PROPANE

VENDOR'S COMPANY NAME	REPRESENTATIVE'S NAME	TELEPHONE NUMBER
ADDRESS	Estimated delivery date to school district from time purchase order is received: _____	
	Firm where engine and chassis can be serviced or repaired, and parts obtained: _____	
	Firm where body can be serviced or repaired, and parts obtained: _____	

BODY				
MAKE		Warranty: Years _____	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: _____	Equipped seating capacity: w/o lift _____ w/lift _____
MODEL	YEAR	Miles _____	w/o lift _____ w/lift _____	Overall vehicle length (inches): w/o lift _____ w/lift _____
		Seat color: _____		
		Floor color: _____		

CHASSIS		ENGINE		
MAKE		Warranty: Years _____	MANUFACTURER	Torque: _____ @ _____ RPM
MODEL	YEAR	Miles _____		H.P.: _____ @ _____ RPM
		Wheelbase: _____	MODEL	LITERS: _____
			YEAR	Fuel type: _____
TRANSMISSION		Warranty: Years _____		Battery _____ type/grp: _____
MANUFACTURER		Miles _____	Number of cylinders: _____	Number _____ batteries: _____
MODEL		Warranty: Years _____	Inline _____ V-type _____	Total CCA: _____
		Miles _____		

QUOTED PRICE	
Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).	
Propane Bid—w/o lift \$ _____	Propane Bid—w/lift \$ _____
VENDOR REPRESENTATIVE'S SIGNATURE 	DATE 8-7-23

State Price Quote Specification  
**DISTRICT-SUPPORTED OPTIONS**  
**TYPE A**

Vendor: RWC Group

Mfr.: Collins

Use this document to bid both non-lift and lift, gas and propane buses.

ITEM	CHASSIS	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Small A	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right. Type A bus—10,000 lbs. or under GVWR chassis.	<b>Gas</b>	<b>Propane</b>
		Deduct \$ <u>2,530</u>	Deduct <u>N/A</u>
		Mfr. <u>GM</u>	Mfr. <u>N/A</u>
		Capacity w/o lift <u>16</u>	Capacity w/o lift <u>N/A</u>
		Dual Wheel <input type="checkbox"/>	Dual Wheel <input type="checkbox"/>
		Single Wheel <input checked="" type="checkbox"/>	Single Wheel <input type="checkbox"/>
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. <u>American Cooling Tech</u>	
		Cost \$ <u>6,440</u>	
Alternate Fuel	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications manual. Must comply with all of the requirements of FMVSS No. 305.	Mfr. <u>Collins</u>	
<input type="checkbox"/> CNG		<input type="checkbox"/> CNG Cost \$ <u>N/A</u>	
<input checked="" type="checkbox"/> Electric		<input checked="" type="checkbox"/> Electric Cost \$ <u>320,070 21p/123,899 18+1</u>	
Back-up Alarm	Must meet state specification.	Mfr. <u>Superior Signals</u>	
		Cost \$ <u>110</u>	
Color	Exterior white roof.	Cost \$ <u>Standard</u>	
Steering Wheel	Tilt and telescoping column.	Cost \$ <u>N/A</u>	
Strobe Light	Exterior roof mounted white strobe light.	Mfr. <u>Opti-Luxx</u>	
		Model No. <u>Beacon 4903</u>	
		Cost \$ <u>194</u>	
Student Protection System—Installed	Electronic system to insure driver post-trip inspection of passenger compartment.	Mfr. <u>Check Makte</u>	
		Model No. <u>EP1</u>	
		Cost \$ <u>538</u>	
Toolbox	Interior, manufacturer standard.	Cost \$ <u>283</u>	Deduct \$ <u>N/A</u>

State Price Quote Specification  
**DISTRICT-SUPPORTED OPTIONS**  
**TYPE A**

Use this document to bid both non-lift and lift, gas and propane buses.

**PART II (cont.)**

Vendor: RWC Group

Mfr.: Collins

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Video Camera Systems—Installed	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. <u>Seon</u>	
		Model No. <u>TH4</u>	
		Cost \$ <u>3,672</u>	How many cameras <u>3</u>
Video Camera Systems—Stop Sign Camera—Installed	Must meet state specification.	<b>Stand Alone System</b>	<b>Added to Interior System</b>
		Mfr. <u>Seon</u>	Mfr. <u>Seon</u>
		Model No. <u>TH4</u>	Model No. <u>TH4</u>
		Cost \$ <u>1,398</u>	Cost \$ <u>915</u>
		How many cameras <u>1</u>	How many cameras <u>1</u>
Warning Light Monitor	16 light monitoring system.	<b>Incandescent</b>	<b>LED Lights</b>
		Cost \$ <u>239</u>	Cost \$ <u>558</u>
Additional Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q-Straint</u>	
		Model No. <u>Q-8100-A1</u>	
		Cost per station \$ <u>1,063</u>	
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ <u>350</u>	
		Rear Cost \$ <u>145</u>	
		Both Cost \$ <u>495</u>	
Windows	Tinted.	Cost \$ <u>375</u>	