## State Price Quote Specification TYPE A— GAS & PROPANE

Vendor:\_\_\_\_\_SCHETKY NW SALES INC Mfr.: COLLINS BUS

ITEM	STATE-SUPPORTED SPECIFICATIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID			
	Vendor must meet or exceed these specifications.  Item bid shall be specified in column to right.	Price of items bid wil	I establish the state cost.		
Seating Capacity	Maximum passenger capacity based upon an average center-to-	Gas	Propane		
	center seat spacing of at least 27.5" with a lap-shoulder belt for each seating position.	Capacity w/o lift 24	Capacity w/o lift N/A		
		Capacity w/lift 19	Capacity w/lift N/A		
Alternator	145 amp minimum. Lift-equipped or air-conditioned. Manufacturer	Mfr. OEM			
	recommended capacity.	Amps output w/o lift or A.0	C. <u>220</u>		
		Amps output w/lift or A.C.	220		
Auxiliary Automatic	10,000 lb. Hayden or equal.	Gas	Propane		
Transmission Cooler		Mfr. GM	Mfr. N/A		
		Lbs. rating <u>10,000</u>	Lbs. rating		
Axle—Front	Manufacturer's recommendation.	Gas	Propane		
		Mfr. GM	Mfr		
		Lbs. rating <u>4,300</u>	Lbs. rating		
		Indepen. suspens.	Indepen. suspens.		
Axle—Rear	Manufacturer's recommendation.	Gas	Propane		
		Mfr. GM	Mfr		
		Capacity 8,600	Capacity		
Axle Ratio	Must comply with power and gradeability formula. Refer to	Gas	Propane		
	Washington State School Bus Specifications Manual.	Ratio <u>3.73</u>	Ratio		
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round:   Diameter Other:   Square inc	<u>4"</u>		

## State Price Quote Specification TYPE A—GAS & PROPANE

Vendor:
SCHETKY NW SALES INC
Mfr.:COLLINS BUS

ITEM	STATE-SUPPORTED SPECIFICATIONS  Vendor must meet or exceed these specifications.  Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.				
Battery(ies)	535 CCA 12 volt minimum for gas and propane w/o lift.	Gas/Propane w/o lift	Any bus w/lift			
	1070 CCA 12 volt minimum for any bus w/lift.	CCA <u>1320</u>	CCA <u>1320</u>			
Brakes	Hydraulic: Drum or Disc. Refer to Washington State School Bus	Gas	Propane			
	Specifications Manual.	Front Disc ⊠	Front Disc			
		Drum □	Drum 🗆			
		Rear Disc ⊠	Rear Disc			
		Drum □	Drum □			
		Drum Size	Drum Size			
Doors, Service	Power operated.	☐ Air ☐ Folding ☑ Split, Outward Opening				
Engine	Gas and Propane—3.5 liters minimum.	Gas	Propane			
		Engine mfr. GM	Engine mfr. N/A			
		H.P. <u>401</u>	Liters			
Fuel Tank	Gas—25-gallon minimum.	Gas	Propane			
	Propane—largest available.	Capacity 33	Capacity			
Heaters	Front—manufacturer's standard. Rear—40,000 B.T.U. minimum.	Rear B.T.U. w/o lift 60,000 Rear B.T.U. w/lift 60,000	)			
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights–7", Taillights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified ⊠ If not, explain.				

## State Price Quote Specification TYPE A—GAS & PROPANE

Vendor: \_\_\_\_\_\_\_SCHETKY NW SALES INC

_		
Mfr ·	COLLINS BUS	

ITEM	STATE-SUPPORTED SPECIFICATIONS  Vendor must meet or exceed these specifications.  Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BI Price of items bid will establish the state cost			
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. JENSEN			
		Model No. R11U			
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift 135" w/lift 152"			
		Mfg.'s C/C seat measurement of vehicle (inches): w/o lift 27.5 w/lift 27.5			
Steering Wheel	Tilt.	Check if as specified ⊠			
Step Tread	Studded or pebbled top tread covering.	Mfr. KOROSEAL			
Tires	6 first quality, radial ply.	Mfr. OEM			
		Size <u>LT225/75R16</u>			
		Load range E			
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) 4.95			
Transmission	Automatic—manufacturer's standard compatible with H.P. and	Gas	Propane		
	torque rating of engine bid.	Mfr. <u>GM</u>	Mfr. <u>N/A</u>		
		Model no. 6L90	Model no		
Two-way	45-watt, VHF, mil. spec.	Mfr. MOTOROLA			
Communications		Model No. CM200D			
Wheels	6 to be compatible with tire size.	Size 16"			
		Rim width 6.5"			

### **State Price Quote Specification**

### **TYPE A—GAS & PROPANE**

Use this document to bid both non-lift and lift, gas and propane buses.

Vendor: \_

SCHETKY NW SALES INC

Mfr.: COLLINS BUS

ITEM	STATE-SUPPORTED SPECIFICATIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID
	Vendor must meet or exceed these specifications.  Item bid shall be specified in column to right.	Price of items bid will establish the state cost.
	SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BOD	Y
Wheelchair	Must meet state specification. Platform shall be a minimum of	Mfr. BRAUN
Lift—Installed	32" x 52".	Model No. NCL919FIB-2
Wheelchair/Occupant	Must meet state specification.	Mfr. Q-STRAINT
Tie-down System— Installed		Model No. SLIDE "N" CLICK
	ADDITIONAL REQUIREMENTS—CHASSIS AND BODY	
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery.	Check if as specified ⊠
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at delivery.	Check if as specified ⊠
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified ⊠
Service and Cleaning	<ul> <li>Cleaning and service by vendor prior to delivery will include:</li> <li>Chassis lubrication.</li> <li>Check fluid levels: verify all are at recommended full levels.</li> <li>Cooling system protected at -20°F.</li> <li>Interior and exterior will be clean (including glass).</li> <li>All systems (electric, air, hydraulic, mechanical, and manual) be inspected to ensure proper operation at time of delivery.</li> <li>All components and accessories will be installed and operational at time of delivery.</li> </ul>	Check if as specified ⊠
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified ⊠



STUDENT TRANSPORTATION Old Capitol Building PO BOX 47200 Olympia, WA 98504-7200 (360) 725-6120 TTY (360) 664-3631

## VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE A—GAS

VENDOR'S COMPANY NAME	REPRESENTATIVE'S NAME	TELEPHONE NUMBER	
SCHETKY NW SALES INC	DAVID SCHETKY	800-255-8341	
ADDRESS 8430 NE LOMBARD ST. PORTLAND, OR 97220	Estimated delivery date to school district from time purchase order is received: <u>210-240</u> <u>DAYS ARO</u>		
	Firm where engine and chassis can be serviced or repaired, and p	oarts obtained: <u>ANY GM</u>	
	DEALER		
	Firm where body can be serviced or repaired, and parts obtained:	SCHETKY NW SALES	

BODY							
MAKE COLLINS BUS		Warranty:	Years <u>1</u>	Inside measurement fro		Equipped sea	0 ,
MODEL DH400 NO-LIFT - DH416WR LIFT	YEAR 2024-2025	Seat color:		stepwell to appropriate prear of passenger seating w/o lift 136" w		w/o lift 24  Overall vehicle w/o lift 242	_ w/lift <u>19</u>

	CHASSIS				ENG	GINE		
MAKE GM		Warranty:	Years <u>3</u> Miles <u>36,000</u>	MANUFACTURER GM		Torque: <u>464</u> @ H.P.: <u>401</u> @	4600 5400	RPM RPM
MODEL CG33303	YEAR 2024-2025	Wheelbase	: <u>139"-159"</u>	MODEL VORTEC	YEAR NEW	Liters: <u>6.6</u> Fuel type: <u>GASOL</u>	INE	
	TRANSMISSION			Warranty: Years <u>5</u>		Battery type/grp:	<u>78</u>	<u>660</u>
MANUFACTURER GM		Speeds for	ward: <u>6</u>	Miles <u>100</u>	<u>,000</u>	Number batteries:	<u>2</u>	2
MODEL 6L90		Warranty:	Years <u>5</u> Miles <u>100,000</u>	Number of cylinders: the line V-ty	<u>8</u> ⁄pe <u>X</u>	Total CCA:	<u>1320</u>	<u>1320</u>



STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

2020-2024			(000) 120 0120 111	(555) 551 5551				
	VEHIC	LE DATA S		OFFICIAL PRIC	E QUOTATI	ON		
			111 = A	THOTAIL				
VENDOR'S COMPANY NAME SCHETKY NW SALES INC			REPRESENTATIVE'S DAVID SCHET				TELEPHONE NUM 800-255-834	
ADDRESS 8430 NE LOMBARD ST. PORTLAND, OR 97220				very date to school dist	•		_	
TOTAL STATE OF THE				gine and chassis can b dy can be serviced or r	•			
			BODY	<b>,</b>				
MAKE		Warranty:	Years Miles	Inside measuremen stepwell to appropri		Equip w/o lif	ped seating ca t w/lift	pacity:
MODEL	YEAR	Seat color:		rear of passenger so w/o lift	eating area:		Il vehicle lengt	
		Floor color:		W/O IIIC	W/IIIC		t w/lift	
	CHASSIS			T	-N	GINE		
MAKE	CHASSIS	\	V	MANUFACTURER	EN			DDM
WAILE		warranty:	Years Miles	WANDI ACTONEN		H.P.:	@ @	RPM RPM
MODEL	YEAR	Wheelbase	:	MODEL	YEAR	Liters:	 :	
T	RANSMISSION			Warranty: Years			pe/grp:	
MANUFACTURER		Speeds for	ward:	Miles			patteries:	
MODEL		Warranty:	Years Miles	Number of cylinders: Inline V-	type	Total CC	A:	
			QUOTED F	DDICE				
Quoted price is based upon payme	ent within 30 days af	ter delivery to t						
Propane Bid—w/o lift \$ NO BID		Propane Bid—	w/lift \$ <u>NO BID</u>					
VENDOR REPRESENTATIVE'S SIGNATURE				DATE 8/8/2023				

#### **PART II**

# State Price Quote Specification DISTRICT-SUPPORTED OPTIONS TYPE A

Vendor:
SCHETKY NW SALES INC
Mfr.: COLLINS BUS

	CHASSIS				
ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	<b>VENDOR SPECIFICALLY IDENTIFY ITEM BID</b> Price of items bid will establish the district cost.			
Small A	Type A bus—10,000 lbs. or under GVWR chassis.	Gas	Propane		
		Deduct <u>\$1,200.00</u>	Deduct N/A		
		Mfr. GM-COLLINS	Mfr.		
		Capacity w/o lift 14	Capacity w/o lift		
		Dual Wheel □	Dual Wheel □		
		Single Wheel ⊠	Single Wheel □		
Air Conditioning	To cool passenger compartment as required in the Washington	Mfr. ACT 55K BTU SYST	ГЕМ		
	State School Bus Specifications manual.	Cost \$ <u>5,400.00</u>			
Alternate Fuel	Must comply with power and gradeability formula. Refer to	Mfr. N/A			
□ CNG	Washington State School Bus Specifications manual. Must comply with all of the requirements of FMVSS No. 305.	☐ CNG Cost \$			
□ Electric	comply with all of the requirements of FWV55 No. 305.	□ Electric Cost \$			
Back-up Alarm	Must meet state specification.	Mfr. SUPERIOR SIGNALS			
		Cost \$ 120.00			
Color	Exterior white roof.	Cost \$ INCLUDED			
Steering Wheel	Tilt and telescoping column.	Cost \$ INCLUDED			
Strobe Light	Exterior roof mounted white strobe light.	Mfr. SOUND OFF SIGNAL			
		Model No. CL3107HCC			
		Cost \$ 260.00			
Student Protection	Electronic system to insure driver post-trip inspection of	Mfr. CHECKMATE			
System—Installed	passenger compartment.	Model No. EP1			
		Cost \$ 395.00			
Toolbox	Interior, manufacturer standard.	Cost \$ 85.00	Deduct \$ N/A		

PART II (cont.)

# State Price Quote Specification DISTRICT-SUPPORTED OPTIONS TYPE A

Vendor:
SCHETKY NW SALES INC
Mfr.: COLLINS BUS

ITEM	Vendor must meet or exceed these specifications.  Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.		
Video Camera	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. SEON		
Systems—Installed		Model No. <u>DH</u>		
		Cost \$ <u>4,230.00</u> How many cameras <u>3</u>		
Video Camera Systems—Stop Sign Camera—Installed	Must meet state specification.	Stand Alone System	Added to Interior System	
		Mfr. SEON	Mfr. <u>SEON</u>	
		Model No. DH	Model No. HD3	
		Cost \$ 4,780.00	Cost \$ 705.00	
		How many cameras <u>4</u>	How many cameras <u>1</u>	
Warning Light Monitor	16 light monitoring system.	Incandescent	LED Lights	
		Cost \$ N/A	Cost \$ 750.00	
Additional	Must meet state specification.	Mfr. Q-STRAINT	Mfr. Q-STRAINT	
Wheelchair/Occupant		Model No. SLIDE "N" CLICK		
Tie-down System— Installed		Cost per station \$ 960.00		
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ <u>550.00</u>		
		Rear Cost \$ 150.00		
		Both Cost \$ 700.00		
Windows	Tinted.	Cost \$ INCLUDED		